

Q2 Catalog 2025

Since 1951



STOCKYARDS

RANCH SUPPLY INC.



6990 US HWY 85 PO BOX 1126 COMMERCE CITY CO 80022 303.287.8081
1.800.443.5022 MON - FRI 8:00AM TO 4:45PM STOCKYARDSUPPLY.COM

PRODUCT CATALOG



**AVAILABILITY AND PRICING CONTINUE TO BE UNSTABLE.
PLEASE CALL AHEAD TO CHECK STOCK & PRICING.**

STEEL TEE POSTS & TWISTED WIRE

Stockyards stocks three weights of steel posts. **Standard, Non-Certified #133 Heavy Weight** and the **Premium ASTM A702 Certified** posts are all **American made...** the highest quality available. All posts are painted Green and are accented with a light colored top. Anchor plates are securely riveted to posts. All post prices include 5 wire clips for attaching wire to post. Posts are bundled in small bundles of 5 posts and master bundles of 200 posts.

#125 STANDARD

Length	Weight	Price	200 +
5'	6.73 lb	\$ 5.57	\$ 5.47
5 1/2'	7.36 lb	5.77	5.67
6'	7.98 lb	6.19	6.09
6 1/2'	8.61 lb	6.66	6.56
7'	9.23 lb	7.13	7.03
8'	10.48 lb	8.06	7.96

ASTM A702 CERTIFIED #133 PREMIUM WEIGHT

Length	Weight	Price	200 +
5 1/2'	8.10 lb	\$ 6.45	\$ 6.35
6'	8.76 lb	6.87	6.77
6 1/2'	9.43 lb	7.34	7.24
7'	10.09 lb	7.81	7.71
8'	11.42 lb	8.74	8.64
10'	13.83 lb	11.75	11.65


FENCE STAYS

9 1/2 Gauge Wire
Class 1 Galvanized
100 per Bundle

Size	Bundle	Each
24"	\$ 52.43	65¢
36"	53.23	79¢
42"	79.66	80¢
48"	95.82	96¢
52"	107.65	1.15

#133 NON-CERTIFIED HEAVY WEIGHT

Length	Weight	Price	200 +
5 1/2'	7.80 lb	\$ 6.21	6.11
6'	8.46 lb	6.63	6.53
6 1/2'	9.13 lb	7.09	6.99



UniPost 8'
Reinforcing Steel Fence
Post for 4 x 4 Posts
Prepunched Holes
G-90 Galvanized
\$ 30.50

ANGLE IRON END & CORNER POSTS

Posts are 7'0" x 2 1/2" x 2 1/2" x 1/4" angle iron. Braces are 7'0" x 2" x 2" x 1/4". Painted Interstate Green. Holes drilled for bolt connections. Bolts and nuts included.

Item	Size	Components	Weight	Price
Angle Iron End Set	7'	Post with 1 Brace	52 lbs	\$ 90.50
Angle Iron Corner Set	7'	Post with 2 Braces	75 lbs	129.29
Angle Iron Post	7'	2.5" x 2.5" x 1/4"	28 lbs	51.71
Angle Iron Brace	7'	2" x 2" x 1/4"	22 lbs	38.44
Galvanized #133 Premium Tee Post		6 1/2'		\$ 10.36
Galvanized Angle Iron 2.5" x 2.5" x 7'		Post		40.50
Galvanized Angle Iron 2" x 2" x 7'		Brace		32.50



BARBED WIRE



PREMIUM BARBED WIRE ASTM A121

27 per Pallet

12 1/2 Gauge 2 Point barbs 4" Spacing 80lb/Spool Class 1 Galvanized

\$ 117.00

PREMIUM 4 POINT BARBED WIRE ASTM A121

27 per Pallet

12 1/2 Gauge 4 Point Barbs 5" Spacing 88 lbs./spool-Class 1 Galv.

129.00

CATTLEMAN PRO 14GA HT 2 POINT BARBED WIRE

36 per Pallet

14 Gauge 2 Point Barbs 5" Spacing 53lbs/Spool Bezinal

95.00

BARBLESS WIRE



32 per Pallet

PREMIUM BARBLESS TWISTED SMOOTH WIRE ASTM A121

12 1/2 Gauge Two Ply Smooth 68 lbs./spool-Class 1 Galvanized

\$ 98.00

All our barbed wire & barbed wire products are **Made in the USA**. The **Premium** barbed wire has a thicker galvanized zinc coating (Class 1) and meets spec. ASTM A-121 regarding wire gauge, barb spacing, etc. **High-Tensile** Barbed Wire has the heaviest zinc coating and meets Class 3 Galvanizing specifications. Made from high-tensile steel to allow the same breaking strength from a smaller gauge wire.


@ BEKAERT



1,320' per Spool
(80 Rods)
Made In The
U.S.A

PRESSURE TREATED POSTS & POLES


Round Posts & Poles



These wood posts and poles are all pressure treated with MCA (Micro Copper Azole) or CA-C (Copper Azole type C) for ground contact. Protects the wood against decay and wood destroying insects. Post diameter indicates the measurement at the small end of the post or minimum diameter. Galvanized or stainless steel fasteners are recommended for use in preserved wood. Do not use preserved wood in direct contact with aluminum. Ask for a **Safe Handling Information Sheet** for use & handling recommendations. • Never burn treated wood. • Wear dust mask & goggles when cutting or sanding treated wood. • Wear gloves when working with treated wood.

6 1/2'	4" up to 5"	\$ 14.00	R 50/ S 95	8'	4" up to 5"	\$ 17.00	95	10'	5" up to 6"	\$ 27.00	R 40/ S 60
6 1/2'	5" up to 6"	18.00	R 40/ S 60	8'	5" up to 6"	21.00	60	10'	6" up to 7"	36.00	46
6 1/2'	6" up to 7"	27.00	46	8'	6" up to 7"	27.00	46	12'	5" up to 6"	32.00	R 46/ S 60
				8'	7" up to 8"	33.00	25	12'	6" up to 7"	46.00	60

Post diameter indicates the measurement at the small end of the post or minimum diameter. Sizes other than those we stock can be special produced on a custom order basis.



Square Posts


Pressure treated squares 10' and longer are number 2 & better incised Hem/Fir. This wood has been pressure treated with MCA or CA-C chemical. Treating specifications and timber species are variable at this time, inquire for details. Our 8' long squares are Ponderosa pine treated for ground contact.

8' lengths - Ponderosa Pine

10' thru 20' #2 btr Hem/Fir

4" x 6"	8' Long	\$ 20.00
6" x 6"	8' Long	38.00
6" x 8"	8' Long	54.00
6" x 6"	10' Long	43.00
6" x 6"	12' Long	48.00
6" x 6"	14' Long	55.00
6" x 6"	16' Long	66.00
6" x 6"	20' Long	80.00

Corral Poles




Pressure Treated. Machine turned with uniform diameter from end to end. MCA.

16' x 4" Turned \$ 27.00


Rustic Western Post & Dowel Rail Fencing

Western Post & Rail Fencing Posts are drilled 16" on center to accept rails and have domed tops. Fence rails are 8' in length and 4" uniform diameter, doweled to 2" diameter to fit in posts. Give your estate this rustic and attractive fencing and enjoy years of the best looking wooden ranch fencing available. Per foot prices based on 1 line post and 1, 2, 3 or 4 rails as required. **All Pressure Treated MCA.**



3-Rail \$ 12.00

Line	6 1/2' x 5"	50	\$ 21.00
End	6 1/2' x 5"	50	24.00
Corner	6 1/2' x 5"	50	22.00
Turned Rail	8' x 4"	80	18.00



4-Rail \$ 15.75

Four Rail finishes at approx. 60" top rail height with posts set 30" deep. End & corner posts are larger 6" diameter for use as gate posts. Rails spaced at 16" centers, top rail is centered 6" from the top of the post.

Line	8' x 5"	50	\$ 27.00
End	8' x 6"	50	33.00
Corner	8' x 6"	50	33.00
Turned Rail	8' x 4"	80	18.00

8' X 5" DOMED BLANK POST Blank. No holes **\$ 32.00**


2-Rail \$ 9.75

Line	6 1/2' x 5"	50	\$ 21.00
End	6 1/2' x 5"	50	22.00
Corner	6 1/2' x 5"	50	24.00
Turned Rail	8' x 4"	80	18.00

Top Rail \$ 8.50

Line	8' x 5"	50	\$ 25.00
End	8' x 6"	50	31.00
Corner	8' x 6"	50	31.00
Turned Rail	8' x 4"	80	18.00

8' tall posts allow finished top rail heights from 54" to 60" for use with wire. Pressure treated MCA. Line posts are 5" diameter. End and corner posts are 6" diameter suitable for hanging gates and as stretch posts.



Picking Is Fine
If You Pay The
Pick Fee*


\$ 25.00

*We Will Not Bust
Closed Bunks For
Picking

Fence Staples



Class 3 Galvanized
Double Barbed
8 Gauge Staples
1 1/2", 1 3/4", 2"
8 lbs. pails **\$ 22.00**
50 lbs. ctn **117.00**



9 Gauge Galv. Staples
1 1/2", 1 3/4", 2"

	Price
Per Pound	\$ 3.00
50 lb Box	91.00

Wood Fence Stays
Pressure Treated MCA
2" x 2" Nominal

44"	\$ 1.90
48"	2.00
Finished 1 3/4" x 1 5/8"	

Concrete Mix




Premix concrete for setting posts, flatwork & slabs. Just add water.

80 lb Bag	\$ 9.00
Pallet Fee	45.00

WIRE FENCING PRODUCTS

Field Fence




Uniform crimps & high-quality steel ensure the fence remains tight year-round. Heavier top and bottom line wires provide added support. Graduated wire spacing with smaller gaps at the bottom turns smaller animals. Class 1 Galvanized wire meets ASTM-A116 certification standard.

330' Per Roll

All STOCKYARDS Field Fence Items Are American Made!

Number	Type	Height	Gauge	Galvanizing	Weight	Price
726-6-12 1/2	Heavy Duty	26"	12 1/2 Gauge	Class 1	128 lbs	\$ 157.00
832-6-12 1/2	Heavy Duty	32"	12 1/2 Gauge	Class 1	149 lbs	183.00
939-6-12 1/2	Heavy Duty	39"	12 1/2 Gauge	Class 1	170 lbs	203.00
1047-6-12 1/2	Heavy Duty	47"	12 1/2 Gauge	Class 1	190 lbs	225.00
1156-6-12 1/2	Heavy Duty	56"	12 1/2 Gauge	Class 1	220 lbs	265.00
832-6-11	Extra Heavy	32"	11 Gauge	Class 1	222 lbs	\$ 271.00
1047-6-11	Extra Heavy	47"	11 Gauge	Class 1	270 lbs	355.00
832-6-14	High Tensile	32"	14 Gauge	Class 3	80 lbs	166.00
1047-6-14	High Tensile	47"	14 Gauge	Class 3	120 lbs	205.00


Premium 4" x 4" Max-Tight Sheep & Goat



12 1/2 Gauge fencing with uniform 4" x 4" spacing top to bottom. Class 1 galvanized with 10 gauge top & bottom wires. Great for mixed use areas where you need fencing heavy enough for large livestock and a tighter mesh for small animals and pets. 330' Rolls

Number	Type	Height	Gauge	Galvanizing	Weight	Price
1348-4-12 1/2	4" x 4"	48"	12 1/2 Gauge	Class 1	264 lbs	\$ 348.00
1660-4-12 1/2	4" x 4"	60"	12 1/2 Gauge	Class 1	324 lbs	427.00
1972-4-12 1/2	4" x 4"	72"	12 1/2 Gauge	Class 1	384 lbs	506.00

Premium Game Fence



The cost-effective way to confine deer, elk and other game animals. Whether you are keeping game in or keeping game out, Game Fencing with a barbed wire on top with a height of 84" is considered the ultimate system in deer & small game fencing. Graduated Spacing allows you to keep small predators and large game from foraging crops or attacking livestock. Game fencing has small, tight openings at the bottom with larger openings at the top. By graduating the spacing, weight and cost is reduced. High Tensile wire types in Game Fence offer more strength than standard wire with less weight. This high-tensile (high carbon) system also resists sagging. Game Fence options galvanized to Class 3 specifications have a longer lifetime than ordinary galvanized wire. The greater height eliminates the need for "stacking" two rolls of field fencing.

330' Roll Length

Number	Type	Height	Gauge	Galvanizing	Weight	Price
6' 6" 1578-6-12 1/2	High Tensile	78"	12 1/2 Gauge	Class 3	266 lbs	\$ 424.00

96" Game Fence offers high tensile performance to the game rancher with tall needs. Both horizontal line and vertical stay wires are of 12 1/2 ga. high carbon steel. Lighter & Stronger High tensile fencing weighs one-third less while offering the same linear strength as standard low carbon wire fencing and is easier to handle and install. Class 3 Galvanizing weathers the elements with the long lasting protection of .8 to 1.1 oz per sq.ft. of zinc. The Fixed Knot leaves no sharp edges reducing injuries, cuts and abrasions. The stay wires combine with the knots and tension curves for superior rigidity and elasticity spreading impact loads to dissipate over the fence's height and width.

8' 2096-6-12 1/2	Fixed Knot	96"	12 1/2 Gauge	Class 1	395	\$ 625.00
------------------	------------	-----	--------------	---------	-----	-----------

500' Roll Length 1,014.00



**USA Made
with USA
Steel**





72" Max Loc

12 1/2 ga. line & stay wires with 10 ga. top & bottom wires. The square knot provides extra vertical strength to withstand impact. **Class 1 Galvanized** fence resists corrosion. Continuous vertical and horizontal wires, wrapped in a knot with a third wire, provides the strength and rigidity. **330' Per Roll.**

Number	Type	Height	Gauge	Galvanizing	Weight	Price
6' 1472-6-12 1/2	Square Knot	72"	12 1/2 Gauge	Class 1	248 lbs	\$ 336.00

WIRE FENCING PRODUCTS



2" x 4" Horse Fence • Max-Tight • Stable Mesh


Provide a safer environment for your animals! Easy and economical to install with wood or steel posts. **Horse Fence** is designed to prevent snags that cause blemishes to a horse's coat. The "wire knot" construction provides a wire mesh that's completely smooth on both sides as well as the top. The close 2" x 4" spaces helps prevent horses feet from stepping through and becoming caught or injured. The vertical wires are "Stiff Stay" being one continuous straight length from top to bottom. This helps the fence resist being pushed down.

	Size	Gauge	Weight	Price
36"	2" x 4" 100'	12 1/2	94 lbs	\$ 128.00
48"	2" x 4" 100'	12 1/2	122 lbs	166.00
60"	2" x 4" 100'	12 1/2	151 lbs	205.00
72"	2" x 4" 100'	12 1/2	179 lbs	243.00
48"	2" x 4" 200'	12 1/2	244 lbs	\$ 332.00
60"	2" x 4" 200'	12 1/2	302 lbs	410.00




Class 1 Galvanized

Welded Wire Fence


Made of galvanized steel wire to provide a versatile, low cost fence for less demanding fencing requirements. Ideal for garden enclosures, dog runs, small animal fencing, and dozens of other uses. Standard 100 foot rolls. Each wire is individually welded at every intersection for greatest strength and long service. Mill standard galvanized steel wire. **Made In The U.S.A.**



	Size	Gauge	Weight	Price
36"	2" x 4"	12 1/2	72 lbs	\$ 99.00
48"	2" x 4"	12 1/2	96 lbs	131.00
60"	2" x 4"	12 1/2	119 lbs	164.00
72"	2" x 4"	12 1/2	141 lbs	196.00
48"	2" x 4"	14	63 lbs	\$ 75.00
18"	1" x 2"	14	47 lbs	\$ 172.00
24"	1" x 2"	14	62 lbs	193.00
36"	1" x 2"	14	94 lbs	208.00
48"	1" x 2"	14	122 lbs	316.00
60"	1" x 2"	14	155 lbs	480.00
72"	1" x 2"	14	188 lbs	532.00
36"	1" x 1"	14	125 lbs	\$ 341.00
48"	1" x 1"	14	164 lbs	475.00
24"	1/2" x 1"	16	76 lbs	\$ 208.00
36"	1/2" x 1"	16	114 lbs	424.00




1/2" Square or 1/4" Square Mesh Sizes



Hardware Cloth

The durability of **Hardware Cloth** makes it ideal for many industrial, farm, home and work shop uses. A heavy, bright zinc galvanized coating is applied after weaving for maximum protection against corrosion. Available in 1/2" square mesh or 1/4" square mesh and three different heights. **100' per roll.**

	Size	Gauge	Weight	Price
24"	1/4" x 1/4"	23	49 lbs	\$ 91.00
36"	1/4" x 1/4"	23	70 lbs	125.00
24"	1/2" x 1/2"	19	51 lbs	\$ 108.00
36"	1/2" x 1/2"	19	70 lbs	159.00



Poultry Netting

is produced from 20 gauge galvanized wire, woven for vertical and horizontal strength. Uniform hexagon mesh has evenly spaced horizontal wires to hold netting straight and firm. The special reverse twist weave is designed to unroll flat for easy handling. Available in 1" or 2" hexagon mesh sizes. All poultry netting is furnished in **150' roll lengths.**

Height	Weight	Price
12" x 1"	17 lbs	\$ 29.00
18" x 1"	24 lbs	43.00
24" x 1"	31 lbs	55.00
36" x 1"	45 lbs	87.00
48" x 1"	60 lbs	117.00
60" x 1"	75 lbs	145.00

Height	Weight	Price
24" x 2"	16 lbs	\$ 32.00
36" x 2"	23 lbs	54.00
48" x 2"	30 lbs	71.00
60" x 2"	38 lbs	69.00
72" x 2"	45 lbs	90.00

Merchant Wire

Black Annealed or Galvanized

Merchant wire is ideal for general farm, ranch and home use. It's available in four different gauges. Black annealed wire is soft and easier to bend and tie than galvanized wire. Made in the U.S.A. Available in 100 lb. coils or the handy 10 lbs. size.


Size	Weight	Length	Black	Galvanized
9 Gauge	100 lb	1700 ft.	\$ 153.00	\$ 162.00
.1483"	10 lb	170 ft.	15.00	16.00
12 Gauge	100 lb	3360 ft.	153.00	162.00
.1055"	10 lb	337 ft.	15.00	16.00
14 Gauge	100 lb	5858 ft.	153.00	162.00
.0800"	10 lb	586 ft.	15.00	16.00



WELDED WIRE PANELS & FENCE


Welded Wire Livestock Panels

These heavy duty **Welded Livestock Panels** are constructed from heavy weight galvanized wire rods. The galvanized wire rods are welded at every intersection. **Welded Livestock Panels** are ideal for loafing areas, corrals, feedlots, arenas and working pens. **All are Made In The U.S.A.** **STOCKYARDS** gives you an excellent choice of different panels so that you may choose the one that's just right for you. Our panels are always first quality.




Select Cattle Panel

16' x 50" Galvanized
.225" & .207" Rod
30.5 lbs
\$ 32.00



Select Combination Panel

16' x 50" Galvanized
.225" & .207" Rod
37 lbs
\$ 44.00



Select Hog Panel


16' x 34" Galvanized
.225" & .207" Rod
34 lbs
\$ 32.00

4" X 4" 6 Gauge Utility Panels

Stocked in five heights :


3', 4', 5', 6', 8'

4" X 4" Spacing 20' Length
Galvanized 6 Gauge Rod
.192" Diameter




20' x 3'	38 lbs	\$ 41.00
20' x 4'	50 lbs	54.00
20' x 5'	62 lbs	68.00
20' x 6'	72 lbs	81.00
20' x 8'	95 lbs	104.00

2" x 4" Horse Panels



- Sturdy welded rod construction
- Heavily galvanized
- 2" x 4" Mesh helps prevent stepping through or becoming caught.
- .225" Rod Diameter 4 Gauge


16' x 4'	80 lbs	\$95.00
16' x 5'	100 lbs	119.00



Utility Panel

2" x 2"

16' x 48" Galvanized
.192" Diameter Rod
75 lbs
\$ 127.00




Rolled Panel Fence

6" X 6" Mesh 6 Gauge



Rolled Panel Fence is similar to our Welded Livestock Panels. Constructed from 6 gauge heavily galvanized wire.

5' Tall x 100' Long
6 Ga. Rod **\$ 267.00**



1 Ga. Bull Panel


.283" Diameter
1 Gauge Rod
16' x 5"
\$ 101.00

RANCH-STYLE VINYL RAIL

Bufftech

Three Rail

Finishes with 52" top rail height with a post set 30" deep.




1 1/2" X 5 1/2" Rail With internal ribs. Lock ring fastens the rail inside post.

Component	Size	Length	Weight	Price
Ribbed Rail	1.5" x 5.5"	16'	16	\$ 39.00
3-Rail Line Post	5" x 5"	7'	11	\$ 40.00
3-Rail End Post	5" x 5"	7'	11	43.00
3-Rail Corner Post	5" x 5"	7'	11	43.00
3-Rail T-way Post	5" x 5"	7'	11	43.00
Blank Post	5" x 5"	7'	11	43.00
Internal Post Cap			Each	\$ 2.00
Lock Ring		24/bag	Each	\$ 0.60
Gate Kit	1.5" x 5.5"	8' Max	38	\$ 658.00

Two Rail

Finishes with 36" top rail height with a post set 30" deep. Two Rail is not suitable for animal containment.



Component	Size	Length	Weight	Price
Ribbed Rail	1.5" x 5.5"	16'	16	\$ 39.00
2-Rail Line Post	5" x 5"	7'	9	\$ 33.00
2-Rail End Post	5" x 5"	7'	9	33.00
2-Rail Corner Post	5" x 5"	7'	9	33.00
2-Rail T-way Post	5" x 5"	7'	9	35.00
Internal Post Cap			Each	\$ 2.00
Lock Ring		24/bag	Each	\$ 0.60
Gate Kit	1.5" x 5.5"	6' Max	38	\$ 550.00

Four Rail

Finishes with 58" top rail height with a post set 36" deep. With larger 2" x 6" Ribbed Rails.

Component	Size	Length	Weight	Price
Ribbed Rail	2" x 6"	16'	16	\$ 58.00
4-Rail Line Post	5" x 5"	7'	12	\$ 49.00
4-Rail End Post	5" x 5"	7'	12	49.00
4-Rail Corner Post	5" x 5"	7'	12	49.00
4-Rail T-way Post	5" x 5"	7'	12	49.00
Internal Post Cap			Each	\$ 2.00
Lock Ring		24/bag	Each	\$ 0.60
Gate Kit	1.5" x 5.5"	8' Max	66	\$ 794.00

Mineral Feeders



3 Block Mineral Feeder
40" Diameter
8" Tub height
3.5 cu.ft.
42 lbs. **Gray** \$ 151.00




Super Bull 3-Block
150 lbs. capacity.
40" Diameter
17" Tub height
54 lbs. **Green** \$ 242.00



Super Windvane Mineral Feeder
Heavy galvanized steel base with tow loops. Sealed plated bearings for easy rotation. One piece molded poly hood and tub.
81 lbs. \$ 492.00

Calf Hutch



The Calf Hutch protects calves and small animals from weather extremes. Opaque material prevents overheating in summer temperatures. Rear vent opening to circulate air.

54" w x 79" l x 46" h. 70 lbs.
\$ 479.00


BARN BUDDY Feed Box



Multi-purpose storage container for feed, firewood or any number of uses. Can be divided into 2 compartments. Tested to -40°F. Metal handle / latch and continuous hinge. Molded from FDA food grade approved gray polyethylene.

10.75 cu.ft. 25" x 28" x 34" 30 lbs.
\$ 247.00

Easy Feed



Galvanized steel one and two door feeders with lids and adjustable feed flow.

One Door	1.6 bu	12" x 22" x 31"	27lbs	\$ 262.00
Two Door	3.1 bu	24" x 22" x 31"	45 lbs	350.00

SPECIALTY WIRE & TOOL

High Tensile Fence Wire

- 12 1/2 Gauge • 4,000 ft. per roll •
- 200,000 PSI minimum tensile strength •
- Class 3 galvanized or Zinc-Aluminum



Designed for permanent electric or non-electric livestock fencing. Made In The U.S.A.
100 lbs. approx. 4,000 ft.
\$ 163.00



Strainer Handle Use to tighten wire strainers. **\$ 6.48**




Wire Strainers Use to tighten wire to proper tension.


\$ 4.07 ea. \$ 81.33 / ctn 20



Tension Measuring Springs
Compress to 7 1/2" for 250 lbs. tension.
\$ 7.58 ea. \$ 151.67 / ctn 20



Spinning Jenny — **\$ 67.17**
Use to uncoil high tensile wire




Dare Splice Sleeves 100 Packs

12.5 Ga.	DP2-3	\$ 16.00
12.5 Ga. Long	XL2-3	30.83
9 Ga. - 14.5 Ga.	DP4-5	76.67
Dare Crimping Tool		68.92

Brace Pins



5"	5 pk.	\$ 4.33 per pack	10 pack/case
10"	5 pk.	6.33 per pack	10 pack/case




Wire Twist Tool

for 12 1/2 ga. wire **1707 \$ 3.83**

Bar-Tie, Coil & Cal-Tie Wire

16.5 Gauge black annealed wire is soft and easy to cut & tie. Fits standard reels. Ideal for many uses.

16.5 Gauge	3.5 lbs	\$ 6.75
Box of 20	70 lbs	\$ 134.97




Hog Rings & Cage Clips

Cage Clip Pliers	\$ 10.50
Cage Clips, 1lb Bag (550 approx)	7.00
Hog Ring Pliers	15.75
Copper Hog Rings (100/box)	4.00
Heavy Loxit Ring Pliers	21.25
9 Gauge Loxit Rings (92/lb)	5.25
9 Gauge Loxit Rings 40lb Box	\$ 204.78




Wedge-Loc

Bracing Hardware




Horizontal Brace \$ 14.58



Diagonal Brace 14.58

Corner In-Line Brace 24.33




The **Wedge-Loc** system is the solution for your light to medium duty corner & end post assemblies. For temporary fencing, electric fencing and snowfences.



6x6-10-10 Concrete Remesh


Concrete reinforcing remesh is a welded wire fabric constructed of 10 gauge wires. 6" x 6" Mesh. Made in the U.S.A.



5' x 150' 6-6-10-10 10 Gauge 158lbs \$ 158.05

18 or More

125.45



Snow Fence

Wood slat snow fence. Uses include snow drift control, wind breaks, trellis & shade. Five double strand 13 ga. line wires. Wood slats are 3/8" x 1 1/2" spaced on 4 1/8" centers. Painted Red Oxide Finish.

48" x 50' \$ 82.50

100 lbs

Wire Unrollers

A very well made accessory for stringing barbed wire or smooth wire from your pickup, tractor or ATV. Handles full 1/4 mile rolls on standard spools. wt. 32 lbs.



Wire Unroller
Fits any standard 2" hitch receiver. **\$ 155.00**



ATV Wire Unroller
Multi-Receiver Hitch for use with ATVs. **\$ 217.00**


BALING & TARPING

Baler Wire

American made best-quality wire at a very competitive price. Uniform annealing, size and well oiled for a high level of trouble-free operation in the field. Manufactured to the rigid specifications of the American Society of Agricultural Engineers. The highest level of quality control is maintained throughout the manufacturing process. This means bales tied tight that stay tied with minimal breaking or tangling problems. Good working wire at the everyday low price you expect from STOCKYARDS.



SPECIFICATIONS:		
Wire gauge	14 1/2	
Approx. length, feet	6500	
Weight per carton, lbs.	100	
Cartons per pallet	27	



Baler Wire #6500

1 to 19 Carton \$ 120.00

Baler Twine

Uniform plastic and sisal baler twines for trouble free operation. All Roles are complete single spool *except* the 9,600'.



Plastic Baler Twine			
Length	Knot Strength	Weight	Price Each
9,000'	130 lbs	20 lbs	\$ 41.00
7,200'	170 lbs	20 lbs	41.00
9,600'	170 lbs	25 lbs	41.00
4,000'	440 lb	20 lbs	51.00
4,000'	350 lb	20 lbs	51.00
20,000'	110 lbs	21 lbs	35.00

Sisal Baler Twine

Length	Knot Strength	Weight	Price Each
9,000'	325 lbs	40 lbs	\$ 62.00
7,200'	410 lbs	40 lbs	61.00
16,000'	180 lbs	40 lbs	61.00

Bale Net Wrap

Saves loss of leaf and holds the shape of the bale better. End of roll markers in the last 250' of roll.

Size	Bales	Price Each
64" x 7,000'	155-160	\$ 297.00
67" x 7,000'	155-160	308.00

WARNING

Under Colorado Law, an equine professional is not liable for an injury to or the death of a participant in equine activities resulting from the inherent risks of equine activities, pursuant to section 13-21-119, Colorado Revised Statutes.

Equine Activities Warning Signs

Equine activities warning sign. CRS 13-21-119. Black lettering on white 18" x 24" metal sign.

\$ 78.33

Aluminum Warning Signs

Available with "No Trespassing", "Keep Gate Closed" & "No Hunting" Black with Red Lettering. 10"H x 14"W. Aluminum.

\$ 2.35

Rubber Tarp Straps

Natural rubber tarp straps. High quality real rubber tarp straps with crimped metal end hooks.



Length	Stretch	Price
9"	16"	\$ 1.25
15"	28"	1.75
21"	39"	2.25
31"	63.5"	2.50
41"	74"	3.25



Haystack Covers

Heavy duty polyfabric haystack covers. Silver outside, black inside. Super tough 6.1 oz./sq.yd. UVI treated, coated fabric gives 3-5 years service when properly secured. Eyelets & 2" nylon webbing set into 5 layers of fabric give 500 lbs. of pull strength.

15' x 54'	\$ 250.00
20' x 48'	251.00
25' x 54'	333.00
Spiral Anchors	3.00



Poly Tarps

8' X 10'	\$ 12.00
16' X 20'	47.00
20' X 30'	80.00
20' X 40'	111.00
30' X 50'	219.00
40' X 60'	265.00

6 Ounce Industrial

Green outside White inside. Twice the weight and strength of regular poly tarps. Extra U.V.protection for long outdoor life. Triple layer reinforced corners and roped 2 1/2" hems.



Transport Tanks *Hastings*

Dura-Life 400 gallon pickup tank with 12" filler lid and 2" threaded outlet. Virgin Polyethylene and resins FDA approved for storage of potable water. 66" diameter, 36" height, 110 lbs.

\$ 676.00



Water Storage Tanks

With 6" filler caps and 1 1/2" outlets.

31" Diameter 42" high 110 gal.	\$ 343.00
43" Diameter 42" high 220 gal.	485.00
48 Gal. 1/2 Moon Upright Caddy	\$ 175.70
SL-25 25 Gal Upright Caddy	161.75

ELECTRIC FENCING



PARMAK
6 Volt
Model DF-SP-LI
Solar Powered
\$ 280.58



PARMAK
12 Volt
Model 12-SP
Solar Powered
\$ 385.83

Parmak's 6 and 12 volt solar powered fence chargers are weather proof and portable. With internal batteries and built-in performance meter tells exact fence condition. 100% American made, solid state, low impedance fencer. **2 Year Warranty** covers damage caused by lightning, battery warranted one year.



DARE

110 Volt Solid state UL listed, **low impedance** fence chargers are capable of high-voltage to control livestock. With built in lightning protection and indicator light. 2 year warranty. Operating light. All weather construction for long life. Made in USA



	DE600	DE200	DE120
	1.5 Joule	.5 Joule	.3 Joule
	50 Miles	10 Miles	5 Miles
	\$ 163.33	\$ 128.33	\$ 107.50



M120	15 miles or 60 acres. 1.2 stored joules.	\$ 139.83
M160	30 miles or 100 acres. 1.6 stored joules.	186.50
M360	55 miles or 250 acres. 1.6 stored joules.	258.17
M800	90 miles or 520 acres. 8.0 stored joules.	469.83
M1100	110 miles or 650 acres. 8.0 stored joules.	698.17



S20 6 Volt Solar

40 acres/12 miles with 0.2 Joules. With indicator light and on /off switch. 6 volt battery. Weatherproof case. **2 Year Mfg. Warranty**

\$ 308.67

- High performance livestock control - Highly efficient Energizer delivers market leading performance, reliability and stock control.
- Gallagher trusted reliability - Extensive testing and industry leading manufacturing processes provide exceptional reliability under harsh farm conditions.
- The rugged casing gives this energizer the ability to survive abrasion. Reliable animal control is assured with integrated lightning protection and superior reliability backed with a 3 year warranty.

Replacement Batteries for Solar Fence Chargers



901	Parmak 6 Volt	\$ 49.60
902	Parmak 12 Volt	88.67
670	Gallagher 6 Volt	34.67

Premium 1/4" Electric Rope

200 m 656' 995 lbs break point. White with 1 yellow & 1 black strand

\$ 87.75



1 1/2" HV Poly Tape

8 SS Wires • White & Orange • 656' Spool
\$ 94.50

Baygard Equi-Tape

Baygard Equi Tape is 7/8" wide providing extra high visibility and strength.
150 meters 488' \$ 71.60



Baygard wire utilizes vinyl-coated fiberglass strands and aluminum conductive wires.

200 m	400 m
656 feet	1312 feet
\$ 22.83	\$ 43.72

HIGH VISIBILITY TAPE

Baygard HV is 1/2" wide electric fence tape providing excellent visibility and conductivity. Ideal for sheep and horses.

HV100 m	HV200 m
328 feet	656 feet
\$ 28.90	\$ 57.23

Electric Fence Posts

Steel Rod Post	Heavy Steel Rod Post
4' X 5/16"	4' X 7/16"
electric fence posts with anchor.	electric fence posts with anchor.
1.1 lbs. \$ 1.71	1.6 lbs. \$ 2.56

Pig Tail Posts

42" X 9/32" For easily moveable electric fencing.

Galvanized steel step-in post for wire, poly tape or poly rope electric fencing. Reinforced steel step-in plate and sharp point for easy placement. Self-insulated, no insulator needed.

Made in the U.S.A. **\$ 5.90**

GEOTEK

48" x 3/8" Fiberglass Insulating posts are tough and flexible. Spring wire clips hold wire in place (sold separate).

Posts -
Pkg. of 20
\$ 29.90

Clips -
Pkg. of 20
\$ 5.95

48" x 3/8" Fiberglass Step-In Posts
With 4 clips that accept wire, rope or tape. Anchor plate 10" from point allows post to be "stepped" into the ground.
\$ 2.35

SunGuard Made in U.S.A.

6' FIBERGLASS POSTS HEAVY 7/8" DIAMETER

72" x 7/8" Fiberglass Heavy Weight Posts
With holes drilled on 2" centers. For use as posts or stays
Each **\$ 9.80** 100 or more **\$ 8.90**
U-Clips for 7/8" posts 20/pk 5.95

White Lightning



White Lightning is a 5/16" diameter, Horse Friendly electric fence wire using 12 1/2 ga. high-tensile wire surrounded by a unique co-polymer, white for visibility and black for conductive electric fence. 1,400 lbs minimum breaking strength.

1,320 ft. rolls 70 lbs. \$ 344.57





White Lightning Insulators

Nail-On For Wood Posts **\$ 9.95 a bag**
Snap-On For Steel T-Posts **\$ 9.95 a bag**




PolyPlus Non-Electric 5/16" diameter poly coat 12 1/2 ga. high tensile.
1,320' **\$ 94.50**

ELECTRIC FENCING


Fixed Electric



Tee & Wire	Tee XL & Wire	Reverse Tee	Wood & Wire	Wood XL & Wire
Bag of 25	Bag of 15	Bag of 25	Bag of 25	Bag of 15
#SNUGSTP	#SNUGX5TP	#SNUGRT	#SNUGSWP25B	#WOODEX5WP
\$ 4.85	\$ 7.15	\$ 10.78	\$ 5.47	\$ 7.80



Tee & Tape	Tee XL & Tape	Wood & Tape	Wood XL & Tape	1/4" Rope Tee or Wood Option
Bag of 25	Bag of 15	Bag of 25	Bag of 15	Bag of 25
#2334	#2340	#2330	#2338	
\$ 9.42	\$ 16.20	\$ 12.08	\$ 19.58	\$ 11.65



PinLock
Wood #2285
Tee #2250

Bag of 25

\$ 8.75





Anchor Plate

50 ¢




2-Way Anchor
Each
\$ 3.95

Corners, Ends, Gates





Donut Corner	Tri-Directional Corner	#1629 Porcelain Donut
Bag of 10	Bag of 10	Box of 10
#2356	#BWKK	
\$ 7.17	\$ 3.83	\$ 7.85


Wire Mesh




Chain Link
\$ 9.75 / 15




Rod & Tape	Rod & Wire
Bag of 25	Bag of 25
2336	WESTERNRP
\$ 11.55	\$ 6.75



#503 Old Faithful	#1247W Rubber	IronSides	Orange HD	Single Throw Cut Off Switch	50' Underground Hookup Wire
Each	Each	Each	Each		
\$ 2.00	\$ 3.00	\$ 5.00	\$ 7.00	\$ 9.83	\$ 18.00



Safety Cap
Bag of 25
\$ 13.30



Tape & Wire T-Post Cap
Bag of 10
#2929
\$ 9.27



Pulse Connector
\$ 2.90



Warning Sign 8" x 4"
\$ 3.05 / 3 pack

Electric Fence Wire



Galvanized electric fence wire is spooled for smooth payout.

	1/4 Mile	1/2 Mile
17 Gauge	\$ 21.45	\$ 41.45
14 Gauge	35.45	70.45

High Tensile




Insulated Strainer \$ 6.83

Insulated Strainer with Loop Sling 9.83



4" Tube Insulator
50 pack
\$ 8.00



Ground Rod & Clamp
8' Copper Clad
\$ 40.00

Ground Rod & Clamp
8' Galvanized
\$ 30.00




Tubular Corner Insulator
10 pack
\$ 14.00



High-Strain Corner Insulator
5 pack
\$ 18.17

TOOLS & EQUIPMENT

BRACE BRACKET



\$ 2.80 ea.
\$ 140.00 / 50 ctn.
 The **DARE** 2966 Post Bracket is a quick nail-on hanger for horizontal braces at ends and corners. Connects 4"-6" braces to 5"-8" posts. Heavy duty galvanized steel.



WIRE STRETCHERS

GOLDENROD

Made in the U.S.A.


#400 Golden Rod \$ 76.13

#405 Golden Rod with Slow Release 82.77

Replacement Springs Set 6.95

54" FENCE CLAMP

U-Channel grips wire firmly. Keyhole bolt holes for quick use. Pulls fence evenly. **\$ 83.27**



POST HOLE DIGGERS

Hardwood handles Forged steel frame with heavy double hinges.

78-004 Wood Handle \$ 50.65

78-006 Fiberglass Handle 63.10

78-007 Steel Handle 80.05



PICKET Post Driver




Jack hammer type pneumatic post driver. Drives T-posts at 1,200 strokes per minute. Requires 100 psi at 20 cfm capacity compressor. 1 year warranty
 29" length 2" sleeve diameter 40 lbs.
\$ 2,095.00

WINKEL HEAVY POST DRIVERS

Large diameter handles for easier grip and balance. Reinforced top-plate.

2.5" x 28" 22 lbs \$ 95.00

3" x 28" 27 lbs 105.00



Behlen Country Post Pounder

Constructed of heavy piping and capped with a special plug to balance the unit. 16lbs. Red. **\$ 37.00**



Post Popper Red \$ 95.00

Tamp Bar

72" Digging & Tamping Bar. Chisel point for chopping through hard ground and disk for tamping dirt.

16 lbs. **\$ 37.00**



Maasdam
 POW'R-PULL, INC.

CABLE PULLERS

Made in the U.S.A.

1000 lbs. - 12' Lift


2000 lbs. - 6' Lift

144S6 1000 lbs. \$ 77.72

144SB6 2000 lbs 93.88




JAKE'S WIRE TIGHTENERS



\$ 1.85 each
25.00 / 20 pk.

Handles **22.50 each**

WIRE GRIPS



Maasdam Wire Grip \$ 49.58




Mooremaker Wire Grip \$ 33.33

SPlicing TOOLS AND SLEEVES

Great for repairing or building fence. Does a neat job with no twists or bending of wire. A must for large repair jobs & splicing wire mesh.

SPLICE-IT



22" Splice-It Tool \$ 54.27

LBW-1 Barb Wire & 9 Ga. 22.45

WW-1 10-16 Ga. Woven Wire 22.45

SS-1 Single Strand Hi-Tensile 27.45


GB-1 15 1/2 Ga. Barbed Wire 27.45

Splices Sold in Boxes of 100

TRU-LATCH GATE CLOSER


End the continuous battle with barbed wire gates. This gate closer will hold your gate up tight and you can padlock it too.

\$ 37.00



METAL POST PULLERS

Allen Tool Use with a jack or tractor. Will not slip or bend posts. **\$ 16.95**



HI-LIFT PREMIUM JACK

puts you in command of lifting, pushing, pulling, winching, hoisting and clamping. 4660 lbs. rated capacity, 7000 lbs. tested capacity. 48" length with 37" continuous lift. Steel handle. Weight: 28 lbs **\$ 108.65**



GRIPPLE



Wire Joiners

For patching and tensioning of all types and sizes of fence. Sold in jars of 30.

Medium 2mm - 3.25mm **\$ 59.47**

Tension Tool 90.63

T-Clip 1.8 - 3.25mm **59.47**

TRUCK RATCHET STRAPS



1" x 20' 1,000 lbs \$ 5.00

1.75" x 20' 2,000 lbs 8.00

2" x 27' 11,000 lbs 29.50

ANCHOR STAKES

For fencing, portable buildings, mobile home tie-downs or any number of jobs. These stakes anchor easily into the ground without disturbing the lawn or soil.



4" x 30" 4,180 lbs \$ 18.00

6" x 40" 5,940 lbs 23.76


6" x 48" 13,200 lbs 28.50

MOOREMAKER TIE-BAR

For Wire T-Post Clips

7" Tie Bar \$ 30.00

3 1/4" Tie Bar 23.33



9.5" Linesman Plier \$ 34.37

8.75" Ironworker Plier 35.98

CHAN NEL LOCK

STOCKade



ST400i Cordless \$ 1,344.00

ST400 Pneumatic 868.00

1 3/4" 9ga. 1,000 Staples +Fuel Cells Green Box \$ 166.32

1/3" 9ga. Orange & Camo Box No Fuel 138.88

High Altitude Fuel Cells \$ 23.90

LIVESTOCK WATERING TANKS


Hastings Poly Stock Tanks

This is the most rugged poly tank on the market. It features a closed-lip design that won't buckle to crowding livestock. Each tank is 100% high density virgin polyethylene. Resistant to feedlot acids and UV damage. 2' deep tanks have a threaded drain plug and are Gray. 3 year warranty. Made in U.S.A.

Round Poly Tanks



6' x 2'	320 Gal.	55 lbs	\$ 285.00
8' x 2'	580 Gal.	85 lbs	365.00
10' x 2' 4"	1,100 Gal.	135 lbs	597.00



Poly Tanks

One piece, molded high-density polyethylene tanks resist cracking. Tested to -20°F. UV inhibitor to prevent deterioration. Molded-in drain with 1 1/4" plug. Blue. 2 year warranty. Made in U.S.A.

Round End Poly Tanks



2' x 2' x 4'	97 Gal.	28 lbs	\$ 126.00
2' x 2' x 6'	160 Gal.	42 lbs	190.00
2' x 1' x 4'	60 Gal.	16 lbs	\$ 98.00

9' x 28"	1,000 Gal.	112 lbs	\$ 457.90
3' x 2' x 8'	300 Gal.	77 lbs	308.75

Galvanized Stock Tanks

STOCKYARDS stock tanks are made of only G-90 heavily galvanized steel. Two deep drawn swedges are rolled into each tank for maximum strength. One swedge is near the bottom and one just below the top. The top rim is reinforced with heavily galvanized tubing permanently rolled into the top edge of the tank. This strong reinforcement is the backbone of the tank and takes most of the strain of pushing and crowding livestock. The rounded top presents a smooth edge that cannot injure stock. All 2' deep tanks have a drain plug at the bottom for easy draining and cleaning. These features add up to the best made and longest-lasting stock tank you can buy! Extra heavy 20 gauge steel bottom provide rugged durability.




Round Stock Tanks

3' x 2'	101 Gal.	38 lbs	\$ 145.00
4' x 2'	180 Gal.	55 lbs	190.00
5' x 2'	281 Gal.	75 lbs	255.00
6' x 2'	404 Gal.	106 lbs	305.00
7' x 2'	550 Gal.	134 lbs	395.00
8' x 2'	718 Gal.	180 lbs	465.00
10' x 2'	1,122 Gal.	225 lbs	675.00

Galvanized Round Sheep Tanks


Sheep tanks are identical in construction to our regular stock tanks except the depth is only 1'.

4' x 1'	86 Gal.	47 lbs	\$ 190.00
5' x 1'	134 Gal.	62 lbs	245.00
6' x 1'	192 Gal.	84 lbs	305.00



Round End Stock Tanks


2' x 2' x 3'	74 Gal.	32 lbs	\$ 120.00
2' x 2' x 4'	102 Gal.	44 lbs	135.00
2' x 2' x 6'	159 Gal.	64 lbs	205.00
3' x 2' x 8'	314 Gal.	97 lbs	315.00
3' x 2' x 10'	400 Gal.	120 lbs	410.00
2' x 1' x 4'	48 Gal.	34 lbs	\$ 130.00
2' x 1' x 6'	75 Gal.	46 lbs	170.00



Round End Stock Tanks with Drinker

Water large livestock and smaller animals using a stock tank with drinkers built into the sidewall. Allows capacity for 20 head of 200 lbs. hogs per drinker. Can be used with any tank heater with a poly tank guard for winter use. Made in the U.S.A.


2' x 2' x 4' with Drinker	100 Gal.	59 lbs	\$ 338.20
---------------------------	----------	--------	-----------



Flippen Copper Floats & Brass Valves

3/8"	Valve	\$ 17.84
3/4"	Valve	24.44
1"	Valve	34.69
5"	Float	45.70
6"	Float	57.70
7"	Float	98.70

Heavy all-brass design with copper float & swivel float arm. Withstands over 100 psi and adjusts to any water level.



Trough-O-Matic Valve Turns any stock tank, tub or pan into an automatic waterer. With one piece molded poly float and reversible neoprene valve seat for long life. Sturdy, adjustable brackets tighten down with thumb screws and make instal-

lation on edges of tanks fast & easy. Handles pressures up to 70 psi at 300 gph. Accepts standard 3/4" hose threads. Poly tank model for wide rim tanks.

TM825	Steel Tanks	\$ 10.85	TM825T	Poly Tanks	14.63
TM830	Steel Tanks	21.82	TM830T	Poly Tanks	22.90


HYDRANTS & CULVERT

STEEL

Culvert


Heavy gauge corrugated steel with a heavy zinc coating for extra long lifetime. 12" to 36" (except 21") available in **3 Business days**. 10', 14', 20', 24' lengths. 6", 8", 10" & 21" available in 20' only.

SIZE	WEIGHT	PRICE	BAND	FLARED END
6"	4LBS	\$ 16.00 /FT	\$ 31.80	\$ 115.40 /EA
8"	6LBS	21.00 /FT	42.40	153.90 /EA
10"	9LBS	27.00 /FT	53.00	192.40 /EA
12"	10LBS	32.00 /FT	63.60	230.90 /EA
15"	12LBS	40.00 /FT	79.50	288.60 /EA
18"	15LBS	48.00 /FT	95.40	346.30 /EA
21"	17LBS	56.00 /FT	111.20	404.00 /EA
24"	19LBS	64.00 /FT	127.10	461.70 /EA
30"	24LBS	80.00 /FT	158.90	577.20 /EA
36"	29LBS	96.00 /FT	190.70	692.60 /EA
42"	32LBS	113.00 /FT	222.50	808.00 /EA




Automatic Waterers

These unheated compact waterers are suitable for horses, cattle, dogs and everything in between. Adjustable float valve maintains a constant water level. Available in galvanized steel or black epoxy coated steel. 1/2" Fitting. 10" x 11" x 5 1/2" 6 lbs.



Galvanized 88SW \$ 49.00 Black Epoxy 88ESW \$ 60.00

Replacement float & valve SWC25KIT \$ 12.25



Dura-Mate Waterer

16 Quart capacity automatic waterer with float valve. Adjustable metal mounting brackets for over-the fence or on-the-wall installation. Red poly. Standard hose thread connection. 14 1/4" x 17 1/2" x 10 1/4" 6 lbs.

FW16 \$ 36.00


Trojan Hog Waterers



#77 Push Paddle Waterer \$ 63.00



Nipple Waterer Stainless Steel 2 / package \$ 18.98




Merrill Hydrants

Merrill Any-Flow Hydrants have been proven to be reliable. This is the hydrant we have sold for over 50 years and we always have replacement parts in stock too! 3/4" Brass valve base with 1" galvanized inlet pipe and extra thick walled cast iron head. Hose adapter on hydrant outlet. Adjustable flow...set water flow where you want it for constant flow. Outlet is 27" above given bury depth. Bury size plus 34" equals overall length



Bury Depth	Overall Length	Weight	Price
3'	5' 10"	18 lbs	\$ 155.00
4'	6' 10"	20 lbs	168.00
5'	7' 10"	22 lbs	179.00
6'	8' 10"	24 lbs	191.00
7'	9' 10"	26 lbs	203.00
8'	10' 10"	28 lbs	247.00



Any Flow 3/4" Flow Rates

18 GPM @ 20 PSI 30 GPM @ 60 PSI
21 GPM @ 30 PSI 34 GPM @ 80 PSI
24 GPM @ 40 PSI 40 GPM @ 100 PSI


Brass Hydrant Elbows & Tees

Heavy duty red brass fittings for poly pipe adapting to 3/4" hydrants.



3/4" - 3/4" Elbow \$ 11.00

1" - 3/4" Elbow 16.00



3/4" - 3/4" - 3/4" Tee \$ 14.00

1" - 3/4" - 1" Tee 18.00

3/4" Any Flow Part List

Part	Type	Price
G-1	Head Casting	\$ 48.00
G-5	Hose Adapter	2.95
G-11	Lever Casting	10.00
G-15	Level Bolt	3.00
G-20	Draw Straps, pr	3.00
G-25	Pivot Connect Nuts	2.00
G-30	Packing Nut	4.00
G-35	Valve Packing	4.00
G-40	Valve Body	38.00
G-45	Stainless Rod	5.00
G-50	Brass Reducer	3.00
G-65	Plunger Bushing	4.00
G-70	Plunger Body	4.00
G-75	Plunger Bolt	4.00
G-80	Threaded Washer	2.75
G-85	Bib Washer	3.00
G-90	Steel Springer	2.25
G-100	Retainer Screw	2.00
G-110	Brass Washers, pr.	3.00

AUTOMATIC WATERERS

Hoskins Waterers

- Stainless Steel Troughs** Stainless Steel resists hard water, feed & salt contamination that can rust out galvanized steel troughs. Easy to keep clean.
- Roberts Brass Valve** Highly reliable and trouble free.
- Galvanized Steel Frame** Holds up under the tough conditions with all smooth, rounded corners. 16 Gauge.
- Electric Heating Unit** With adjustable thermostat. Now UL listed. Easily accessed through large service door.

Double Drinker Horse Waterers

Ideal for splitting stalls, pens or runs. The 250 watt heat unit has an adjustable thermostat. The access door is located on the end of the waterer (instead of the side) for easier access in stalls. Drain plug for easy cleaning.



HC 14-26 **\$ 657.00**
28" x 14" x 26"h 85 lbs. 250 Watts

Replacement Float & Valve **\$ 46.65**

Replacement 250W Heater **72.00**

Replacement 500W Heater **148.00**

HC 14-16 **\$ 616.00**
28" x 14" x 16"h 75 lbs. 250 Watts




Single Drinker Horse Waterers

All of the same great features as the 2-sided waterer for places where you only need a single drinker.

HC 7-26 **\$ 645.00**
17" x 14" x 26"h 60 lbs. 250 Watts

HC 7-16 **\$ 561.00**
17" x 14" x 16"h 49 lbs. 250 Watts




Cattle Waterer

C 36-26



Stainless steel trough and valve cover. All brass Roberts valve provides trouble free operation. Brass drain plug fitting with rubber stopper for cleaning. This is the best waterer we have seen. 75 to 125 Head Capacity.

36" x 26" x 26"h
117 lbs. 500 Watts **\$ 992.00**




Energy Free Waterers

These Energy Free Waterers Require A Minimum Of 15 Head Using The Waterer.

SUPER 2- Hole Cattle Fountain

36" X 21" 23" 48 lbs.
20 gal. 160 Beef / 70 Dairy **\$ 873.00**
Black & Green



Y-2 Self-Closing Hydrant

For Automatic Waterers

Use this as your riser under any automatic waterer for a first class installation. Provides you with a self-draining, below ground frost free shut-off that is easy to access. The Y-2 has two outlets to connect from



either on the top or the side, threaded for 3/4" hose adaptor. Cast Iron head and brass lined valve body for long life. Solid brass plunger. Stand pipe is 1" galvanized steel with 3/8" pressure pipe inside. The working parts are removable from the top without having to dig. Self-closing via the water pressure and stainless steel spring. Hydrant locks open or closed with the press of a button. Threaded for 3/4" pipe.

Maximum 60 psi recommended pressure.



Size	Actual	Weight	Price
3' Bury	3'4"	13 lbs	\$ 208.00
4' Bury	4'4"	15 lbs	234.00
5' Bury	5'4"	18 lbs	249.00

Y-2 Hydrant For Waterers



Electric Freedom Drinker AHW80

A one piece molded poly design for durable rust & corrosion free performance. With the same insulation used in the energy free waterers, these units use a thermostatic 100 watt infrared heat system.

17.5" x 30" x 30" 30 lbs. 100 Watts **\$ 549.00**

Extreme Weather Waterer AHW100



This insulated waterer, made from durable poly material, features superior insulation and a frost-resistant styrofoam floor. It includes a safe, low wattage infrared heat pad for the basin and supply line, effective up to -20° F.

20" x 32" x 30" 84 lbs. 220 Watts


\$ 698.00

Waterer Accessories


Useful in any waterer installation

24" x 12" Insulated Earth Tube **\$ 89.30**
Insulated molded poly sections 8" ID

Below Ground Shut-Off Valve **\$ 324.90**
& Hook-Up Kit



FEEDERS & GRAIN BIN




Galvanized Wall Feeder

Galvanized steel with poly bottom for wall or fence mount. All smooth rolled edges. Complete with mounting brackets.

16" x 24" x 30" 36 lbs.

**Behlen
COUNTRY**

\$ 245.00




Poly Wall Feeder

Mounts on walls or hangs on fence rails. One piece molded poly with steel hay rack. All smooth edges & corners. Complete with mounting brackets.

18" x 24" x 28" 18 lbs.

\$ 200.00




Poly Corner Feeder

One piece molded poly with steel hay rack. All smooth edges & corners.

21" x 21" x 35" 25 lbs.

\$ 256.00




Swing Out Corner Feeder

Feed hay & grain from outside of your stalls with this new hinged corner feeder. Reversible for right or left hand swing. Poly bottom with galvanized steel frame, back & hay rack. The solid rod welded hay rack is just the right size. Easy to operate positive latch.

22" x 25" x 39" 66 lbs.

\$ 300.00



Corner Feeder


All the features of the swing out feeder in a solid corner mount configuration.

22" x 22" x 29" 36 lbs.

\$ 187.00

Hay Racks

Solid 1/2" steel rod hay racks.
Powder Coat Gray.



Wall Mount Hay Rack **\$ 60.00**

37" x 25" x 12" 15lbs.

Corner Mount Hay Rack **\$ 60.00**

42" x 41" x 30" 17lbs.

High Country Plastics

Slow Feeder Saver Designed to give a natural and healthy eating experience while reducing waste & equine boredom.



Solid poly with steel grid.

39.5" x 28.5" x 19.5"

Grate Opening:

7.75"L x 3"W

Weights 55lbs Empty

Easy Rinse Out


\$ 425.00

Horse Grain Feeder

Can be mounted either in a corner or on a flat wall. 12" Deep rounded feeder with funnel top reduces spills and waste. Heavy molded poly in a versatile, smooth design.

23 1/2" x 15" x 12"

\$ 35.00



5' Horse Feeder

Poly bottom 10" deep bunk with solid rod hay rack. All galvanized steel. 14 Gauge tube steel frame & legs. 60" x 26" x 40" Bunk with 60" x 34" Hay rack. 6' height. 106 lbs


Bunk & Rack **\$ 431.00**

Bunk Only **178.00**

Replacement Liner **50.00**

Rack Only **253.00**

**Behlen
COUNTRY**



10' Horse Feeder

Poly bottom 10" deep bunk with solid rod hay rack. All galvanized steel. 14 Gauge tube steel frame & legs.

**Behlen
COUNTRY**

Bunk & Rack 182 lbs **\$ 640.00**

Bunk Only
120" x 42" x 35" 96 lbs **200.00**

Liner **66.00**

Rack Only **347.00**


FARMMASTER 10' and 5' Molded Poly Feed Bunks

Molded, one piece design tested to -40°F. Double walled construction with ribs and supports molded in. Smooth with all round corners and bottom.

Can be used as water trough with the drain plug installed.

2 yr. mfg.warranty.

31" Wide, 20" Deep.




5' 55 lbs **\$ 218.00** 10' 110 lbs **\$ 431.00**

Utility Corner Feeder

When you want to feed hay in a wall mounted corner tub, this large capacity corner feeder is the answer. One piece molded high density poly with drain plug for easy cleaning.

33" x 20" x 28" 15 lbs. **\$ 125.00**



270lb Feed & Grain Bin

Stores 270 lbs. of product. Made of ro-to-molded high impact plastic with a hinged lid and powder-coated steel stand.


5 gallon bucket fits easily underneath drain hatch. Weather resistant lid includes rubber gasket to keep feed dry in most conditions.

Top-fill bottom-dispense feature allows for automatic rotation to ensure freshness. Plastic slide mechanism for dispensing- thumb screw lock keeps pests out. Easy open hinged lid closes securely. Powder-coated steel stand keeps product elevated and away from dirt, moisture, and pests.

Size: 49" H x 18"W x 30"L

Weight (Empty): 60 lbs

\$ 340.00




FEEDING EQUIPMENT




Arch-Style "Tombstone" Horse & Cattle Feeders

Built **Bull Tough** and **Horse High** these two round bale feeders from **WINKEL** offer rugged durability and easy use. The drop pin locks allow the three piece feeder to wrap around the bale without any lifting. With smooth surfaces to help prevent injuries.



Horse 8' 6" Diameter
64" Overall height
32" Base height
9 Feeding stations
14 Gauge 1 1/4" dia. arches
16 Gauge steel sheeting
Drop pin locks
400 lbs.


\$ 846.00



"Bull Tough" Cattle
8' 6" Diameter
58" Overall height
26" Base height
9 Feeding stations
14 Gauge 1 1/4" dia. arches
16 Gauge steel sheeting
Drop pin locks
390 lbs.

\$ 819.00

Arch-Style "Tombstone" Square Bale Feeder



Open top feeders are suitable for **horses, cattle or bison** with 12 feeding stations, 17" wide spaces. Pin connectors for easy opening.

58" Overall height • 26" Base height

1 1/4" 14 Gauge base frame

14 Gauge 1 1/4" dia. arches

16 Gauge steel sheeting, Painted Gray.

5' x 10' Feeder 466lbs **\$ 1,313.00**

5' x 5' Feeder 300lbs **843.00**

10' Panel Only **446.00**


5' Panel Only **211.00**

WINKEL 12' Heavy Poly Bottom Feed Bunks

WINKEL 14 Gauge - 1 1/4" Round tube frame.


12' x 30" x 22" - 15" depth 160 lbs.

Poly Bottom \$ 395.00



Slant Bar Cattle Feeders

Heavy Round Bale Feeder



8' 6" Diameter • 52" height
17" Base height • 18 Spaces
14 Ga. 1 1/4" rings • 3 Pieces
14 Ga. 1" slant bars 234 lbs. Bolt connections

\$ 652.00

Economy Round Bale Feeder

3 Piece • 8' Diameter • 41" High • 15 Feeding areas
High Tensile tubing • 210 lbs. • Steel skirt


\$ 383.00

Stockyards 10' Feed Bunk With Galvanized Hay Rack

Solid rod hay rack attaches easily to feed bunk for feeding hay with your other dry feeds. One-piece poly bottom feed

bunk with 14 ga. galvanized tube frame. Feed bunk & rack 10' x 34" x 55" 24 cu.ft. rack capacity, 12.5 cu.ft. bunk .172 lbs. **\$ 547.00**

Stockyards 10' Feed Bunk Only One-piece poly bottom feed bunk with 14 ga. galvanized tube frame. 10' x 34" x 19" 12.5 cu.ft. 85 lbs. **\$ 200.00**



5' Feed Bunk Cattle or Sheep Heights

1 5/8" Galvanized tube frame with 10" deep one-piece molded poly liner. Round smooth corners inside & out.



Cattle Size Bunk Only 60" x 34" x 19" 44 lbs. **\$ 151.00**

Sheep Size Bunk Only 60" x 32" x 14" 40 lbs. **142.00**

Cattle Bunk & Rack 60" x 34" x 55" 91 lbs. **404.00**

Sheep Bunk & Rack 60" x 34" x 50" 86 lbs **395.00**

Open Top Round Bale Feeder

3 Piece • 90" Diameter • 50" High
12 Feeding areas 16 Ga. 1 5/8" tubing
17 1/2" 24 ga. steel skirt, 6 1/2" mud legs 162 lbs.

\$ 540.00



The Haysmart Feeder keeps the bale suspended off the ground at an ideal eating height which increases hay utilization to more than 96% compared to 85% with other feeding methods. Finished with a premium powder coat paint. Slant bars for cattle. Three section bolt-together construction.



96" Diameter
72" Height
624 lbs.


FARMMASTER

\$1,943.00

Slant Bar Feeder Panels

For use in-line or around a stack. Extra-heavy 2" diameter 14 gauge steel tubing with steel sheeted bottom panel. Pin together connections will match with Farmmaster corral panels.

Behlen COUNTRY
Farm & Ranch Equipment



6' x 66" 83 lbs **\$ 250.00**


8' x 66" 103 lbs **306.00**

10' x 66" 123 lbs **354.00**

12' x 66" 139 lbs **414.00**

Sheep & Goat Hexagon Hay Feeder



Three piece hay feeder with 12 openings. Just right for sheep, goats, llamas or calves. Light Gray. 3' wide x 3'2" tall



71 lbs. **\$ 163.00**

—EQUUS DUTCH DOORS WALKDOORS—

EQUUS STALL SYSTEMS



Typical Horse Stall Layout

The **EQUUS** system combines the strength and flexibility required for a easy to assemble stall system. Heavy gauge galvanized steel components guard against rust and corrosion. Custom design of your stall is easy with **EQUUS**. Choose from grill sections, sliding door packages, end channels, wall braces, feeder doors. Stalls can be built to nearly any size needed and they are easy to install in your barn.

Grill Section: (Model 4000) 7/8" Galvanized pipes spaced on 4" centers allowing openings of 3 1/8". Galvanized U-channel top and bottom rail fit over standard 1 1/2" lumber. Rubber bushings installed on channel eliminate rattling of bars. Height is 32 3/4". Lengths available are 24" or 48" and can easily be field cut to any size required.


End Channels (Part #4501) Constructed of 16 gauge galvanized steel for 1 1/2" standard lumber. Comes complete with fasteners for installation of front, back or intermediate stall walls with or without grills. Fast installation and easy removal as necessary.

Header Channel (Part #4502) Designed to hold header board in place above grill section. Complete w/ fasteners. Length: 7"


Wall Brace (Part #4503) Ties wall boards together for extra strength. Heavy 16 gauge steel formed to prevent sharp edges. Complete with fasteners. Size: 48"

Feeder Door (Part #4250) Fits in standard grill section and swings right or left. Constructed of 18 gauge galvanized steel with spring-loaded latch. Size overall: 31 3/4" x 15 1/4"

Grill Section	48"	\$ 84.00
Grill Section	24"	54.00
Header Channel	7"	8.00
Wall Brace	48"	26.00
Feeder Door		63.00




CREATE or expand openings with easy to install and low maintenance sliding door hardware systems. Withstand weather and wild critter alike with the right solution for your shed, barn or stall.



Sliding Door Kit (Model 727) consists of the sliding door frame (vertical & horizontal u-channels), grill section and reinforcement channels painted white. Top rail is prepunched ready to accept drop-bolt trolleys. **4'x7' Assembled Door** **\$ 1,152.00**
Needed to complete door:


- 8' Track Hardware Package
- Latch and Guide Mechanism



Dutch Door Kit 16 Gauge white steel frame and crossbuck components to prevent cribbing and sagging (the two most common problems with swinging dutch doors). Strap hinges, barn latch, barrel bolt, astragal and fasteners included. Un-assembled in (2) cartons. Requires 3/4" plywood. Flat steel can be added to front and rear to cover plywood. 4' x 7' size consists of 2 panels. Suggested rough opening 49 1/8" x 87 1/2." **\$ 732.00**

Steel Door Frame 3 Piece for Dutch Door RO is 49 1/8" x 87 1/2." **\$ 605.00**

Pre-Hung Steel Door Units



3 1/2" - 16 Ga. Frame


1 3/4" Thick R-11 door panel with 26 gauge steel. Pre-hung with universal 4-way swing in a 16 gauge, 3 5/8" steel frame. Full perimeter weather strip. Complete with lockset, 2 3/4" backset. Prefinished white.

Door	Actual Size	Price
3' 0" x 6' 8"	38 5/8" x 80 5/8"	\$ 438.00
4' 0" x 6' 8"	48 5/8" x 80 5/8"	620.00
Lever & Lock Set	Latch Kit	51.00

SLIDING DOOR FRAME ITEMS

1600 AV	Vertical Rail 8', 10', 12', 14', 16'	\$ 8.40	per foot.
1600 HV	Mate for Bi-Parting Doors 10', 12', 14', 16'	8.30	per foot.
1600 AB	Base Rail for Door Frame 12', 16'	4.10	per foot.
1600 WS	Weather Strip for Vertical Rail	49¢	per foot.
1600 WB	Continuous Guide Base 12', 16'	7.25	per foot.
0500 TRG	Continuous Guide (C-SHAPE) 5'	43.50	Each
235 BOX GIRT	Horizontal Box Girt / Rail 10', 12', 14', 16'	5.00	per foot.





STALLS PENS KENNELS



This free standing system has easy pin-together connections. The panels can also be attached to your existing walls using wall connectors. The lower 4' of the panels are designed to be filled with customer supplied 2" lumber (1 1/2" finished size). The vertical bars are of 1/2" diameter steel rods spaced 3" apart. Stall fronts come with a 4' wide sliding door and a 2' wide swinging feeder door. An optional corner feeder can be attached to the feeder door for easy swing-out feeding from the aisle. Solid dividers, dividers with bars and stall fronts are all 7' high and offered in 10' and 12' lengths. All stall panels are 2" short of the called size. 10' panel = 9'10" overall, 12' panel = 11'10" overall. Wall, 2-way, 3-way & 4-way connectors fasten panels at the corners. All 14 gauge, 2" tubular frames and channels. Graphite Gray.

Type	Weight	Price	Approx. 2" x 6" Lumber Requirements
10' Front	205 lbs	\$ 857.00	17 - 47 1/2" and 4 - 35 1/2"
10' Divider with Bars	140 lbs	449.00	21 - 47 1/2"
10' Solid Divider	120 lbs	408.00	21 - 47 1/2" and 21 - 32 1/2"
12' Front	230 lbs	927.00	22 - 47 1/2" and 4 - 35 1/2"
12' Divider with Bars	165 lbs	568.00	26 - 47 1/2"
12' Solid Divider	140 lbs	439.00	26 - 47 1/2" and 26 - 32 1/2"
Wall Connector	2 lbs	\$ 24.00	3-Way Connector 5 lbs 34.00
2-Way Connector	3 lbs	26.00	4-Way Connector 6 lbs 45.00

Connectors Sold In Pairs




**STOCKYARDS
STALL MATS**

**Saves on bedding expense
Eases your stall cleaning chores
Ends equine digging**

Manufactured with an environmentally safe polymer bonding agent, these 3/4" thick rubber stall mats provide a softer more resilient surface with increased tensile strength over re-vulcanized mats. They have precision sheared edges for a tighter fit at joints, are non-porous and are easily installed over any surface. Button-textured for grip. Flat top surface and heavy weight keep mat solid.



3' X 4'	1/2"	\$ 45.05
4' x 6' Mat	3/4"	53.00
25 Or More		51.80




5' Entrance
with 4' Gate'
47 lbs.
\$ 225.00

Kidding Panels


Light-weight portable panels for small livestock & pets.
4' Tall with 1 5/8" tube frame, 4" x 4" 6 gauge wire mesh,
pin & loop connections, powder coated gray finish.




5' x 4' 29 lbs. **\$ 134.00**



8' x 4' 48 lbs. **\$ 164.00**




10' x 4' 52 lbs. **\$ 181.00**




Dog Kennels

6' Tall panels with 1 5/8" tube frame, 2"x 4" heavy gauge mesh. Very fast set up. Graphite Gray.




10' x 10' Complete Kennel	\$ 1,072.00
5' x 10' Complete Kennel	952.00
10' x 6' Single Door Front	348.00
5' x 6' Single Door Front	279.00
10' x 6' Side Panel	279.00
5' x 6' Side Panel	191.00
5' x 10' Top/Roof Panel	268.00
10' x 10' Top/Roof	531.00
10' x 10' Sun Block Top	69.00




PANEL & CORRAL SYSTEMS

Horse Country Corral Panels & Gates




Square top corners and chain connections for a closer, tighter fit. Chain connections allow maneuverability around terrain restrictions. Round 1 5/8" diameter steel tubing with panel frames 18 gauge and panel rails are 20 gauge. All welded joints are mitered and welded all the way around the tubing for strength. The mudlegs limit the panels sinking into soft ground and add strength. **Powder Coat** finish in Graphite Gray color. Horse Utility Panels lend themselves well in round rings and riding arenas. Highly portable and easy to handle. The




10' x 64" Panel	47 lbs	\$ 151.00
12' x 64" Panel	53 lbs	185.00
16' x 64" Panel	69 lbs	231.00
10' Entrance Panel, 6' x 7' Gate	56 lbs	275.00
12' Entrance Panel, 6' x 7' Gate	62 lbs	299.00
6' x 9' Entrance Gate Section	56 lbs	251.00
40' Round Ring 10 - 12' Panels & 1 - 6' Entrance		\$ 2,101.00
50' Round Ring 12 - 12' Panels & 1 - 6' Entrance		2,471.00
60' Round Ring 15 - 12' Panels & 1 - 6' Entrance		3,026.00

entrance panels allow you to have a 6' wide gate anywhere you need and the 6' entrance panels have taller arches so you can ride through with your hat on.

**64" High
6 Rail
1 5/8" Tube
Dark Gray
18 & 20 Ga.**



**Behlen
COUNTRY**
Farm & Ranch Equipment



Portable 16 Gauge Corral Panels

Available in Red or Green

4' Entrance

10' Entrance Panel

Regular Panel

8' x 60" Panel	61 lbs	\$ 191.00
10' x 60" Panel	77 lbs	213.00
12' x 60" Panel	85 lbs	259.00
14' x 60" Panel	98 lbs	274.00
16' x 60" Panel	110 lbs	318.00
10' Entrance with 4' x 7' Gate	81 lbs	429.00
12' Entrance with 4' x 7' Gate	92 lbs	430.00
4' x 7' Gate & Arch	48 lbs	250.00

Square corner and pin connections reduce the spaces between panels and allows 3 or 4 panels to connect together. Powder Coat Finished. Made of heavy wall **16 gauge 1 5/8" dia. high-tensile tubing** for maximum strength and durability. Heavy gauge formed steel center Z-brace for uniform support from pushing or crowding livestock. Mitered joints where tubes intersect welded 360 degrees.

Arena MaxT HORSE CORRAL PANELS

• 72" High • 6 Rail • Square Corners • 2" Tubing • 16 & 18 Gauge • Chain Connections • Graphite Gray

12' x 72" Tall Corral Panel	100 lbs	\$ 338.00
12' x 72" Tall Entrance with 6' x 7' Gate	122 lbs	483.00
6' Entrance Only with 7' Arch	81 lbs	364.00
2" Butterfly Clamps, Gray	pair	19.00

The formula for finding circumference is:
Diameter x 3.14 [D x π]

Take Your Answer and Divide ÷ by Length of Panels
This gives you the number of panels needed!



Flat Mount Gate Hook

For attaching Farmaster hinges to a flat surface.

\$ 15.00



1 5/8" Butterfly Clamp (pair) **\$ 17.00**

2" Butterfly Clamp (pair) **18.00**

Panel Hanging Clip 1 5/8" **8.00**

Panel Hanging Clip 2" **10.00**




Panel to Wood Connectors

For attaching Farm-master panels with pins & loops wood posts or walls.

Pin & Chain Connector **18.00**

Loop Connector **9.00**

GATES & CORRAL PANELS



AgStar Tube Gates (Heavy Duty)

- 2" Diameter 16 Gauge Tubing
- 6 Horizontal Rails
- 50" High
- 3/4" x 12" Bolt Hooks
- Painted Red or Green



4'	41 lbs	\$ 141.00
6'	55 lbs	154.00
8'	72 lbs	179.00
10'	87 lbs	198.00
12'	100 lbs	227.00
14'	118 lbs	276.00
16'	133 lbs	302.00
18'	152 lbs	351.00



Square Corner Collared Hinge Gate

- 1 5/8".... 16 & 20 Gauge Tubing
- 6 Horizontal Rails
- 50" High • Collared Hinges
- 5/8" x 12" Bolt Hooks
- Painted Green




4'	30 lbs	\$ 129.00
6'	37 lbs	146.00
8'	46 lbs	163.00
10'	54 lbs	179.00
12'	64 lbs	194.00
14'	72 lbs	226.00
16'	81 lbs	243.00
18'	89 lbs	291.00



16 & 18 Gauge Tube Gate Mounting Hardware

- 16 ga. 3/4" x 12" Bolt
- 18 ga. 5/8" x 12" Bolt
- Adjustable Hinge



3/4" x 12" Galv. Bolt Hook	\$ 19.00
2" Galv. Hinge Clamp ea.	9.00
5/8" x 12" Galv. Bolt Hook	11.00
1 5/8" Galv. Hinge Clamp	7.00

20 Gauge Tube Gates Mounting Hardware

- 5/8" x 6" Screw Hook
- Adjustable Hinge

5/8" x 6" Screw Hook ea.	6.00
1 5/8" Galv. Hinge Clamp	7.00



Gate Wheel

Fits 1 5/8" up to 2" tube gates for support and ease of operation.

\$ 25.00



Pneumatic Gate Wheel

8" Diameter, 2 1/2" Wide, Rubber Wheel with spring and plate attachment.

\$ 95.00



Sur-Stop Gate Anchor

Fits 1 5/8" up to 2" tube gates to hold gate in position and prevent sag and swing.

\$ 18.00




One-Way Sur-Latch

For gates closing against a post or where sufficient gap is not available.

\$ 21.00




For 1 5/8" & 2" dia. Tube Gates. Slam shut. One hand operation. Galvanized.



Lockable Two-Way	\$ 25.00
1 1/2" Junior Sur-Latch	18.00

Gates fit gap sizes listed, and are 6" shorter to allow for hardware.

20




2" X 4" Wire Mesh Gate

- 1 5/8"....20 Gauge Tubing
- 1/4" Welded Rod Filler Panel
- 50" High
- 5/8" x 6" Screw Hooks
- Galvanized



3'	20 lbs	\$ 118.00
4'	24 lbs	120.00
6'	32 lbs	128.00
8'	43 lbs	178.00
10'	52 lbs	197.00
12'	60 lbs	217.00
14'	69 lbs	253.00
16'	79 lbs	274.00



HERITAGE Utility Gate


- 1 5/8"....20 Gauge Tubing
- 6 Horizontal Rails
- 50" High
- 5/8" x 6" Screw Hooks
- Graphite Gray



4'	19 lbs	\$ 93.00
6'	26 lbs	105.00
8'	34 lbs	119.00
10'	42 lbs	127.00
12'	49 lbs	136.00
14'	55 lbs	162.00
16'	63 lbs	179.00


Landowner Gates

with reflective decals. Telescopes 12' - 20' to fit most openings and accepts most padlocks.



37 lbs. **\$ 171.00**


Deer Gates



Behlen Country Deer Gates are designed to keep deer, elk, and other wildlife out of your fields. This 84" tall gate is galvanized for long life and they come with three bolt and hook hinges that make the gate reversible for any application. The tubular and mesh design is perfect for keeping unwanted animals out of designated areas. Note: All gates are 4" less than listed length to allow for gate hardware and proper clearance.

4' x 84"	55 lbs	\$ 250.00
8' x 84"	101 lbs	360.00
10' x 84"	122 lbs	387.00
12' x 84"	142 lbs	414.00

IMPORTANT: Store steel panels in a dry place, off the ground and indoors. If stored wet, white stains can occur, reducing the effective life of the panel. **Wet material cannot be returned.** Safety precautions should be used when handling, cutting and fastening steel panels.



Galvanized Corrugated Steel

26" Wide 24" Coverage
29 Gauge 1 1/4" Corrugated
G-90 Galvanized, High Tensile
Made in the U.S.A.
Strongbarn/Barnmaster



26" Width

6' Long	\$ 23.00	12' Long	\$ 45.00
7' Long	27.00	14' Long	53.00
8' Long	30.00	16' Long	61.00
9' Long	34.00	18' Long	68.00
10' Long	38.00	20' Long	76.00

Note: Sheets are 26" wide and cover 24" after a sidelap of 2".

Corrugated Fiberglass Skylight


Useful for skylights, patios and greenhouses. 1 1/4" Corrugated. Clear Heavy weight 5 oz. per square foot.



8' Long	\$ 56.00	metal sales <small>manufacturing corporation</small> Propanel II Fiber- glass Skylight Standard Pro II Profile, White Fiberglass 3' x 12' In Stock \$ 64.00
10' Long	70.00	
12' Long	84.00	

Corrugated Closure Strips

Formed rubber material to match and seal the 1 1/4" corrugated.
 2' Lengths \$.50 each




40 Rolls Per Box

Butyl Tape Strip Mastic

Water and U.V. resistant with very high cohesive strength. Excellent bonding in cold weather. -60°F to +212°F.
 3/8" x 3/32" - 45' Length \$ 7.00
 End Lap Pad 1.5" x 3/32", 45' Long \$29.00



2 1/2" Corrugated	Type	Lin. Ft
Roof Coverage 21 2/3"	29 Ga. Galv	\$ 4.80
Wall Coverage 24"	26 Ga. Galv	5.06
1/2" Rib Height, 2	26 Ga. Painted	14.00
2/3" on center	22 Ga. Weather	15.00
Custom Cut Lengths		



7/8" Corrugated	Type	Lin. Ft
Roof Coverage 29 1/3"	26 Ga. Galv	\$ 5.06
Wall Coverage 32"	26 Ga. Painted	8.16
7/8" Rib Height, 2 2/3" on center	22 Ga. Rusting	15.48
Custom Cut Lengths		

Magnetic Drive Sockets

PlyFast Screws for wood framing, Zinc Galvanized or Painted. "Needle point" for quick, easy starts without pre-drilling. 1/4" Hex Head with Neoprene Washer

\$ 7.90
 Made in U.S.A. 1/4", 5/16", 3/8"

Size Zinc Color

Size	Zinc	Color
3/4"	11 ¢	16 ¢
1"	12 ¢	17 ¢
1 1/2"	13 ¢	18 ¢
2"	14 ¢	19 ¢
2 1/2"	15 ¢	20 ¢
3"	16 ¢	21 ¢

Bags May Vary In Count

MetalFast Screws for steel framing
 5/16" Hex Head

Size	Zinc	Color
3/4"	15 ¢	22 ¢
1"	16 ¢	21 ¢
1 1/2"	17 ¢	22 ¢
2"	18 ¢	23 ¢
2 1/2"	19 ¢	24 ¢
3"	20 ¢	25 ¢

Bags May Vary In Count

FLASHERS™

Flasher Flexible Pipe Flashing An outstanding roof jack for use on most steel roofing profiles, corrugated or ribbed panels. An aluminum strip molded into the base conforms to any location on the roof.

Standard Gray EDPM rubber for temps -65°F to +250°F

High-Temp Red/Orange Silicon for temps -100°F to +450°F

Size	Diameter	Standard	High-Temp
2	1 3/4" - 3 1/4"	\$ 14.00	\$ 31.00
3	1/4" - 5"	18.00	36.00
4	3" - 6"	21.00	58.00
6	5" - 9"	29.00	84.00
8	7" - 13"	61.00	155.00
9	10" - 18"	95.00	274.00



RetroFit Roof Jack Flasher with ZipLock

Size	Diameter	High-Temp
1	0.75 - 2.75"	\$ 82.00
2	2 - 7.25"	155.00

CUSTOM ROOFING & SIDING

High Tensile Steel

Our steel ribbed panels are roll formed under stringent quality control to exacting specifications using only "full hard" 80,000 PSI tensile strength 29 gauge steel for maximum load carrying capability. It has exceptionally high spanning properties for its thickness and weight, and provides spring-like resistance to abuse.

Attractive Ribbed Design

Steel ribbed panels look sharp on your buildings. Main rib is 9" on center to cast a shadow and give your building that board and batten look. One or two small stiffening ribs are spaced between the main ribs. Designed for good looks and maximum strength.

Custom Cut Lengths:

All steel ribbed panels are custom cut to your specified lengths right off the fabrication machine. **Allow 10 - 15 days lead time.** We do not round to the nearest foot on lengths when figuring your cost....you pay only for what you get.

36" Coverage

Steel ribbed panels are 38" wide giving 36" coverage which allows you to install it faster. This means fewer rows, fewer panels, fewer sidelaps, faster application with less time spent fitting panels into place. It can be quickly secured into place with screws. Price is based on actual 36" actual coverage.

Weathertight Lap Design

The unique siphon groove on the side of the panel interlocks with the side of the next panel to form a weathertight seal. This design permits a free-flow water runoff while the drain helps channel out water that might be forced into the snug-fitting lap.

Deposit required on all orders. This product is a customized special order & non-returnable.
Signature Require on Adjustments and Changes.

Propanel II




Select from 16 Colors

Tan, Brown, Mocha Brown, Burnished Slate, Light Stone, Red, White, Ocean Blue, Forest Green, Patina Green, Fern Green, Charcoal, Ash Gray, Burgundy, Carlsbad Cavern (Galvanized & Galvalume) There is an up-charge for Patriot Red & Native Copper options.

Propanel II

36" COVERAGE
38" WIDTH



Classic Rib

29 Gauge Painted

\$ 5.89/lin. ft.

Propanel II or Classic Rib

1.96 / Square Ft.

29 Gauge Galvalume

4.15/lin. ft.




Certain colors may be subject to an order minimum and longer lead time.

29 Gauge Painted

\$ 5.89/lin. ft.

26 Gauge Painted 26 Gauge Colors May Vary. 7.19/lin. ft.




TUF RIB



White, Parchment, Ivory, Light Stone, Beige, Hickory Moss, Desert Brown, Medium Brown, Dark Brown, Old Town Gray, Charcoal Gray, All Steel Blue, Gallery Blue, Rustic Red, True Red, Burgundy, Black, Medium Green, Ivy Green, Fern Green, Sedona Rust, Galvalume, Burnished Slate, Copper Penny.

Matching Fasteners & Trims Available



PBR Purlin Bearing Rib Panel

Steel Roofing and Siding

36" Coverage

12" On center of rib,

1-1/4" tall rib

Custom Cut Lengths

Available in 17 colors.

Type

Lin. Ft

26 Ga. Painted

\$ 6.72

26 Ga. Galvalume

5.98

24 Ga. Painted

12.32

24 Ga. Galvalume

8.90


IMPORTANT: Store steel panels in a dry place, off the ground and indoors. If stored wet, white stains can occur, reducing the effective life of the panel. Safety precautions should be used when handling, cutting and fastening steel panels.

SLIDING DOOR HARDWARE




NATIONAL SLIDING DOOR HARDWARE

NATIONAL SLIDING DOOR HARDWARE is strong & durable. #5116 Square track with hanger brackets spaced at 24" is designed for doors weighing up to 450 lbs. Track is 16 gauge galvanized steel.




8'	\$ 79.00
10'	85.00
12'	99.00

TRACK HANGER BRACKETS



51-F	Single Track Bracket	\$ 12.90
51-G	Single Splice Bracket	19.20
51-H	Double Track Bracket	60.20
51-HS	Double Splice Bracket	80.50

TROLLEY HANGERS




5001	Rigid Drop Bolt Trolley 3" or 6" Bolt Length	\$ 49.00/pr.
5022	Flexible 9" Drop Bolt Trolley	85.00/pr.
5005	Rigid Drop Strap Trolley	101.00/pr.
5040	Flexible Drop Strap Trolley	135.00/pr.

DOOR BUMPERS, GUIDES & STAY ROLLERS





17	Door Bumper, 2" Doors	\$ 15.00
316	Adj. Door Bumper, 2" - 3"	36.00
317	Adj. Door Bumper, 4 1/2" - 6"	24.00
18	Regular Stay Roller	22.00
318	HD Stay Roller	31.00

SLIDING DOOR PULLS & LATCHES




V6w	6-3/4" White Door Pull	\$ 11.00
V6z	6-3/4" Zinc Door Pull	3.00
V7	10" Heavy Zinc Door Pull	7.00
V176	Flush Door Pull	11.00
1254	Center Latch for biparting doors	27.00
1264	Jamb Latch, 7" with Hook	32.00
1265	Jamb Latch, 4" with Hook	31.00



ROUND TRACK SLIDING DOOR HARDWARE

KEYHOLE TRACK is round, self-cleaning track. Hanger brackets tap into keyholes prepunched on 2' centers, in the top of the track. Three types of hanger brackets are available, face mount with track cover and double track for by-passing doors. Designed for doors weighing up to 600 lbs. Track is 14 gauge galvanized steel. Splice collars are used for joining sections of track. End caps provide protection from dust, debris & birds. Made in the USA.




Track cover brackets allow for the easy installation of trim to cover your door track. They quickly and securely snap into place with the tap of a hammer.


Track end plugs bird-proof and close the ends of the track.

Splice collars are used to lock two track sections in perfect alignment at the joints.


KEYHOLE DOOR TRACK & BRACKETS



8'	\$ 55.00
10'	69.00
12'	83.00
16'	110.00



End Caps
\$ 4.00 pair



Double Track
Hanger
with bolts
\$ 24.00




Face Mount
Plain
\$ 2.00



Face Mount
Track Cover
\$ 4.00


Splice Collar
\$ 5.00



Wood
Door

TROLLEY HANGERS

TROLLEYS For doors weighing up to 600 lbs. Delrin wheels and needle bearing. Offset bolt trolleys for wood or steel framed doors are 4-way adjustable. Wood Door Trolleys with adjustable saddle for solid doors up to 1 13/16" thick. Quiet and easy to roll.




9 1/2"
or
6 1/2"
Bolt
Trolley

9 1/2" Bolt Trolley (pr.)	\$ 75.00
6 1/2" Bolt Trolley (pr.)	72.00
Wood Door Strap-Style Trolley with End Caps	91.00


Door & Gate Latches

V13B	Door & Gate Latch	\$ 14.00
V23A	Swinging Gate Latch	19.00
V1134	Slide Bolt Latch	14.00
V1135	Slide Bolt Latch, Heavy Duty	36.00
V1136	Slide Bolt Latch, Spring Loaded	26.00



FARRIER & HORSESHOES

Diamond Farrier Tools



A	Economy 14" Nipper	\$ 40.45	F	Farrier Tongs	\$ 39.45
B	Pro Nipper 12" Plain Pro Nipper 15" Plain	100.45 109.45	G	14 oz. Driving Hammer	41.45
C	10" Nail Nipper	49.45	H	12" Clinch Cutter	60.45
D	12" Puller/Spreader	65.45	I	Clinch Block	20.45
E	Saddle Klincher	72.45	J	Hoof Pick, Vinyl Coat	1.90



Jim Rickens Formula Use on Sole & Frog for puncture wounds, thrush, tenderness and pain. For best results use twice daily, for 5 days.

4 oz. \$ 16.50



KoperTox Thrush Treatment	8 oz.	\$ 31.95
KoperTox Thrush Treatment	16 oz.	42.95
Absorbine Thrush Remedy	12 oz.	16.95



HR14N	Diamond 14" Farrier Rasp with Tang	\$ 22.45
	Bellota Raptor Wide 14" Rasp	35.45
	Rasp Handle, Wood Poly	12.45
	Hoof Knife - Narrow Blade Right or Left	16.45

Horseshoe Nails

City Head Nails	100 Box Sizes 4 1/2, 5, 6	\$ 9.90
Race Head Nails	100 Box Size 4 1/2	9.50
City Head Nails	250 Box Sizes 4 1/2, 5, 6	21.95



Classic Plain



Bronco Plain 5/16"

Classic & Bronco Plain

Size	Price per Pair	Classic Plain 1/4" thick basic flat. Easily shaped hot or cold to fit front or hind hooves. Punched for City Head Nails. Excellent for general riding or light-weight-shoe application.
000	\$ 6.00	
00	6.25	
0	6.50	
1	6.50	
2	6.50	

Bronco Plain 5/16" thick for extended wear. Easily shaped hot or cold to fit front or hind hooves. Punched for City Head Nails. Ideal for trail riding and abrasive terrain.

Diamond Special Plain

Size	Price per Pair	Special 1/4" thick with rounder shape for fuller fit. Improved V-crease for secure nail fit and better pitch control. Punched for City Head Nails.
000	\$ 7.25	
00	7.50	
0	8.25	
1	8.50	



Trek



V-Crease Hind



Pony

Trek Shoe

Size	Price per Pair	Trek Traction V-crease provides secure nail fit and nail options. Punched for City 5. Drop forged from high grade steel. Provides sole relief and solid heel with additional width for support and traction.
00	\$ 7.25	
0	7.50	
1	8.25	
2	15.75	

Hind

Size	Price per Pair	Hind designed to fit the majority of hind hooves with little or no modification. Made with high quality steel for durability and improved V-crease for secure nail fit and better pitch control.
00	\$ 10.25	
0	14.15	
1	16.50	

Pony Plain Shoes


Size	Price per Pair	Diamond Pony Made with high quality steel for increased durability. Improved V-crease and proper nail placement for the average pony hoof. Light shoe for the smallest of hooves. Punched for Race nails.
0	\$ 5.45	
1	5.45	



Thoro'Bred Racing & Specialty Shoes

Close Out All Types and Sizes

\$ 7.50 pair



**PRSRT STD
U S POSTAGE
PAID
DENVER, CO
PERMIT NO. 3735**

www.stockyardsupply.com

**C
A
T
A
L
O
G

I
N
D
E
X**

1	Steel Posts & Twisted Wire	14	Automatic Waterers
2	Wood Posts & Dowel Fence	15	Stall and Pasture Feeders
3	Field Mesh & Game Fence	16	Feeding Equipment
4	Horse Fence & Welded Wire	17	Equus & SDR Doors
5	Welded Rod Panels	18	Stall Mats, Gates, Kennels
6	Vinyl Fence & Rail	19	Panels and Corral Systems
7	High Tensile, Remesh	20	Tube Gates & Hardware
8	Baling and Tarping	21	Corrugated Steel
9	Fence Chargers & Posts	22	Profiled Metal Options
10	Electric Fence Insulators	23	Sliding Door Track
11	Tools	24	Horse Shoes, Nails, Tools
12	Livestock Water Tanks		
13	Hydrants & Culvert		

**Jamie Jordan
Anna Jordan
Katy Sjaardema
Troy Becker
Tony Bustos
Mike Sjaardema
Jennifer White
Dusty Middleton
Noelle Bruce
Jannet Vargas
Betty Vargas
Luis Garcia**

**Store Hours:
Mon. - Fri. 8 AM-4:45 PM
Closed Weekends &
Most Major Holidays**

**© Copyright 2025
All rights reserved.**

**All prices & specifications in
this catalog are subject to
change without notice.**

**5% OFF Order
When Paid in Cash**

***Feed Excluded**



Returns are accepted within 30 days of purchase with a valid receipt. Items must be unused, in original packaging, and accompanied by all accessories. **Restocking Fee:** A 15% restocking fee applies to all returned items. A 35% Restock Fee applies to all wood posts, rails, squares, etc. **Non-Returnable Items:** Custom orders, special orders, and clearance items are non-returnable.

Damaged Goods or Missing Shipments: Notify us within 3 days of receipt if items are damaged or if there is a discrepancy in your shipment. **Procedure:** Keep all packaging materials and products in the original state until the issue is resolved. We may request photos for verification. **Resolution:** We will work with you to provide a replacement or credit, depending on the situation.

Order Changes or Cancellations: Changes or cancellations must be requested within 24 hours. Custom and special orders cannot be canceled once processed. **Sales Tax Rate:** Sales tax is applied according to Colorado state laws. Exempt customers must provide valid documentation at the time of purchase.

Pricing & Specification Accuracy: We strive for accuracy in pricing and product specifications. However, prices and specifications may change without prior notice. All shipments are FOB Origin; the buyer assumes ownership and risk once the items are shipped.