2024 Q2 EDITION MAR - JUN RANCH SUPPLY INC. TO SEE

ALL YOUR RANCH SUPPLY NEEDS IN ONE STOP

FIELD FENCE



All STOCKYARDS Field Fence Items Are American Made!

Uniform crimps and high quality steel keep the fence tight through all the seasons.

939-6-12 1/2	\$ 208.45
1047-6-12 1/2	216.45

See Page 3

268.45

98.45


STEEL T-POSTS

SAVE an additional 10¢ per post on quantities of one size over 200

#125 STANDARD		NON-CERT		
	5'	\$ 4.73	#133 HEAVY	
	5 1/2'	5.49	5 1/2'	\$ 5.63
	6'	5.56	6'	6.06
	6 1/2'	6.00	6 1/2'	6.53

See Page 1


HORSE FENCE



See Page 4

TWISTED WIRE

1156-6-12 1/2



1,320' per Spool (80 Rods) Made In The U.S.A


2pt Premium ASTM A121

\$ 104.45 Class 1 4" Space

2pt Cattleman 14 Ga. Bezinal 5'


Premium Barbless \$ 100.45 See Page 1

RUSTIC DOWL



Turned Rail

WOOD POSTS



See Page 2

AUTOMATIC WATERERS



See Page 14

For Horses, Cattle, and Small Animals

HC-7-16 \$ 459.54 HC-14-16 562.38 HC-7-26 529.03 HC-14-26 600.37

STEEL ROOFING

Custom Cut, Matching Trims & Colors for a good looking, low maintenance steel building!



See Pages 31-33

GATES & MORE



17.95

Made in the U.S.A Lengths 4' - 18' In Stock. Heavy Weight or Light. Walk Through or Drive.

Dog Kennels

2" x 4" Mesh 6' Tall 1 5/8" Tube **Graphite Gray** See Pages 20-22



6990 US HWY 85 PO BOX 1126 COMMERCE CITY CO 80022 303.287.8081 1.800.443.5022 MON-FRI 8:00AM TO 4:45PM STOCKYARDSUPPLY.COM

STEEL TEE POSTS & TWISTED WIRE-

Stockyards stocks three weights of steel posts. Standard, Non-Certified, #133 Heavy Weight and the Premium ASTM A702 Certified posts are all American made... the highest quality available. All posts are painted Green and are accented with a light colored top. Anchor plates are securely riveted to posts. All post prices include 5 wire clips for attaching wire to post. Posts are bundled in small bundles of 5 posts and master bundles of 200 posts. Made In The U.S.A.

#125 STANDARD

Length	Weight	Price	200 +
5'	6.73 lb	\$ 4.73	\$ 4.63
5 1/2'	7.36 lb	5.49	5.39
6'	7.98 lb	5.56	5.46
6 1/2'	8.61 lb	6.00	5.90
7'	9.23 lb	6.43	6.33
8'	10.48 lb	7.49	7.39

ASTM A702 CERTIFIED #133 PREMIUM WEIGHT

Length	Weight	Price	200 +
5 1/2'	8.10 lb	\$ 5.87	\$ 5.77
6'	8.76 lb	6.30	6.20
6 1/2'	9.43 lb	6.76	6.66
7'	10.09 lb	7.23	7.13
8'	11.42 lb	8.15	8.05
10'	13.83 lb	11.11	11.01

FENCE STAYS

9 1/2 Gauge Wire Class 1 Galvanized 100 per Bundle

Size	Bundle	Each
24"	\$ 55.00	60¢
 36"	74.00	79¢
42"	87.00	92¢
48"	98.00	\$ 1.03
 - 52"	99.86	1.15

#133 NON-CERTIFIED HEAVY WEIGHT

Length	Weight	Price	200 +
5 1/2'	7.80 lb	\$ 5.63	5.53
6'	8.46 lb	6.06	5.96
6 1/2'	9.13 lb	6.53	6.43

Additional T-Post Clips \$ 3.00 / 100ea.

Galvanized 6 1/2' #133 Prem Tee Post \$8.84



ANGLE IRON END & CORNER POSTS

Posts are 7'0" x 2 1/2" x 2 1/2" x 1/4" angle iron. Braces are 7'0" x 2" x 2" x 1/4". Painted Interstate Green. Holes drilled for bolt connections. Bolts and nuts included.

<u>ltem</u>	<u>Size</u>	Components	<u>Weight</u>	<u>Price</u>
Angle Iron End Set	7'	Post with 1 Brace	52 lbs	\$ 81.45
Angle Iron Corner Set	7'	Post with 2 Braces	75 lbs	116.35
Angle Iron Post	7'	2.5" x 2.5" x 1/4"	28 lbs	48.35
Angle Iron Brace	7'	2" x 2" x 1/4"	22 lbs	35.95



BARBED WIRE



27 per Pallet

PREMIUM BARBED WIRE ASTM A121

12 1/2 Gauge 2 Point barbs 4" Spacing 80lb/Spool Class 1 Galvanized \$ 104.45

14 HIGH TENSILE 2 POINT BARBED WIRE CATTLEMAN PRO

14 Gauge 2 Point Barbs 5" Spacing 53lbs/Spool Bezinal

98.45

PREMIUM 4 POINT BARBED WIRE ASTM A121

12 1/2 Gauge 4 Point Barbs 5" Spacing 88 lbs./spool-Class 1 Galv. 120.45

15 1/2 HIGH-TENSILE 4 POINT BARBED WIRE

15 1/2 Gauge 4 Point Barbs 5" Spacing 42 lbs./spool-Class 3 Galv.

75.45

BARBLESS WIRE 32 per Pallet



PREMIUM BARBLESS TWISTED SMOOTH WIRE ASTM A121

12 1/2 Gauge Two Ply Smooth 68 lbs./spool-Class 1 Galvanized

\$ 100.45

All our barbed wire & barbless wire products are first grade, top quality and Made in the USA. The Premium barbed wire has a thicker galvanized zinc coating (Class 1) and meets spec. ASTM A-121 regarding wire gauge, barb spacing, etc. High-Tensile Barbed Wire has the heaviest zinc coating and meets Class 3 Galvanizing specifications. Made from high-tensile steel to allow the same breaking strength from a smaller gauge wire. All barbed & barbless wire is packaged 1,320' (80 rods) per spool.





1,320' per Spool (80 Rods) Made In The U.S.A


-PRESSURE TREATED POSTS & POLES-

These wood posts and poles are all pressure treated with MCA (Micro Copper Azole) or ACQ (Alkaline Copper Quaternary) wood preservative for ground contact. The treatment protects the wood against decay and wood destroying insects. The chemicals leave the wood a light green color. **Post diameter indicates the measurement at the small end of the post or minimum diameter.** Galvanized or stainless

	<u>Height</u>	<u>Diameter</u>		Price per Each	<u>Height</u>	<u>Diameter</u>		Price per Each
= '	6 1/2'	4" up to 5"	50R 95S	\$ 14.95	8'	4" up to 5"	95	\$ 17.95
	6 1/2'	5" up to 6"	40R 60S	18.95	8'	5" up to 6"	60	22.95
	6 1/2'	6" up to 7"	46	27.95	8'	6" up to 7"	30	28.95
= '					8'	7" up to 8"	25	34.95
	10'	5" up to 6"	40R 60S	\$ 32.95	12'	5" up to 6"	40R 60S	\$ 33.95
	10'	6" up to 7"	46	40.95	12'	6" up to 7"	60	44.95

steel fasteners are recommended for use in preserved wood. Do not use preserved wood in direct contact with aluminum. Ask for a Safe Handling Information Sheet for use & handling recommendations.

- Never burn treated wood.
- Wear dust mask & goggles when cutting or sanding treated wood.
- Wear gloves when working with treated wood.



Square Posts

Pressure treated squares 10' and longer are number 2 & better incised Hem/Fir. This wood has been pressure treated with MCA or CA-C chemical. Treating specifications and timber species are variable at this time, inquire for details. Our 8' long squares are Ponderosa pine treated for ground contact.

8' lengths - Ponderosa Pine 10' thru 20' #2 btr Hem/Fir

4" x 6"	8' Long	\$ 33.95
6" x 6"	8' Long	49.95
6" x 8"	8' Long	77.95
6" x 6"	10' Long	62.95
6" x 6"	12' Long	74.95
6" x 6"	14' Long	86.95
6" x 6"	16' Long	98.95
6" x 6"	20' Long	123.95

Corral Poles




Pressure Treated. Machine turned with uniform diameter from end to end. MCA.

16' x 4" Turned____\$ 28.95

Rustic Western Post & Dowl Rail Fencing

Western Post & Rail Fencing Posts are drilled 16" on center to accept rails and have domed tops. Fence rails are 8' in length and 4" uniform diameter, doweled to 2" diameter to fit in posts. Give your estate this rustic and attractive fencing and enjoy years of the best looking wooden ranch fencing available. Per foot prices based on 1 line post and 1, 2, 3 or 4 rails as required. All Pressure Treated MCA.



3-Rail \$ 14.95 per ft.

<u>Type</u>	<u>Size</u>		<u>Price</u>
Line Post	6 1/2' x 5"	50	\$ 21.95
End Post	6 1/2' x 5"	50	22.95
Corner Post	6 1/2' x 5"	50	24.95
Turned Rail	8' x 4"	80	17.95

2-Rail \$ 14.95 per ft.

<u>Type</u>	<u>Size</u>		<u>Price</u>
Line Post	6 1/2' x 5"	50	\$ 21.95
End Post	6 1/2' x 5"	50	22.95
Corner Post	6 1/2' x 5"	50	23.95
Turned Rail	8' x 4"	80	17.95

4-Rail \$ 15.95 per ft.

<u>Type</u>	<u>Size</u>		<u>Price</u>
Line Post	8' x 5"	50	\$ 27.95
End Post	8' x 6"	50	34.95
Corner Post	8' x 6"	50	34.95
Turned Rail	8' x 4"	80	17.95

Four Rail finishes at aprox. 60" top rail height with posts set 30" deep. End & corner posts are larger 6" diameter for use as gate posts. Rails spaced at 16" centers, top rail is centered 6" from the top of the post.

8' X 5" DOMED TOP BLANK POST____ \$ 26.95
Blank. No holes.

<u>Top Rail 1-Hole Fencing</u>

Top Rail Fencing gives you a highly attractive fence when the benefits of a mesh or woven wire fence are needed. 8' tall posts allow finished top rail heights from 54" to 60" for use with wire. **Pressure treated MCA**. Line posts are 5" diameter. End and corner posts are 6" diameter suitable for hanging gates and as stretch posts.



1-Rail \$ 15.95 per ft.

<u>Type</u>	<u>Size</u>		<u>Price</u>
Line Post	8' x 5"	50	\$ 25.95
End Post	8' x 6"	50	31.95
Corner Post	8' x 6"	50	31.95
Turned Rail	8' x 4"	80	17.95

Fence Staples



Class 3 Galvanized Double Barbed 8 Gauge Staples 1 1/2", 1 3/4", 2" 8 lbs. pails \$ 22.50 50 lbs. ctn 122.25



9 Gauge Galv. Staples
1 1/2", 1 3/4", 2"
Price
Per Pound \$ 3.00
50 lb Box 80.90

Wood Fence Stays

Pressure Treated MCA
2" x 2" Nominal

44"	\$ 1.95
48"	2.95
Finished 1 3/4"	x 1 5/8"



Concrete Mix

Premix concrete for setting posts, flatwork & slabs. Just add water.

\$ 7.90 per 80 lb. bag \$ 45.00 pallet charge

WIRE FENCING PRODUCTS

Field Fence


All STOCKYARDS Field Fence Items Are American Made!

Uniform crimps and high quality steel keep the fence tight through all the seasons. The top and bottom line wires are heavier to give you more strength where you need it. Wire spacing is graduated so that spaces at the bottom are smaller to turn smaller animals. Class 1 galvanized is ASTM A-116 cert.

330' Per Roll

<u>Number</u>	<u>Type</u>	<u>Height</u>	<u>Gauge</u>	<u>Galvanizing</u>	<u>Weight</u>	<u>Price</u>
726-6-12 1/2	Heavy Duty	26"	12 1/2 Gauge	Class 1	128 lbs	\$ 159.45
832-6-12 1/2	Heavy Duty	32"	12 1/2 Gauge	Class 1	149 lbs	183.45
939-6-12 1/2	Heavy Duty	39"	12 1/2 Gauge	Class 1	170 lbs	208.45
1047-6-12 1/2	Heavy Duty	47"	12 1/2 Gauge	Class 1	190 lbs	216.45
1156-6-12 1/2	Heavy Duty	56"	12 1/2 Gauge	Class 1	220 lbs	268.45
832-6-11	Extra Heavy	32"	11 Gauge	Class 1	222 lbs	\$ 266.45
1047-6-11	Extra Heavy	47"	11 Gauge	Class 1	270 lbs	350.45
832-6-14	High Tensile	32"	14 Gauge	Class 3	80 lbs	165.45
1047-6-14	High Tensile	47"	14 Gauge	Class 3	120 lbs	185.45

Premium 4" x 4" Field Fence



6"

6"

6"

6"

8"

6" 5.5"

5" 4.5"

4"

3.5" 3"

> 6 - 7" Spaces

2 - 6"

1 - 5" 1 - 4 1/2"

Spaces

12 1/2 Gauge hinge joint fencing with uniform 4" x 4" spacing top to bottom. Class 1 galvanized with 10 gauge top & bottom wires. Great for mixed use areas where you need fencing heavy enough for large livestock and a tighter mesh for small animals and pets. 330' Rolls

<u>Number</u>	<u>Type</u>	<u>Height</u>	<u>Gauge</u>	<u>Galvanizing</u>	<u>Weight</u>	<u>Price</u>
1348-4-12 1/2	4" x 4"	48"	12 1/2 Gauge	Class 1	264 lbs	\$ 301.45
1660-4-12 1/2	4" x 4"	60"	12 1/2 Gauge	Class 1	324 lbs	369.45
1972-4-12 1/2	4" x 4"	72"	12 1/2 Gauge	Class 1	384 lbs	438.45

78" High Tensile Game Fence

In 330' Rolls

The cost-effective way to confine deer, elk and other game animals. Whether you are keeping game in or keeping game out, Game Fencing with a barbed wire on top with a height of 84" is considered the ultimate system in deer & small game fencing. Graduated Spacing allows you to keep small predators and large game from foraging crops or attacking livestock. Game fencing has small, tight openings at the bottom with larger openings at the top. By graduating the spacing, weight and cost is reduced. High Tensile wire in Game Fence offers more strength than standard wire with less weight. This high-tensile (high carbon) system also resists sagging. The wire is galvanized to Class 3 specifications for a longer lifetime than ordinary galvanized wire. The greater height eliminates the need for "stacking" two rolls of field fencing.



<u>Number</u>	<u>Type</u>	<u>Height</u>	<u>Gauge</u>	<u>Galvanizing</u>	<u>Weight</u>	<u>Price</u>
1578-6-12 1/2	High Tensile	78"	12 1/2 Gauge	Class 3	266 lbs	\$ 404.45




72" Field Fence 12 1/2 ga. line & stay wires with 10 ga. top & bottom wires. The square knot provides extra vertical strength to withstand impact. Class I Calvanized

fence resists corrosion. Continuous vertical and horizontal wires, wrapped in a knot with a third wire, provides the strength and rigidity. 330' Per Roll.

<u>number</u>	<u>iype</u>	Height	<u>Gauge</u>	Gaivanizing	weignt	Price
1472-6-12 1/2	Square Knot	72"	12 1/2 Gauge	Class 1	248 lbs	\$ 316.45

Fixed Knot High Tensile Game Fence



<u>Number</u>	<u>Type</u>	<u>Height</u>	<u>Gauge</u>	<u>Galvanizing</u>	<u>Weight</u>	<u>Price</u>
2096-6-12 1/2	Fixed Knot	96"	12 1/2 Gauge	Class 1	395 lbs	\$ 550.45
					12 Or More	495.45

WIRE FENCING PRODUCTS



2" x 4" Horse Fence

Provide a safer environment for your animals! Easy and economical to install with wood or steel posts. **Horse Fence** is designed to prevent snags that cause blemishes to a horse's

coat. The "wire knot" construction provides a wire mesh that's completely smooth on both sides as well as the top. The close 2"

x 4" spaces helps prevent horses feet from stepping through and becoming caught or injured. The vertical wires are "Stiff Stay" being one continuous straight length from top to bottom. This helps the fence resist being pushed down. **Max-Tight Class 1 Galvanized**

	<u>Size</u>		<u>Gauge</u>	<u>Weight</u>	<u>Price</u>
36"	2" x 4"	100'	12 1/2	94 lbs	\$ 172.45
48"	2" x 4"	100'	12 1/2	122 lbs	176.45
60"	2" x 4"	100'	12 1/2	151 lbs	233.45
72"	2" x 4"	100'	12 1/2	179 lbs	277.45
48"	2" x 4"	200'	12 1/2	244 lbs	353.45
60"	2" x 4"	200'	12 1/2	302 lbs	467.45

<u>Size</u>

36" - 2" x 4"

48" - 2" x 4"

60" - 2" x 4"

36" - 1/2" x 1"


48" - 1/2" x 1"

Size

4/4" > 4/4"

Welded Wire Fence

STOCKYARDS Welded Wire utility fabric is made of galvanized steel wire to provide a versatile, low cost fence for less demanding fencing requirements. Ideal for garden enclosures, dog runs, small animal fencing, and dozens of other uses. Standard 100 foot rolls. Each wire is individually welded at every intersection for greatest strength and long service. Mill standard galvanized steel wire. **Made In The U.S.A.**



••	, -		
72" - 2" x 4"	12 1/2	141 lbs	176.45
48" - 2" x 4"	14	63 lbs	\$ 76.45
18" - 1" x 2"	14	47 lbs	\$ 164.45
24" - 1" x 2"	14	62 lbs	184.45
36" - 1" x 2"	14	94 lbs	198.45
48" - 1" x 2"	14	122 lbs	302.45
60" - 1" x 2"	14	155 lbs	458.45
72" - 1" x 2"	14	188 lbs	507.45
36" - 1" x 1"	14	125 lbs	325.45
48" - 1" x 1"	14	164 lbs	453.45
24" - 1/2" x 1"	16	76 lbs	198.45

Gauge Weight

72 lbs

96 lbs

119 lbs

114 lbs

152 lbs

Weight

12 1/2

12 1/2

12 1/2

Price

\$89.45


118.45


147.45


404.45

572.45

Price









1/2" Square or 1/4" Square Mesh Sizes

Hardware Cloth / Cage Wire

The durability of **Hardware Cloth** makes it ideal for many industrial, farm, home and work shop uses. A heavy, bright zinc galvanized coating is applied after weaving for maximum protection against corrosion. Available in 1/2" square mesh or 1/4" square mesh and three different heights. **100' per roll.**

24 - 1/4 X 1/4	23	49 108	\$ 111.40
36" - 1/4" x 1/4"	23	70 lbs	159.45
48" - 1/4" x 1/4"	23	92 lbs	206.45
24"- 1/2" x 1/2"	19	51 lbs	137.45
36" - 1/2" x 1/2"	19	70 lbs	196.45
48" - 1/2" x 1/2"	19	98 lbs	260.45

16

Gauge



Poultry Netting is produced from 20 gauge galvanized wire, woven for vertical and horizontal strength. Uniform hexagon mesh has evenly spaced horizontal wires to hold netting straight and firm. The special reverse twist weave is designed to unroll flat for easy handling. Available in 1" or 2" hexagon mesh sizes. All poultry netting is furnished in **150' roll lengths**.

	1" MESH	
<u>Height</u>	<u>Weight</u>	<u>Price</u>
12"	17 lbs	\$ 27.45
18"	24 lbs	41.45
24"	31 lbs	58.45
36"	45 lbs	85.45
48"	60 lbs	115.45
60"	75 lbs	141.45
72"	88 lbs	171.45

4 II NATOLI

		2" MESH	
<u>H</u>	<u>eight</u>	Weight	<u>Price</u>
	24"	16 lbs	\$ 30.45
-	36"	23 lbs	43.45
-	48"	30 lbs	57.45
-	60"	38 lbs	65.45
	72"	45 lbs	86.45

Merchant Wire

Black Annealed or Galvanized

Merchant wire is ideal for general farm, ranch and home use. It's available in four different gauges. Black annealed wire is soft and easier to bend and tie than galvanized wire. Made in the U.S.A. Available in 100 lb. coils or the handy 10 lbs. size.

<u>Size</u>	<u>Weight</u>	<u>Length</u>	<u>Black</u>	<u>Galvanized</u>
9 Gauge	100 lb	1700 ft.	\$ 167.50	\$ 186.50
.1483"	10 lb	170 ft.	16.75	18.65
12 Gauge	100 lb	3360 ft.	167.50	186.50
.1055"	10 lb	337 ft.	16.75	18.65
14 Gauge	100 lb	5858 ft.	167.50	186.50
.0800"	10 lb	586 ft.	16.75	18.65




—HEAVY DUTY WELDED WIRE FENCING—

Welded Wire Livestock Panels

These heavy duty Welded Livestock Panels are constructed from heavy weight galvanized wire rods. The galvanized wire rods are welded at every intersection. Welded Livestock Panels are ideal for loafing areas, corrals, feedlots, arenas and working pens. All are Made In The U.S.A. STOCKYARDS gives you an excellent choice of different panels so that you may choose the one that's just right for you. Our panels are always first quality.





6"

6"

6"

6"

6"

4"

4"


-3" (2)

2" (3)

\$85.45

SELECT Cattle Panel

16' x 50" .225"&.207" Rod Weight: 30.5 lbs. \$ 28.45



SELECT Hog Panel

16' x 34" .225"&.207" Rod Weight: 34 lbs.

\$ 28.45





SELECT

Combination Panel

16' x 50"

.225"&.207" Rod

Weight: 37 lbs.

\$ 39.45

4" X 4" 6 Gauge Utility Panels

Now stocked in five heights:

3', 4', 5', 6', 8'


4" X 4" Spacing 20' Length Galvanized 6 Gauge Rod .192" Diameter

> 20' x **3'** \$ 37.45 Weight: 38 lbs.

20' x 4' \$ 49.45 Weight: 50 lbs.

20' x **5'** \$ **60.45** Weight: 62 lbs.

20' x **6' \$ 72.45**



Weight: 72 lbs.

20' x **8' \$ 93.45** Weight: 95 lbs.


16' x 48" 4 Gauge Rod .225" Diameter Weight: 80 lbs.

2" x 4" **Horse Panels**

·Sturdy welded rod construction ·Heavily galvanized

•2" x 4" Mesh helps prevent stepping through or becoming caught.

> 16' x 60" 4 Gauge Rod .225" Diameter Weight: 100 lbs. \$ 106.45



1 Gauge **Bull Panels**


16' x 5'

5' Hiah Galvanized

EX


6" x 6" Mesh 1 Gauge Rod .283" Diameter Weight: 82 lbs.

\$ 99.45



2" x 2" **Utility Panels**

16' x 48" 6 Gauge Galvanized Rod .192" Diameter Weight: 75 lbs. \$ 114.45



Rolled Panel Fence


6" X 6" Mesh 6 Gauge

Rolled Panel Fence is similar to our Welded Livestock Panels. Constructed from 6 gauge heavily galvanized wire.




60" x 100' 6 Gauge Galvanized 208 lbs. per roll \$ 239.45

·WHITE VINYL POST & RAIL FENCING·




Bufftech is a quality brand name of **Certain Teed**, a world leading manufacturer of building materials with a major commitment to a wide range of vinyl products including fence. **Bufftech** has developed a state-of-the-art co-extrusion process to manufacture vinyl fencing which results in a higher concentration of UV protection in the outer cap, while providing for exceptional impact resistance throughout the fence. These layers cannot separate. **Lineal foot prices are complete with line posts 8' on center, rails, post caps & lock rings.**



Wall Thickness:

All 5" x 5" Posts	0.135
1 1/2" x 5 1/2" Ribbed Rail	0.090
2" x 6" Ribbed Rail	0.090





Three Rail

Finishes with 52" top rail height with a post set 30" deep.

Component	<u>Size</u>	<u>Length</u>	<u>Weight</u>	<u>Price</u>
Ribbed Rail	1.5" x 5.5"	16'	16	\$ 31.95
3-Rail Line Post	5" x 5"	7'	11	\$ 32.94
3-Rail End Post	5" x 5"	7'	11	\$ 35.81
3-Rail Corner Post	5" x 5"	7'	11	\$ 35.81
3-Rail T-way Post	5" x 5"	7'	11	\$ 35.81
Blank Post	5" x 5"	7'	11	\$ 35.81
Internal Post Cap			Each	\$ 1.73
Lock Ring	24/bag		Each	\$ 0.25
Gate Kit	1.5" x 5.5"	8' Max	38	\$ 545.17

Two Rail

Finishes with 36" top rail height with a post set 30" deep. Two Rail is not suitable for animal containment.

Component	<u>Size</u>	<u>Length</u>	<u>Weight</u>	<u>Price</u>
Ribbed Rail	1.5" x 5.5"	16'	16	\$ 31.95
2-Rail Line Post	5" x 5"	7'	9	\$ 26.98
2-Rail End Post	5" x 5"	7'	9	\$ 29.34
2-Rail Corner Post	5" x 5"	7'	9	\$ 29.34
2-Rail T-way Post	5" x 5"	7'	9	\$ 29.34
Internal Post Cap			Each	\$ 1.73
Lock Ring	24/bag		Each	\$ 0.25
Gate Kit	1.5" x 5.5"	8' Max	38	\$ 455.22

Four Rail

Finishes with 58" top rail height with a post set 36" deep. With larger 2" x 6" Ribbed Rails.

<u>Size</u>	<u>Length</u>	<u>Weight</u>	<u>Price</u>
2" x 6"	16'	16	\$ 48.33
5" x 5"	7'	12	\$ 40.74
5" x 5"	7'	12	\$ 40.74
5" x 5"	7'	12	\$ 40.74
5" x 5"	7'	12	\$ 40.74
		Each	\$ 1.73
24/bag		Each	\$ 0.25
1.5" x 5.5"	8' Max	66	\$ 657.60
	2" x 6" 5" x 5" 5" x 5" 5" x 5" 5" x 5" 24/bag	2" x 6" 16' 5" x 5" 7' 5" x 5" 7' 5" x 5" 7' 5" x 5" 7'	2" x 6" 16' 16 5" x 5" 7' 12 Each 24/bag Each

WIRE & TWINE & MORE

High Tensile Fence Wire

• 12 1/2 Gauge • 4,000 ft. per roll • • 200,000 PSI minimum tensile strength •

• Class 3 galvanized or Zinc-Aluminum

\$ 6.30 per pack

12.40 per pack

1707



5"

10"

Designed for permanent electric or non-electric livestock fencing. Made In The U.S.A. 100 lbs. approx. 4,000 ft.


Wire Twist Tool

\$ 153.45

10 pack/case

10 pack/case

\$ 3.29





Dare Crimping Tool

Spinning Jenny____\$ 56.50 Use to uncoil high tensile wire

57.95

DARE

Ask for a free DARE HIGH TENSILE FENCE BOOK.



Wire Strainers

Use to tighten wire to proper tension \$ 3.50 ea. \$ 70.00 / ctn 20



Tension Measuring Springs

Compress to 7 1/2" for 250 lbs. tension.

\$ 6.40 ea.____**\$ 128.00** / ctn 20



Strainer Handle_____ \$ 5.45 Use to tighten wire strainers

Baler Wire

for 12 1/2 ga. wire

5 pk.


5 pk

American made best-quality wire at a very competitive price. Uniform annealling, size and well oiled for a high level of trouble-free operation in the field. Manufactured to the rigid specifications of the American Society of Agricultural Engineers. The highest level of quality control is maintained throughout the manufacturing process. This means bales tied tight that stay tied with minimal breaking or tangling problems. Good working wire at the everyday low price you expect from **STOCKYARDS**.



SPECIFICATIONS:
Wire gauge 14 1/2
Approx. length, feet 6500
Weight per carton, lbs. 100
Cartons per pallet 27

#6500 1 to 19 Carton \$ 112.60 \$ 110.60



Bar-Tie Wire

16.5 Gauge black annealed wire is soft and easy to cut & tie. Fits standard reels. Ideal for many uses.

#6500 20 or More 110.60

Fits 16.5 Gauge 3.5 lbs \$6.45

Box of 20 70 lbs \$128.97



Baler Twine

Uniform plastic and sisal baler twines for trouble free operation.



Plastic Baler Twine

<u>Length</u>	Knot Strength	<u>Weight</u>	Price 1 to 19 Carton	20 Cartons +
9,000'	130 lbs	20 lbs	\$ 37.06	\$ 33.36
7,200'	170 lbs	20 lbs	37.95	34.15
9,600'	170 lbs	25 lbs	38.12	34.31
4,000'	440 lb	20 lbs	40.65	36.58
4,000'	350 lb	20 lbs	40.65	36.58
20,000'	110 lbs	21 lbs	32.82	29.54


Sisal	Baler	Twine

<u>Length</u>	Knot Strength	<u>Weight</u>	Price 1 to 19 Carton	Price 20 Cartons +
9,000'	325 lbs	40 lbs	\$ 59.00	\$ 53.10
7,200'	410 lbs	40 lbs	59.00	53.10
16,000'	180 lbs	40 lbs	57.04	51.34

Bale Net Wrap

Saves loss of leaf and holds the shape of the bale better. End of roll markers in the last 250' of roll.

<u>Size</u>	<u>Pallet</u>	<u>Bales</u>	<u>Price</u> <u>Each</u>	Price 12 Or More
64" x 7,000'	12	155-160	\$ 277.92	\$ 250.13
67" x 7,000'	12	155-160	288.31	259.48




Snow Fence

Wood slat snow fence. Uses include snow drift control, wind breaks, trellis & shade. Five double strand 13 ga. line wires. Wood slats are 3/8" x 1 1/2" spaced on 4 1/8" centers. Painted Red Oxide Finish.

48" x 50'	\$ 82.50
100 lbs	

6x6-10-10 Concrete Remesh

Concrete reinforcing remesh is a welded wire fabric constructed of 10 gauge wires. 6" x 6" Mesh. Made in the U.S.A.



5' x 150' 6-6-10-10 10 Gauge **158lbs \$ 117.50**

18 or More 105.50

RANCH ACCESSORIES




Calf Hutch Behlen

Molded Poly

The Calf Hutch protects calves and small animals from weather extremes. Opaque material prevents overheating in summer temperatures. Rear vent opening to circulate air.

54" w x 79" l x 46" h. 70 lbs. \$ 429.23



Poly Feed Box

Multi-purpose storage container for feed, firewood or any number of uses. Can be divided into 2 compartments. Tested to -40°F. Metal handle / latch and continuous hinge. Molded from FDA food grade approved gray polyethylene.

> 10.75 cu.ft. 25" x 28" x 34" 30 lbs. \$ 221.09



Transport Tanks Hastings

Dura-Life 400 gallon pickup tank with 12" filler lid and 2" threaded outlet. Virgin Polyethylene and resins FDA approved for storage of potable water. 66" diameter, 36" height, 110 lbs.

\$ 548.45



Hog Feeders

Water Storage Tanks

Galvanized steel one and two door hog feeders with lids and adjust-

With 6" filler caps and 1 1/2" outlets.

31" Diameter 42" high 110 gal. \$ 269.45 393.45 43" Diameter 42" high 220 gal.



Mineral Feeders

Heavy Duty Bull Feeder

40" Diameter 8" Tub height 3.5 cu.ft. 42 lbs.

> \$ 135.59 Gray



One door 1.6 bu. capacity 12" X 22" X 31' 27 lbs. \$ 234.91

FARMASTER





Super Bull Mineral Feeder

150 lbs. capacity. 40" Diameter 17" Tub height Rubber hood 54 lbs

> \$ 153.73 Green



Super Windvane Mineral Feeder

Heavy galvanized steel base with tow loops. Sealed plated bearings for easy rotation. One piece molded poly hood and tub.

> 81 lbs. \$ 440.45

WARNING

Under Colorado Law, an equine professional is not liable for an injury to or the death of a participant in equine activities resulting from the inherent risks of equine activities, pursuant to section 13-21-119. Colorado Revised

Statutes.

Equine Activities Warning Signs

Equine activities warning sign. CRS 13-21-119. Black lettering on white 18" x 24" metal sign. \$ 60.00

Aluminum Warning

<u>Signs</u>
Available with "No Trespassing", "Keep Gate Closed" & "No Hunting" Black with Red Lettering. 10"H x 14"W. Aluminum.

\$ 2.35



Saddle Racks

High Country

Fold down saddle racks for any saddle. 3/4" dia. steel tubing with silver powder coat finish. 7 1/2" wide 24" long. \$ 27.25

High Country Folding Floor Saddle Rack is made of sturdy black-painted, steel tubing. Folds flat for storing & transporting. Made in the USA. \$ 39.25



Super 8 Horn Wraps Heavy padding

and figure eight style 2" nylon webbing with buckle closure. \$ 26.50 ea

Roping Practice

Heavy molded plastic with metal spikes for bales.





Grooming & Mounting Step

Wide base is very stable and the steps are slip resistant. Strong molded poly.

2-Step Green	\$ 88.95
3-Step Tan	98.96
3-Step Black or Red	130.95

ELECTRIC FENCING





PARMAK 6 Volt Model DF-SP-LI Solar Powered \$ 201.47





PARMAK 12 Volt Model 12-SP Solar Powered \$ 308.46

Parmak's 6 and 12 volt solar powered fence chargers are weather proof and portable. With internal batteries and built-in performance meter tells exact fence condition. 100% American made, solid state, low impedance fencer. 2 Year Warranty covers damage caused by lightning, battery warranted one year.



110 Volt Solid state UL listed, low impedance fence chargers are capable of high-voltage to control livestock. With built in lightning protection and indicator light. warranty. Operating light. All weather construction for long life. Made in USA



DE600	DE200	DE120
1.5 Joule	.5 Joule	.3 Joule
50 Miles	10 Miles	5 Miles
\$ 140.00	\$ 100.00	\$ 85.71



· High performance livestock control - Highly efficient Energizer delivers market leading performance, reliability and stock control.

M120	15 miles or 60 acres. 1.2 stored joules.	\$ 119.86
M160	30 miles or 100 acres. 1.6 stored joules.	159.86
M360	55 miles or 250 acres. 1.6 stored joules.	221.29
M800	90 miles or 520 acres. 8.0 stored joules.	402.71
M1100	110 miles or 650 acres. 8.0 stored joules.	451.29





\$ 36.97

74.36

29.71



S20 6 Volt Solar

40 acres/12 miles with 0.2 Joules. With indicator light and on /off switch. 6 volt battery. Weatherproof case. 2 Year Mfg. Warranty

\$ 264.57



1 1/2" HV **Poly Tape** 8 SS Wires • White & Orange

• 656' Spool \$






51.40 White Lightning

White Lightning is a 5/16" diameter, Horse Friendly electric fence wire using 12 1/2 ga. high-tensile wire surrounded by a unique co-palmer, white for visibility and black for conductive electric fence.

1,400 lbs minimum breaking strength. \$ 386.67 1,320 ft. rolls 70 lbs.

White Lightning Insulators

Nail-On For Wood Posts \$10.85 a bag Snap-On For Steel T-Posts \$10.85 a bag




Replacement Batteries for Solar Fence Chargers

Parmak 6 Volt

Parmak 12 Volt

Gallagher 6 Volt



HV. Excellent for cross-fencing.

HIGH VISIBILITY TAPE Baygard HV is 1/2" wide electric fence tape providing excellent visibility and conductivity. Ideal for sheep and horses.



HV100 m 328 feet \$ 20.30 HV200 m 656 feet

\$ 43.77

Electric Fence Posts

Steel **Heavy Steel Rod Post Rod Post** 4' X 5/16" 4' X 7/16" electric electric fence posts fence posts with anchor. with anchor. 1.6 lbs. \$ 2.35 1.1 lbs. \$ 1.65

Pig Tail Posts

42" X 9/32" For easily moveable electric fencing.

Galvanized steel step-in post for wire, poly tape or poly rope electric fencing. Reinforced steel step-in plate and sharp point for easy placement. Self-insulated, no insulator needed.

Made in the U.S.A. \$5.84

GEOTEK

4' x 3/8" Fiberglass Insulating posts are tough and flexible. Spring wire clips hold wire in place (sold separate).

Posts -Pkg. of 20

\$ 29.90 Clips -Pkg. of 20

\$ 5.95

SunGuard

48" x 3/8" **Fiberglass** Step-In Posts With 4 clips Ð

that accept wire, rope or tape. Anchor plate 10" from point allows post to be "stepped" into the ground. \$ 2.35

Made in U.S.A.

6' FIBERGLASS POSTS **HEAVY 7/8" DIAMETER**

72" x 7/8" Fiberglass **Heavy Weight Posts**

With holes drilled on 2" centers. For use as posts or stays Each \$ 9.80 100 or more \$ 8.90

U-Clips for 7/8" posts 20/pk 5.95



901

902

670

Baygard Equi Tape 150 meters 488'

\$73.40

<u>Bandarq</u>.

Premium 1/4"

Baygard wire utilizes vinyl-coated fiberglass strands and aluminum conductive wires.





200 m 656 feet \$ 18.56 400 m 1312 feet \$ 35.53

ELECTRIC FENCING

Fixed Electric











Tee & Wire	Tee XL & Wire	Reverse Tee	Wood & Wire	Wood XL & Wire
Bag of 25	Bag of 15	Bag of 25	Bag of 25	Bag of 15
\$ 4.16	\$ 6.13	\$ 9.24	\$ 4.69	\$ 6.35
GTNI	(m)	00.22		













4	50 ф
e Option	2-Way Anchor Each \$ 3.95

PinLock Wood or Tee Bag of 25 \$8.75

Anchor Plate

Tee & Tape	Tee XL & Tape	Wood & Tape	Wood XL & Tape	1/4" Rope Tee or Wood Option
Bag of 25	Bag of 15	Bag of 25	Bag of 15	Each
\$ 7.91	\$ 13.61	\$ 9.84	\$ 15.95	33¢

Corners, Ends, Gates



Donut Corner

Bag of 10

\$4.80



Tri-Directional

Corner

Bag of 10

\$3.22



Wp-36

Porcelain Donut

Box of 10

\$6.14




Box of 10

\$11.25



Chain Link \$ 6.97 / 15

Portable Electric



Rod & Tape	Rod & Wire	
Bag of 25	Bag of 25	
\$ 13 29	\$ 5 79	









#503 Old Faithful	# 1247W Rubber	IronSides	Orange HD
Each	Each	Each	Each
\$ 1.61	\$ 2.29	\$ 4.34	\$ 7.69



Safety Cap Bag of 25 \$ 11.40



Tape & Wire T-Post Cap Bag of 10 \$ 7.94



ELECTRIC FENCE

Warning Sign 8" x 4" \$ 2.61 / 3 pack

Ground Rod & Clamp 8' Copper Clad \$ 27.75 **Ground Rod & Clamp** 8' Galvanized \$ 20.85






50' Underground **Single Throw Cut** Off Switch **Hookup Wire**

\$8.43


\$ 13.65


Electric Fence Wire



17 Gauge \$ 21.45 \$ 41.45 14 Gauge 35.45 70.45

High Tensile







Tubular Corner Insulator 10 pack \$ 10.44


High-Strain Corner Insulator 10 pack \$ 15.57

TOOLS & EQUIPMENT

BRACE BRACKET

\$2.00 ea. \$ 98.80 / 50 ctn.

The DARE 2966 Post Bracket is a quick nail-on hanger for horizontal braces at ends and corners. Connects 4"-6" braces to 5"-8" posts. Heavy duty galvanized steel.



#400 Golden Rod	\$ 48.90
#405 Golden Rod with	
slow release	55.00

54" FENCE CLAMP

U-Channel grips wire firm-Keyhole bolt holes for quick use. Pulls fence evenly. \$ 64.06



POST HOLE DIGGERS

Hardwood handles Forged steel frame with heavy double hinges. Atlas 78-004 Union 42.95 Atlas 78-006 Digger with 53.50 Fiberglass Handles Hercules 78-007 67.90

METAL POST PULLERS



with Steel Handles

Use with a jack or tractor. Will not slip or bend posts. \$ 16.95



HI-LIFT PREMIUM JACK puts

you in command of lifting, pushing, pulling, winching, hoisting and clamping. 4660 lbs. rated capacity, 7000 lbs. tested capacity. 48" length with 37" continuous lift. Steel handle. Weight: 28 lbs \$ 92.60

Maasdam

CABLE PULLERS

Made in the U.S.A. 1000 lbs. - 12' Lift 2000 lbs. - 6' Lift

144S6 1000 lbs.\$ 66.20 144SB6 2000 lbs 79.90

Hillift

WINKEL HEAVY **POST DRIVERS**

\$ 2.095.00

PICKET Post Driver

Jack hammer type pneumatic post

driver. Drives T-posts at 1,200 strokes

per minute. Requiers 100 psi at 20 cfm

capacity compressor. 1 year warranty

29" length 2" sleeve diameter 40 lbs.

Large diameter handles for easier grip and balance. Reinforcec top-plate.

2.5" x 28" 22 lbs \$ 92.00 3" x 28" 27 lbs 100.05

WIRE TIGHTENERS \$ 1.85 each

JAKE'S



22.90 / 20 pk. Handles 20.90 each

WIRE GRIPS





Maasdam Wire Grip \$ 13.50

Mooremaker Wire Grip \$ 26.90

POST POPPER Red \$80.50

Maasdam **POST POPPER** Black \$ 113.50 6

TAMP BAR

72" Digging & Tamping Bar. Chisel point for chopping through hard ground and disk for tamping dirt. 16 lbs. \$ 33.90

\$ 77.00

30.65

FENCE TOOLS A handy tool which cuts heavy wire, hammers and pulls staples. A must for building fence.

Bullnose Plier



Mooremaker

MM369 Ironworker Plier \$39.75 MM85 **Fence Tool Plier** 41.25

Mooremaker 10" **Bullnose Plier** 91.00 MM317 7" Long-Nose Plier 29.85


MOOREMAKER TIE-BAR



8.75" Ironworker Plier

SPLICING TOOLS AND SLEEVES

Great for repairing or building fence. Does a neat job with no twists or bending of wire. A must for large repair jobs & splicing wire mesh.



22" Splice-It Tool \$ 46.24 Ea. Barb Wire Splices 19.90/100 10 thru 16 Ga. Single 19.90/100 15 1/2 Ga. Barbed Wire _ 24.90/100 12 1/2 Ga. High Tensile _ 24.90/100

DARE SPLICING SLEEVES



Crimping Tool _ 57.95

TRU-LATCH GATE CLOSER

End the continuous battle with barbed wire gates. This gate closer will hold your gate up tight and you can padlock it too.

\$ 36.25




TRUCK RATCHET STRAPS

1" x 20'	1,000 lbs	\$ 5.00
1.75" x 20'	2,000 lbs	8.00
2" x 27'	11,000 lbs	29.50

ANCHOR STAKES

For fencing, portable buildings, mobile home tiedowns or any number of jobs. These stakes anchor easily into the ground without disturbing the lawn or soil.





RANCH SUPPLIES


Wedge-Loc

Bracing Hardware

The Wedge-Loc system is the solution for your light to medium duty corner & end post assemblies. For temporary fencing, electric fencing and snowfences.








Diagonal Brace \$ 13.25 Each (3 t-posts reg'd.)

Diagonal Corner/In-Line Brace \$ 22.25 per set (5 t-posts required)

> **Gate Hinge Set** \$ 26.25 per pair

Wire **Unrollers**



standard spools wt. 32 lbs.



\$ 155.00

ATV Wire Unroller With Multi-Receiver Hitch for use with ATVs.



Cage Building and Wire Supplies



Cage Clip Pliers	\$ 8.90
Cage Clips, 1lb Bag (550 approx)	2.90
Hog Ring Pliers	15.25
Copper Hog Rings (100/box)	3.75
Heavy Loxit Ring Pliers	21.15
9 Gauge Loxit Rings (92/lb)	4.19
9 Gauge Loxit Rings 50lb Box	\$ 209.47

Poly Tarps 6 Ounce Industrial

Green outside White inside. Twice the weight and strength of regular poly tarps. Extra U.V.protection for long outdoor life. Triple layer



16' X 20' 43.00 80.00 20' X 30' reinforced 20' X 40' 115.00 **e** e ⇔ corners 30' X 50' 215.00 and roped 1/2" 345.00 40' X 60' hems.

8' X 10'

\$ 15.00

Haystack Covers

Heavy duty polyfabric haystack covers. Silver outside, black inside. Super tough 6.1 oz./sq.yd. UVI treated, coated fabric gives 3-5 years service when properly secured. Eyelets & 2" nylon webbing set into 5 layers of fabric give 500 lbs. of pull strength.

15' x 54'	\$ 210.00
20' x 48'	235.00
25' x 54'	318.00
Spiral Anchors	\$ 2.95



Rubber Tarp Straps



Natural rubber tarp straps. High quality real rubber tarp straps with crimped metal end hooks.

Length	Stretch	Price
9"	16"	\$ 1.25
15"	28"	1.75
21"	39"	2.25
31"	63.5"	2.50
41"	74"	3.25



Stockade Stapler

The ST400i Cordless Fencing Stapler is not reliant on compressors and hoses. The ST400i has outstanding power allowing you to fire up to 750 staples per fuel cell (depending on temperature) and with the 3.7V Li-ion battery, you can fire 3000 staples per charge per battery. With case, 2 batteries & charger.

\$1,735.00

1 3/4" 9 ga. Galvanized Barbed Staples For Cordless Stapler

1,000/ctn + 2 Fuel Cells \$ 148.50

The ST400 Pneumatic Fencing Stapler For driving 9 gauge galvanized staples. Requires 90-120 psi. Adjustable power & depth control. Weighs 8.15 lbs. Top load magazine holds 50 paper collated staples. \$ 775.00

1 3/4" 9 ga. Galvanized Barbed Staples For Pneumatic Stapler 1,200/ box \$ 140.50



- · One Hand Staple Pulling
- · Wire Cutter
- · Wire Grip \$89.95

HYDRANTS & CULVERT

Culvert Pipe Heavy gauge corrugated steel with a heavy zinc coating for extra long lifetime. 12" to 36" (except 21") available in 1 Business day. 10', 14', 20', 24' lengths. 6", 8", 10" & 21" available in 20' only.

SIZE	WEIGHT	PRICE	BAND	FLARED END
6"	4LBS	\$14.52 /FT	18.85	90.84 /EA
8"	6LBS	19.36 /FT	25.13	121.11 /EA
10"	9LBS	24.20 /FT	31.41	151.39 /EA
12"	10LBS	29.04 /FT	37.70	181.67 /EA
15"	12LBS	36.30 /FT	47.12	227.09 /EA
18"	15LBS	43.57 /FT	56.55	272.51 /EA
21"	17LBS	50.83 /FT	65.97	317.92 /EA
24"	19LBS	58.09 /FT	75.39	363.34 /EA
30"	24LBS	72.61 /FT	94.24	454.18 /EA
36"	29LBS	87.13 /FT	113.09	545.01 /EA
42"	32LBS	101.65 /FT	131.94	635.85 /EA



Automatic Waterers

These unheated compact waterers are suitable for horses, cattle, dogs and everything in between. Adjustable float valve maintains a constant water level. Available in galvanized steel or black epoxy coated steel.

1/2" Fitting. 10" x 11" x 5 1/2"

6 lbs.

Black Epoxy 88ESW \$ 56.25

Replacement float & valve SWC25KIT \$ 11.25



Dura-Mate Waterer

16 Quart capacity automatic waterer with float valve. Adjustable metal mounting brackets for over-the fence or on-the-wall installation. Red poly. Standard hose thread connection. 14 1/4" x 17 1/2" x 10 1/4" 6 lbs.

FW16 \$31.25



Merrill Hydrants

Merrill Any-Flow Hydrants have been proven to be reliable. This is the hydrant we have sold for over 50 years and we always have replacement parts in stock too! 3/4" Brass valve base with 1" galvanized inlet pipe and extra thick walled cast iron head. Hose adapter on hydrant outlet. Adjustable flow...set water flow where you want it for constant flow. Outlet is 27" above given bury depth. Bury size plus 34" equals overall length



Overall	Weight	Price
5' 10" _	18 lbs.	<u>\$</u> 129.35
6'10"_	20 lbs.	150.15
7'10"_	22 lbs.	160.85
8' 10" _	24 lbs.	171.45
9' 10" _	26 lbs.	167.20
10' 10" _	28 lbs.	176.75
	5' 10" _ 6' 10" _ 7' 10" _ 8' 10" _ 9' 10" _	

Any Flow 3/4" Flow Rates

18 GPM @ 20 PSI 30 GPM @ 60 PSI 21 GPM @ 30 PSI 34 GPM @ 80 PSI 24 GPM @ 40 PSI 40 GPM @ 100 PSI

Brass Hydrant Elbows & Tees

Heavy duty red brass fittings for poly pipe adapting to 3/4" hydrants

3/4"	x 3/4" Elbow	\$ 9.75
1"	x 3/4" Elbow	13.40
3/4"	x 3/4" x 3/4" Tee	8.10
1"	v 2/4" v 1" Too	12 15



3/4" Any Flow Part List

Part Type		Price
G-1	Head Casting	\$ 24.00
G-5	Hose Adapter	2.95
G-11	Lever Casting	9.60
G-15	Level Bolt	2.30
G-20	Draw Straps, pr	2.55
G-25	Pivot Connect Nuts	2.50
G-30	Packing Nut	3.80
G-35	Valve Packing	2.80
G-40	Valve Body	35.00
G-45	Stainless Rod	4.95
G-50	Brass Reduced	3.65
G-65	Plunger Bushing	3.39
G-70	Plunger Body	3.89
G-75	Plunger Bolt	2.65
G-80	Threaded Washer	2.55
G-85	Bib Washer	2.30
G-90	Steel Springer	2.25
G-100	Retainer Screw	1.75
G-110	Brass Washers, pr.	2.85

AUTOMATIC WATERERS

Hoskins Waterers

- Stainless Steel Troughs Stainless Steel resists hard water, feed & salt contamination that can rust out galvanized steel troughs. Easy to keep clean.
- •Roberts Brass Valve Highly reliable and trouble free.
- •Galvanized Steel Frame Holds up under the tough conditions with all smooth, rounded corners. 16 Gauge.
- Electric Heating Unit With adjustable thermostat. Now UL listed. Easily accessed through large service door.

Double Drinker Horse Waterers

Ideal for splitting stalls, pens or runs. The 250 watt heat unit has an adjustable thermostat. The access door is located on the end of the waterer (instead of the side) for easier access in stalls. Drain plug for easy cleaning.

HC 14-26

\$ 600.37

28" x 14" x 26"h 85 lbs. 250 Watts Replacement Float & Valve

\$ 32.91

Replacement 250W Heater

54.17

Replacement 500W Heater

110.97

HC 14-16

\$ 562.38

28" x 14" x 16"h 75 lbs. 250 Watts



(1)

Single Drinker Horse Waterers

All of the same great features as the 2-sided waterer for places where you only need a single drinker.

HC 7-26


\$ 529.03

17" x 14" x 26"h 60 lbs. 250 Watts

HC 7-16

\$ 459.54

17" x 14" x 16"h 49 lbs. 250 Watts





Stainless steel trough and valve cover. All brass Roberts valve provides trouble free operation. Brass drain plug fitting with rubber stopper for cleaning. This is the best waterer we have seen. 75 to 125 Head Capacity.





These Energy Free Waterers Require A Minimum Of 15 Head Using The Waterer.



FF-2C 36" X 21" 23" 48 lbs. 20 gal. 160 Beef / 70 Dairy Black & Green

\$ 793.68

Y-2 Self-Closing Hydrant

For Automatic Waterers

Use this as your riser under any automatic waterer for a first class installation. Provides you with a self-draining, below ground frost free shut-off that is easy to access. The Y-2 has two outlets to connect from




either on the top or the side, threaded for 3/4" hose adaptor. Cast Iron head and brass lined valve body for long life. Solid brass plunger. Stand pipe is 1" galvanized steel with 3/8" pressure pipe inside. The working parts are removable from the top without having to dig. Self-closing via the water pressure and stainless steel spring. Hydrant locks open or closed with the press of a button. Threaded for 3/4" pipe.

Maximum 60 psi recommended pressure.

Overall Length is bury depth plus 4 inches.

3' Bury	3'4" Overall	13 lbs	<u>\$</u> 162.30
4' Bury	4'4" Overall	15 lbs	182.30
5' Bury	5'4" Overall	18 lbs.	193.75





Electric Freedom Drinker AHW80

A one piece molded poly design for durable rust & corrosion free performance. With the same insulation used in the energy free waterers, these units use a thermostatic 100 watt infrared heat system.

28" x 17.5" x 30"h 30 lbs. 100 Watts \$ 499.18




Extreme Weather Waterer

This insulated waterer, made from durable poly material, features superior insulation and a frost-resistant styrofoam floor. It includes a safe. low wattage infrared heat pad for the basin and supply line, effective up to -20° F. 20" x 32" x 30"h 84 lbs. 220 Watts

Waterer Accessories

Useful in any waterer installation 24" x 12" Insulated Earth Tube Insulated molded poly sections 8" ID

Below Ground Shut-Off Valve \$ 295.36 & Hook-Up Kit



LIVESTOCK WATERING TANKS-

Hastings Poly Stock Tanks

This is the most rugged poly tank on the market. It features a closed-lip design that won't buckle to crowding livestock. Each tank is 100% high density virgin polyethylene. Resistant to feedlot acids and UV damage. 2' deep tanks have a threaded drain plug and are Gray. 3 year warranty. Made in U.S.A.

Round Poly Tanks



 6' x 2'	320 Gal.	55 lbs	\$ 269.45
8' x 2'	580 Gal.	85 lbs	345.45
10' x 2'	1,100 Gal.	135 lbs	547.45

Round End Poly Tanks



2' x 2' x 4'	97 Gal.	28 lbs	\$ 119.45	
2' x 2' x 6'	160 Gal.	42 lbs	180.45	
	00.0.1	40.11	A 00 45	
2' x 1' x 4'	60 Gal.	16 lbs	\$ 93.45	

Behlen COUNTRY Poly Tanks



One piece, molded high-density polyethylene tanks resist cracking. Tested to -20°F. UV inhibitor to prevent deterioration. Molded-in drain with 1 1/4" plug. Blue. 2 year warranty. Made in U.S.A.

\$ 416.27

3' x 2' x 8'	300 Gal.	77 lbs	280.68

1.000 Gal. 112 lbs

Galvanized Stock Tanks

STOCKYARDS stock tanks are made of only G-90 heavily galvanized steel. Two deep drawn swedges are rolled into each tank for maximum strength. One swedge is near the bottom and one just below the top, . The top rim is reinforced with heavily galvanized tubing permanently rolled into the top edge of the tank. This strong reinforcement is the backbone of the tank and takes most of the strain of pushing and crowding livestock. The rounded top presents a smooth edge that cannot injure stock. All 2' deep tanks have a drain plug at the bottom for easy draining and cleaning. These features add up to the best made and longest-lasting stock tank you can buy! Extra heavy 20 gauge steel bottom provide rugged durability.

Round Stock Tanks

Round End Stock Tanks



3' x 2'	101 Gal.	38 lbs	\$ 139.45
4' x 2'	180 Gal.	55 lbs	182.45
5' x 2'	281 Gal.	75 lbs	240.45
6' x 2'	404 Gal.	106 lbs	287.45
7' x 2'	550 Gal.	134 lbs	373.45
8' x 2'	718 Gal.	180 lbs	442.45
10' x 2'	1,122 Gal.	225 lbs	638.45

Galvanized Round Sheep Tanks

Sheep tanks are identical in construction to our regular stock tanks except the depth is only 1'.

4' x 1'	86 Gal.	47 lbs	\$ 178.45
5' x 1'	134 Gal.	62 lbs	231.45
6' x 1"	192 Gal.	84 lbs	287.45



2' x 2' x 3' 74 Ga		32 lbs	\$ 115.45
2' x 2' x 4'	102 Gal.	44 lbs	128.45
2' x 2' x 6'	159 Gal.	64 lbs	192.45
3' x 2' x 8'	314 Gal.	97 lbs	299.45
3' x 2' x 10'	400 Gal.	120 lbs	385.45
2' x 1' x 4'	48 Gal.	34 lbs	\$ 121.45
2' x 1' x 6'	75 Gal.	46 lbs	160.45



Round End Stock Tanks with Drinker

Water large livestock and smaller animals using a stock tank with drinkers built into the sidewall. Allows capacity for 20 head of 200 lbs. hogs per drinker. Can be used with any tank heater with a poly tank guard for winter use. Made in the U.S.A


2' x 2' x 4' 100 Gal. 59 lbs \$323.00 with Drinker

Roberts Copper
Floats & Brass
Valves




Heavy all-brass design with copper float & swivel float arm. Withstands over 100 psi and adjusts to any water level.

3/4"	Valve	& 5"	float	\$ 95.90
1"	Valve	& 6"	float	109.90



Turns every stock tank, tub or pan into an automatic waterer. With one piece molded poly float and reversible neoprene valve seat for long life. Sturdy, adjustable brackets tighten down with thumb screws and make installation on edges of tanks fast & easy. Handles pressures up to 70 psi at 300 gph. Accepts standard 3/4" hose threads. Poly tank model for wide rim tanks.

TM825	Plastic	Steel Tanks	\$ 9.25
TM830	Metal	Steel Tanks	15.25
TM825T	Plastic	Poly Tanks	12.25
TM830T	Metal	Poly Tanks	19.25



TANK HEATERS



FLOATING OR SINKING DE-ICER



Modern temperature sensing enables more accurate control of water temperature saving on energy costs. Remove the float and it can rest on the bottom of the tank. Safe for use in poly tanks without a guard. With auto-safety shutoff.

DT15 1500 Watts \$ 69.25

FLOATING STOCK TANK DE-ICERS



Automatic preset thermostat to control temperature. Styrofoam float is completely enclosed in a rugged plastic housing. There is no exposed styrofoam on this unit. UL listed automatic shut-off prevents over heating if the tank runs dry or if the unit is thrown out of the tank. Can be used in poly tanks with 88R guard. Guard sold separately.

7621 1000 Watts \$ 38.25 #7521 1500 Watts \$ 39.25

ELEMENT GUARD

Convert API tank heaters for use in your Rubbermaid® or plastic stock tanks. Prevents heating element from melting through tank wall. #88R \$ 15.25



UNIVERSAL DRAIN PLUG DE-ICER

Designed to mount in the drain hole of all stock tanks with a 3/4" drain hole, plastic or steel. Thermostat controlled. Shuts off automatically if the water level becomes to low. With this unit the power plug fits through 3/4" drain openings and is completely outside



of the tank. The de-icer is securely mounted inside the tank and can't #99DP be thrown out. 1,500 Watts \$ 68.25

DRAIN PLUG DE-ICER For Rubbermaid® Tanks

Designed to mount in the drain hole of Rubbermaid® stock tanks. Thermostat controlled. Shuts off automatically if the water level becomes to low. With this unit the cord is completely outside of the tank. The de-icer is securely mounted inside the tank and can't be thrown out #15DP

1,500 Watts \$ 63.25



SINKING DE-ICERS

Heater rests safely on the bottom of the tank . Automatic thermostat controls water temperature for economical performance. UL listed automatic shut-off system prevents over heating if the unit is thrown out of the tank or if the tank runs dry.

Guarded element is okay to use in steel, plastic & Rubbermaid tanks. #15N 1500 Watts \$55.25

#10N 1000 Watts \$ 54.25

COMPACT BUCKET DE-ICER

Submersible Pail & Pan De-Icer with automatic thermostat and safety shut-off. Perfect for 5 gallon buckets or small pans. Safe for any plastic, rubber or steel buckets. #DT250 200 Watts. \$ 50.25

SIDE MOUNTED TANK HEATER

Here's a rugged, all steel tank heater that clamps to the side of your stock tank. It's anchored securely to the tank to help prevent livestock from damaging the unit or throwing it out of the tank. Complete with an adjustable thermostat that allows for operating temperatures from 15° up to 75°F. Not for use in plastic tanks.



HEATED BUCKETS & TUBS

20 Quart capacity. Automatic thermostat controlled 130 watts heat unit. Cord exits from back or bottom of pail. Sturdy bail allows hanging in stalls. Heater is hidden in the walls of the bucket


20FB 130 watts

16HB 260 watts 16 Gallon Heated Water Tub \$ 124.25

BUCKET HEATER

Quick, hot water out in the barn anytime you need it. 1000 Watt element heats small guantities of water to boiling. With stainless steel guard and UL Listed automatic shut-off.

#742G 1000 Watts \$62.25



UTILITY HEATER

Multi-use heater with adjustable thermostat. Good replacement unit for that hard-to-find automatic waterer heater. Not immersible.

#77UH 500 Watts \$ 29.25



PROPANE FIRED TANK HEATER

#66B

A very popular unit where electric service is not available. Clamps easily and quickly to the side of your tank. Adjustable automatic thermostat controls water temperature and uses no more gas than necessary. Long lasting heavy steel casing with

removable control and Complete with burner for easy lighting • POL Fitting and servicing. Delivers • UL Approved regulator

up to 12,470 BTU per 10' Hose • 3/8" Flare hour.



fitting

\$ 965.00



FEEDERS & GRAIN BIN




Galvanized Wall Feeder

Behlen COUNTRY

Galvanized steel with poly bottom for wall or fence mount. All smooth rolled edges. Complete with mounting brackets.

16" x 24" x 30" 36 lbs.

\$ 219.36



Poly Wall Feeder

Mounts on walls or hangs on fence rails. One piece molded poly with steel hay rack. All smooth edges & corners. Complete with mounting brackets.

18" x 24" x 28" 18 lbs.

\$ 178.78



Poly Corner Feeder

One piece molded poly with steel hay rack. All smooth edges & corners.

21" x 21" x 35" 25 lbs. **\$ 229.73**



Swing Out Corner Feeder

Feed hay & grain from outside of your stalls with this new hinged corner feeder. Reversible for right or left hand swing. Poly bottom with galvanized steel frame, back & hay rack. The solid rod welded hay rack is just the right size. Easy to operate positive latch.

22" x 25" x 39" 66 lbs.

\$ 319.55




Corner Feeder

All the features of the swing out feeder in a solid corner mount configuration.

22" x 22" x 29" 36 lbs.


\$ 167.55



Can be mounted either in a corner or on a flat wall. 12" Deep rounded feeder with funnel top reduces spills and waste. Heavy molded poly in a versatile, smooth design.

23 1/2" x 15" x 12"

\$ 31.09




Utility Corner Feeder

When you want to feed hay in a wall mounted corner tub, this large capacity corner feeder is the answer. One piece molded high density poly with drain plug for easy cleaning.

33" x 20" x 28"_____15 lbs. _____**\$ 112.27**



Hay Racks



Solid 1/2" steel rod hay racks. Powder Coat Gray.

Wall Mount Hay Rack	\$ 65.77
37" x 25" x 12"	15lbs.
Corner Mount Hay Rack	\$ 65.77
42" x 41" x 30"	17lbs



5' Horse Feeder

Behlen

Poly bottom 10" deep bunk with solid rod hay rack. All galvanized steel. 14 Gauge tube steel frame & legs. 60" x 26" x 40" Bunk with 60" x 34" Hay rack. 6' height. 106 lbs

Bunk & Rack	\$ 386.05
Bunk Only	159.78
Replacement Liner	44.91
Rack Only	226.27



10' Horse Feeder

Poly bottom 10" deep bunk with solid rod hay rack. All galvanized steel. 14 Gauge tube steel frame & legs.

Behlen COUNTRY

Bunk & Rack	182 lbs	\$ 573.45
Bunk Only 120" x 42" x 35"	96 lbs	310.91
Liner		58.73
Rack Only		310.91

High Country Plastics

Slow Feeder Saver Designed to give a natural and healthy eating experience while reducing waste & equine boredom.



Solid poly with steel grid.
39.5" x 28.5" x 19'5"
Grate Opening:
7.75"L x 3"W
Weighs 55lbs Empty
Easy Rinse Out

\$ 331.25



Small Animal Hay Feeder

Three piece hay feeder with 12 openings. Just right for sheep, goats, llamas or calves. Light Gray. 3' wide x 3'2" tall

71 lbs. **\$ 158.42**

270lb Feed & Grain Bin

Stores 270 lbs. of product. Made of roto-molded high impact plastic with a hinged lid and powder-coated steel stand.
5 gallon bucket fits easily underneath drain

5 gallon bucket fits easily underneath drain hatch. Weather resistant lid includes rubber gasket to keep feed dry in most conditions. Top-fill bottom-dispense feature allows for automatic rotation to ensure freshness. Plastic slide mechanism for dispensing- thumb screw lock keeps pests out. Easy open hinged lid closes securely. Powder-coated steel stand keeps product elevated and away from dirt, moisture, and pests.

Size: 49" H x 18"W x 30"L Weight (Empty): 60 lbs

\$ 264.68



17


FEEDING EQUIPMENT



Arch-Style "Tombstone" Horse & Cattle Feeders


Built **Bull Tough** and **Horse High** these two round bale feeders from **WINKEL** offer rugged durability and easy use. The drop pin locks allow the three piece feeder to wrap around the bale without any lifting. With smooth surfaces to help prevent injuries.

WINKEL MADE IN USA




Horse 8' 6" Diameter 64" Overall height 32" Base height 9 Feeding stations 14 Gauge 1 1/4" dia. a

9 Feeding stations
14 Gauge 1 1/4" dia. arches
16 Gauge steel sheeting
Drop pin locks
400 lbs. \$810.84



Cattle 8' 6" Diameter 58" Overall height 26" Base height 9 Feeding stations 14 Gauge 1 1/4" dia. arches 16 Gauge steel sheeting Drop pin locks 390 lbs. \$746.63

Arch-Style "Tombstone" Square Bale Feeder



Open top feeders are suitable for **horses, cattle or bison** with 12 feeding stations, 17" wide spaces. Pin connectors for easy opening.

58" Overall height • 26" Base height

- 1 1/4" 14 Gauge base frame
- 14 Gauge 1 1/4" dia. arches
- 16 Gauge steel sheeting, Painted Gray.

5' x 10' Feeder	466lbs	\$ 1,258.99
5' x 5' Feeder	300lbs	808.75
10' Panel Only		427.31
5' Panel Only		202.19




Slant Bar Cattle Feeders



Heavy Round Bale Feeder

8' 6" Diameter • 52" height 17" Base height • 18 Spaces 14 Ga. 1 1/4" rings • 3 Piece 14 Ga. 1" slant bars 234 lbs. Bolt connections \$ 568.48



85 Ilbs.

inside & out.

Round Bale Feeder

3 Piece • 8' Diameter 41" High • 15 Feeding areas High Tensile tubing 210 lbs. Steel skirt \$352.30

Stockyards 10' Feed Bunk With Galvanized Hay Rack

Solid rod hay rack attaches easily to feed bunk for feeding hay with your other dry feeds. One-piece poly bottom feed



bunk with 14 ga.galvanized tube frame. Feed bunk & rack 10' x 34" x 55" 24 cu.ft.rack capacity, 12.5 cu.ft. bunk .172 lbs. \$489.69 Stockyards 10' Feed Bunk Only One-piece poly bottom feed bunk with 14 ga.galvanized tube frame. 10' x 34" x 19" 12.5 cu.ft.

5' Feed Bunk Cattle or Sheep Heights 1 5/8" Galvanized tube frame with 10" deep onepiece molded poly liner. Round smooth corners



\$ 178.78

Cattle Size Bunk Only	60" x 34" x 19"	44 lbs.	\$ 135.60
Sheep Size Bunk Only	60" x 32" x 14"	40 lbs.	126.96
Cattle Bunk & Rack	60" x 34" x 55"	91 lbs.	361.87
Sheep Bunk & Rack	60" x 34" x 50"	86 lbs	353.23

Open Top Round Bale Feeder

3 Piece • 90" Diameter • 50" High 12 Feeding areas 16 Ga. 1 5/8" tubing 17 1/2" 24 ga. steel skirt, 6 1/2" mud legs 162 lbs. \$525.96



The Haysmart Feeder keeps the bale suspended off the ground at an ideal eating height which increases hay utilization to



more than 96% compared to 85% with other feeding methods. Finished with a premium powder coat paint. Slant bars for cattle. Three section bolt together construction.

96" Diameter 72" Height 624 lbs. **FARMASTER** \$1,766.14

Slant Bar Feeder Panels

For use in-line or around a stack. Extra-heavy 2" diameter 14 gauge steel tubing with steel sheeted bottom panel. Pin together connections will match with Farmaster corral panels.



6' x 66"	83 lbs	\$ 223.69
8' x 66"	103 lbs	274.64
10' x 66"	123 lbs	333.36
12' x 66"	139 lbs	371.36

FARMASTER 10' and 5' Molded Poly Feed Bunks

Molded, one piece design tested to -40°F. Double walled construction with ribs and supports molded in. Smooth with all round corners and bottom.


Can be used as water trough with the drain plug installed. 2 yr. mfg.warranty. 31" Wide, 20" Deep.




5' 55 lbs **\$195.18** 10' 110 lbs **\$386.05**

-EQUUS DUTCH DOORS WALKDOORS-

STALL SYSTEMS





Typical Horse Stall Layout

The **EQUUS** system combines the strength and flexibility required for a easy to assemble stall system. Heavy gauge galvanized steel components guard against rust and corrosion. Custom design of your stall is easy with **EQUUS**. Choose from grill sections, sliding door packages, end channels, wall braces, feeder doors. Stalls can be built to nearly any size needed and they are easy to install in your barn.



Dutch Door Kit 16 Gauge white steel frame and crossbuck components to prevent cribbing and sagging (the two most common problems with swinging dutch doors). Strap hinges, barn latch, barrel bolt, astragal and fasteners included. Unassembled in (2) cartons. Requires 3/4" plywood. Flat steel can be added to front and rear to cover plywood. 4' x 7' size consists of 2 panels Suggested rough opening 49 1/8" x 87 1/2." \$ 730.00

Steel Door Frame 3 Piece for Dutch mwi Door RO is 49 1/8" x 87 1/2." \$ 600.00

Pre-Hung Steel Door Units





3 1/2" - 16 Ga. Frame

1 3/4" Thick R-11 door panel with 26 gauge steel. Pre-hung with universal 4-way swing in a 16 gauge, 3 5/8" steel frame. Full perimeter weather strip. Complete with lockset, 2 3/4" backset Prefinished white

Door	Actual Size	Price
3' 0" x 6' 8"	38 5/8" x 80 5/8"	\$ 475.00
4' 0" x 6' 8"	48 5/8" x 80 5/8"	665.00
Lever & Lock Set	Latch Kit	51 00

Grill Section: (Model 4000) 7/8" Galvanized pipes spaced on 4" centers allowing openings of 3 1/8". Galvanized U-channel top and bottom rail fit over standard 1 1/2" lumber. Rubber bushings installed on channel eliminate rattling of bars. Height is 32 3/4". Lengths available are 24" or 48" and can easily be field cut to any size required.

Grill Sections ____ 48"___ \$ 94.90 Grill Sections ____ 24"____ 67.90





End Channels (Part #4501) Constructed of 16 gauge galvanized steel for 1 1/2" standard lumber. Comes complete with fasteners for installation of front, back or intermediate stall walls with or without grills. Fast installation and easy removal as necessary. Length: 48" \$ 27.90

Header Channel (Part #4502) Designed to hold header board in place above grill section. Complete w/ fasteners. Length: 7" \$ 9.40

Wall Brace (Part #4503) Ties wall boards together for extra strength. Heavy 16 gauge steel formed to prevent sharp edges. Complete with fasteners. Size: 48"_


Feeder Door (Part #4250) Fits in standard grill section and swings right or left. Constructed of 18 gauge galvanized steel with spring-loaded latch. Size overall: 31 3/4" x 15 1/4"_ \$ 74.90

Slide door kit includes:

- •2-Vertical U-channels-16 gauge.
- •2 Vertical reinforcement channels
- •Top & bottom horizontal channels
- •Grill assembly (pipes & U-channels) ·All fasteners required

Needed to complete door:

- •1 pc. 4'x 8'-3/4" plywood and 1 pc 2" x 6" - 4'
- ·10 pcs. 2" x 6" 4'
- ·Track Hardware



Sliding Door Kit (Model 4800) consists of the sliding door frame (vertical & horizontal u-channels), grill section and reinforcement channels all pre-punched for installation of fasteners which are included. Top rail is prepunched ready to accept drop-bolt trolleys. Door is designed to use one sheet of 3/4 " plywood cut in half for bottom section or you may use standard lumber (1 1/2" thick). Use of plywood is recommended to avoid warpage & twisting. 4'x7' Stall Door Kit \$ 217.00

Needed to complete door:

•1 pc. 4'x 8'-3/4" plywood and •2-Vertical U-channels-16 gauge. 1 pc 2" x 6" - 4'

or ·10 pcs. 2" x 6" - 4'

·Track Hardware Package

Slide door kit includes:

- 2 Vertical reinforcement channels
- Top & bottom horizontal channels.
- •Grill assembly (pipes & U-channels)
- ·All fasteners required

Round Door Track Package

1 pc.	\$ 49.40			
4 ea.	4 ea. Plain Track Hangers			
1 pr.	1 pr. 9 1/2" Drop Bolt Trolleys			
1 ea.	19.25			
1 ea.	#17 Door Bumper	9.37		
1 ea.	V1136 Latch Slide Bolt	16.23		

\$ 193.61


TALLS MATS GATES KENNELS-



This free standing system has easy pin-together connections. The panels can also be attached to your existing walls using wall connectors. The lower 4' of the panels are designed to be filled with customer supplied 2" lumber (1 1/2" finished size). The vertical bars are of 1/2" diameter steel rods spaced 3" apart. Stall fronts come with a 4' wide sliding door and a 2' wide swinging feeder Connectors Sold In Pairs door. An optional corner feeder can be attached to the feeder door for easy swing-out feeding from the aisle. Solid dividers, dividers with bars and stall fronts are all 7' high and offered in 10' and 12' lengths. All stall panels are 2" short of the called size. 10' panel = 9'10"overall, 12' panel = 11'10" overall. Wall, 2-way, 3-way & 4-way connecters fasten panels at the corners. All 14 gauge, 2" tubular frames and channels. Graphite Gray.

Туре		Weight	Price	Approx. 2	" x 6" Lumbe	r Requirements
10' Front		205 lbs	\$ 752.23	17 - 4	47 1/2" and	4 - 35 1/2"
10' Divider with	Bars	140 lbs	402.45		21 - 47 1	/2"
10' Solid Divide	er	120 lbs	357.55	21 - 4	7 1/2" and 2	21 - 32 1/2"
12' Front		230 lbs	830.82	22 - 4	47 1/2" and	4 - 35 1/2"
12' Divider with	Bars	165 lbs	508.69		26 - 47 1	/2"
12' Solid Divide	er	140 lbs	393.82	26 - 4	7 1/2" and 2	26 - 32 1/2"
Wall Connector	2 lbs	\$ 20.73	3-Way Co	nnector	5 lbs	30.23
2-Way Connector	3 lbs	22.45	4-Way Co	nnector	6 lbs	40.60







SOLID DIVIDERS



Saves on bedding expense Improves your horse's footing Eases your stall cleaning chores Ends equine digging

> Manufactured with an environmentally safe polymer bonding agent, these 3/4" thick rubber stall mats provide a softer more resilient surface with increased tensile strength over re-vulcanized mats. They have precision sheared edges for a tighter fit at joints, are non-porous and are easily installed over any surface.

> With two unique surfaces on one mat, smooth or textured anti-skid, these mats excel in trailers as well as stalls.




Rolled Rubber Available in 48" x 25' rolls in 1/4" thickness. A durable product with many uses.

1/4" x 4' x 25' 130 lbs \$ 175.90



Deer Gates



Behlen Country Deer Gates are designed to keep deer, elk, and other wildlife out of your fields. This 84" tall gate is galvanized for long life and they come with three bolt and

4' x 84"	55 lbs	\$ 218.51
8' x 84"	101 lbs	332.50
10' x 84"	122 lbs	340.27
12' x 84"	142 lbs	382.59

hook hinges that make the gate reversible for any application. The tubular and mesh design is perfect for keeping unwanted animals out of designated areas. Note: All gates are 4" less than listed length to allow for gate hardware and proper clearance.

Landowner Gates

Landowner Gate visibility is ensured both day and night with reflective decals. Telescopes 12' - 20' to fit most openings and accepts most padlocks.

37 lbs. **\$ 152.87**




Horse Gate Latch

For 2" or 1 5/8" tube gates. Can also be used on entrance panel gates. Gray 10 lbs. \$ 59.60

Dog Kennels

10' x 10' Complete Kennel	\$ 1,060.55	6' Tall panels with 1 5/8" tube frame, 2"x 4" heavy gauge mesh. Very fast set
5' x 10' Complete Kennel	762.60	up. Graphite Gray.
10' x 6' Single Door Front	311.78	
5' x 6' Single Door Front	249.60	
10' x 6' Side Panel	249.59	
5' x 6' Side Panel	171.00	
5' x 10' Top/Roof Panel	240.09	
10' x 10' Top/Roof	475.87	
10' x 10' Sun Block Top	62.18	20


PANEL & CORRAL SYSTEMS-



HORSE COUNTRY PANELS

Square top corners and chain connections for a closer, tighter fit. Chain connections allow maneuvarbility around terrain restrictions. Round 1 5/8" diameter steel tubing with panel frames 18 gauge and panel rails are 20 gauge. All welded joints are mitered and welded all the way around the tubing for strength. The mudlegs limit the panels sinking into soft ground

and add strength. Powder Coat finish in Graphite Gray color. Horse Utility Panels lend themselves well in round rings and riding arenas. Highly portable and easy to handle. The entrance panels




10' x 64" Panel	47 lbs	\$ 145.09	allow you to have
12' x 64" Panel	53 lbs	171.00	a 6' wide gate any- where you need
16' x 64" Panel	69 lbs	207.27	and the 6' entrance
10' Entrance Panel, 6' x 7' Gate	56 lbs	246.14	panels have taller arches so you can
12' Entrance Panel, 6' x 7' Gate	62 lbs	265.14	ride through with
6' x 9' Entrance Gate Section	56 lbs	224.55	your hat on. 64" High

panels have talle
arches so you car
ride through witl
your hat on.
64" High
6 Rail
1 5/8" Tube
13/0 1400

40' Round Ring	10 - 12' Panels & 1 - 6' Entrance	\$ 1,995.14
50' Round Ring	12 - 12' Panels & 1 - 6' Entrance	2,317.14
60' Dound Ding	15 12' Panole & 1 6' Entrance	2 920 1/

Dark Gray 18 & 20 Ga.



Square corner and pin connections reduce the spaces between panels and allows 3 or 4 panels to connect together. Powder Coat Finished. Made of heavy wall 16 gauge 1 5/8" dia. high-tensile tubing for maximum strength and durability. Heavy gauge formed steel center Z-brace for uniform support from pushing or crowding livestock. Mitered joints where tubes intersect welded 360 degrees.

	8' x 60" Panel	61 lbs	\$ 167.55
:	10' x 60" Panel	77 lbs	186.55
	12' x 60" Panel	85 lbs	227.14
	14' x 60" Panel	98 lbs	240.09
	16' x 60" Panel	110 lbs	278.96
s 6	10' Entrance with 4' x 7' Gate	81 lbs	385.18
у	12' Entrance with 4' x 7' Gate	92 lbs	404.18
g	4' x 7' Gate & Arch	48 lbs	223.69

XT HORSE CORRAL PANELS

• 72" High • 6 Rail • Square Corners • 2" Tubing • 16 & 18 Gauge • Chain Connections · Graphite Grav

12' XT 72" Tall Corral Panel	100 lbs	\$ 297.09
12' XT 72" Tall Entrance with 6' x 7' Gate	122 lbs	424.05
6' XT Entrance Only with 7' Arch	81 lbs	319.55
2" Butterfly Clamps for XT Panels	pair	15.55

The formula for finding circumference is: Diameter x 3.14 [$D \times \pi$]

Take Your Answer and Divide + by Length of Panels This gives you the number of panels needed!


GATES & CORRAL PANELS



Heavy Duty Tube Gates •2" Diameter 16 Gauge Tubing

- 6 Horizontal Rails
- 50" High
- · 3/4" x 12" Bolt Hooks
- · Painted Red or Green

4'	41 lbs	\$ 126.09
6'	55 lbs	138.18
8'	72 lbs	160.64
10'	87 lbs	185.68
12'	100 lbs	203.82
14'	118 lbs	247.00
16'	133 lbs	270.32
18'	152 lbs	314.36




Medium Duty Tube Gates Ranchmaster Utility Gates

- 1 5/8".... 16 & 20 Gauge Tubing
- 6 Horizontal Rails
- . 50" High . Collard Hinges
- 5/8" x 12" Bolt Hooks
- ·Painted Green

4'	30 lbs	\$ 113.14
6'	37 lbs	127.82
8'	46 lbs	142.51
10'	54 lbs	157.18
12'	64 lbs	170.14
14'	72 lbs	197.78
16'	81 lbs	213.32
18'	89 lbs	255.64

- •1 5/8"....20 Gauge Tubing
- · 6 Horizontal Rails
- 50" High
- · 5/8" x 6" Screw Hooks
- ·Graphite Gray


4'	19 lbs	\$ 83.78
6'	26 lbs	98.45
8'	34 lbs	111.40
10'	42 lbs	119.18
12'	49 lbs	127.82
14'	55 lbs	145.09
16'	63 lbs	160.64
18'	72 lbs	195.18



2" X 4" Wire Mesh Gate

- •1 5/8"....20 Gauge Tubing
- 1/4 Welded Rod Filler Panel
- 50" High
- · 5/8" x 6" Screw Hooks
- Galvanized

3'	20 lbs	\$ 102.78
4'	24 lbs	111.15
6'	32 lbs	123.15
8'	43 lbs	157.15
10'	52 lbs	174.15
12'	60 lbs	193.15
14'	69 lbs	229.15
16'	79 lbs	246.15





3/4" x 12" Galv. Bolt Hook \$ 5/8" x 12" Galv. Bolt Hook \$ 5/8" x 6" Galvanized Screw Hook 2" Galv. Hinge Clamp	5.18 7.78
1 5/8" Galv. Hinge Clamp	6.05



CHUTE HELP'




Square Tube Arena Panel 5-Rail • 16 Gauge • Black 10' Gate \$ 201.95



1 5/8" Butterfly Clamp (pair) \$ 15.55 2" Butterfly Clamp (pair) 16.42



Panel Hanging Clip 1 5/8" \$ 6.05 Panel Hanging Clip 2" 6.91



For attaching Farmaster panels with pins & loops wood posts or walls.

Pin Connector_ \$ 17.25 Loop Connector__ _ 8.25



12' Panel

Flat Mount Gate Hook

193.95

For attaching Farmaster hinges to a flat \$ 13.82 surface.




Gate Wheel gates for support and ease of operation.

\$ 21.05

Pneumatic Gate Wheel 8" Diameter, 2 1/2" Wide, Rubber Wheel with spring and plate attachement.

\$ 61.45

Gate wneel Fits 1 5/8" up to 2" tube





One-Way Sur-Latch For gates closing against a post or where sufficient gap is not available.

\$ 17.65




Sur-Stop Gate Anchor Fits 1 5/8" up to 2" tube gates to hold gate in position and prevent sag and swing. \$ 15.65

VDER RIVER EQUIPMENT


Heavy duty "Classic" gates and panels are 13 gauge tube frames and 14 gauge steel horizontal rails and with their exclusive pentagonal design, will take an amazing amount of abuse from crowding cattle and then spring back to their original shape. The Classic line has a proven history of doing a super job in sales yards, feedyards and ranch corrals across the country. When you have decided you want the best...this is it!

DOMDLB BIALB




Classic Lever-Latch Gates 180° Hinges

		_	
3'	52"	42 lbs	\$ 230.79
4'	52"	52 lbs	244.79
6'	52"	70 lbs	282.79
8'	52"	95 lbs	338.79
10'	52"	113 lbs	372.79
12'	52"	138 lbs	425.79
14'	52"	156 lbs	486.79
16'	52"	181 lbs	531.79



Classic Panels 14 Gauge Pentagon Rail 13 Gauge Frame

4'	64"	47 lbs	\$ 253.79
6'	64"	73 lbs	255.79
8'	64"	98 lbs	337.79
10'	64"	116 lbs	371.79
12'	64"	145 lbs	417.79
14'	64"	164 lbs	479.79
16'	64"	189 lbs	519.79
	4' 6' 8' 10' 12' 14'	4' 64" 6' 64" 8' 64" 10' 64" 12' 64" 14' 64"	6' 64" 73 lbs 8' 64" 98 lbs 10' 64" 116 lbs 12' 64" 145 lbs 14' 64" 164 lbs



Bow Gates

8' Bow 7 Gauge Steel Schedule 40

			•	
	7'	26"	74 lbs	\$ 329.79
_	3'	96"	114 lbs	455.79
	4'	96"	122 lbs	505.79
	6'	96"	187 lbs	663.79
	8'	96"	226 lbs	788.79
	10'	96"	313 lbs	1,027.79
	12'	96"	359 lbs	1,234.79

U-54

U-80

attle Guards



Powder River Cattle Guards are engineered and built to meet load requirements in four different weight categories. Load rating refers to tons per axle. Built to order. Allow 2-3 weeks leadtime. Deposit required.

H-15


H-20

		KOMDEK KIMEK		Size	H-15 12 Tons	H-20 16 Tons	U-54 25 Tons	0-80 30 Tons		
	H-15	H-2o	U-54	U-80	8' 0" x 8'	\$ 3,384.79	\$ 3,582.79	\$ 4,306.79	\$ 4,542.79	
Size	12 Tons	16 Tons	25 Tons	30 Tons	8' 0" x 10'	4,129.79	4,477.79	5,015.79	5,292.79	
7'-5" x 8'	\$ 3,289.79	\$ 3,383.79	NA	NA	8' 0" x 12'	4,655.79	5,097.79	5,672.79	5,975.79	
7'-5" x 10'	3,990.79	4,220.79	NA	NA	8' 0" x 14'	5,768.79	6,196.79	6,653.79	7,249.79	
7'-5" x 12'	4,516.79	4,4813.79	NA	NA	Cattleguard	d End-Wing S	Set		\$ 552.79	
7'-5" x 14'	5,559.79	5,740.79	NA	NA	Cattlegauro	d End-Wing F	Posts		443.79	

2000 Series Chute



M2000 Manual with Right Side Exit	\$ 7,777.79
S2000 Self-Catch with Right Side Exit	8,318.79
S2000 Self-Catch Stabilizer with Right Exit	9,327.79
Vet/Preg Test Gate	1,063.79
S2000 Self-Catch Headgate	2,112.79
S1500 Self-Catch Headgate	1,246.79
Classic Alley Roll Gate	1,205.71



2000 Series Chutes all have various headgate configuration options as well as a split tail gate, split kick panels, and easy side exit. Sides function as double V-style squeeze with drop fingers along the side for access.





1500 Series Chutes all have dual-side V-Squeeze, adjustable floor, side exit release, a roll door tailgate, and can be either self catch or manual headgate style.

\$1500 Automatic Headgate Sheeted Sliding Tailgate Removable Kick Panels Front & Right Side Exits For Cattle Up To 1,300 lbs. Length 95.5" Weight 1,020 lbs. \$4,797.79

M1500 Manual Headgate Sheeted Sliding Tailgate Removable Kick Panels Front & Right Side Exits For Cattle Less Than 1500lbs

\$4,784.79

The C2000 manual chute features a wide opening curtain style headgate. The wide opening facilitates smooth exits and easy enticing of cattle with a clear visual path. Manual Headgate is easy to close and release. The new linkage allows for more secure catches with stops every ½ of an inch. The headgate and center squeeze both utilize rack and pinion mechanisms that aid in keeping operator and animal away from moving parts and dangerous linkages.

Wide Opening Curtain Style Headgate Leverage Enhanced Center Squeeze **Rack and Pinion Manual Linkages Included Neck Extenders Split Kickpans** Split Easy Open Tailgate Right Side Exit (Side Exit) Easy Adjustable Low Profile Floor

5 Year Warranty \$8,172.00

-PORTABLE CORRAL & SMALL STOCK—

Turn any remote area into easy working conditions with this all steel portable loading chute and corral panel combination. Well balanced for easy hook-up fully loaded or empty. Durable steel frame with single axle gives easy loading & unloading of the components without obstructions. Each panel is held on the trailer by individual steel posts that align with the hinge of the panel. Back end is held with the chain and boomer provided. Uses 2" ball hitch. Panels are 12' long, 64" tall 7 rail, 14 ga. 1 5/8" frame with 14 ga. 1" rails. Pin together with clevis connections.

12' Portable Corral System

Right at Home on the Range 1- 12' Portable Loading Chute 1 - 12' Entrance Panel with 10' gate 1 - Alley Frame

19 - 12' x 64" Corral Panels

1 - Chute Gate

1 - Center Frame





PORTABLE LOADING CHUTE

12' Portable Loading Chute Only

Same as used in the above systems without panels and panel carriers 30" inside width. Three position adjustable height steel plate floor with cleated steps for better footing. Pull one pin and the tongue drops down out of the way or it can be removed completely. Stands on each side lock the chute at the proper height. Uses 2" ball hitch. \$5,169.35



32 Panel Carrier with Panels

Panel trailer complete with 12' panels. Uses a 2" ball hitch.

Empty weight 575 lbs. Loaded weight 3,583 lbs.





Winkel Corral Panels

Seven rail panels 64" high with 14 ga. 1 5/8" frame and 14 ga. 1" rails. Gray

12' x 64" Corral Panels	94 lbs	\$ 236.93
12' Entrance Panel with 4' Gate	130 lbs	408.34
12' Entrance Panel with 10' Gate	168 lbs	485.00

Calf Creep Feeders

PolyTuff Calf Creep Feeders feature one piece, free-flowing hoppers and galvanized creep stalls.

25 head 225 lbs.

750 lbs. capacity \$ 1,138.27

40 head 290 lbs.

1,200 lbs. capacity \$ 1,610.68



8' x 8' Big Bale Sheep Feeder

\$ 456.38

Two sides slide in as the hay bale is eaten. 1" - 14 gauge square tube frame with 1"-14gauge round vertical bars.


8' X 8' 45" Height



WINKEL SHEEP PANELS










6' x 41" Sheep Panel	\$ 125.06
8' x 41" Sheep Panel	158.42
6' x 50" Entrance with 4' Gate	216.78
8' x 54" Entrance with 4' Gate	258.47

6 Rail • 41" Tall • Drop Rod Connections

1" Dia. 16 Gauge Rails • 1" Square Tube 14 Gauge Frame




Kidding Panels


Light-weight portable panels for small livestock & pets. 4' Tall with 1 5/8" tube frame, 4" x 4" 6 gauge wire mesh, pin & loop connections, powder coated gray finish.



5' x 4' 29 lbs. \$ 120.05







LIVESTOCK EQUIPMENT

ILSON

Stocker HD Squeeze Chutes

Manual or Automatic self-catching headgates with non-choking design. Centrally located squeeze and headgate controls. Front & side exit. Easy one man operation and easy adjustment for varying sizes of cattle at both squeeze location and headgate also. Easy access with vertical bars & side panels, 1200lbs

Self-Catch + Brisket _ \$6,325.00 Self-Catch HD Chute _ _6,200.00

Heavy Duty Calf Table

Tips both ways, right and left and locks in place. Non-choking headgate with front exit. Swing-down vertical access panels on both sides. Complete with self-locking tailgate. All steel construction. Handles calves up to 500 lbs. 61" long 55" wide 60" Wt. 550 lbs. **\$2,770.00** Goat Table \$ 3,190.00



The doors on both sides of this cage open and swing out making it more convenient for preg testing, castrating, etc. Available with a vertical sliding rear gate or slide gate. A simple functional unit that can be adapted to other chutes. Palpation Cage with Slide Gate \$1,490.00 **Palpation Cage with Vertical Gate**



Half Sheeted Sweeps & Alleys



16' Adjustable Alley

2-8' Alley Sections 20" - 28" Adjustable 66" Height • 330 lbs. Lower 24" Sheeted \$ 2.990.00

Pins together. No bolts...

Half Sheeted Sweep

180° Sweep 10' Radius 66" Height 920 lbs. \$4,490.00

Alley Gates pin into the Sweep exit and let you hold

cattle in the sweep and in the alley. Available in vertical or slide.	\$ 370.00
Vertical Gate at Sweep Exit	640.00
Sliding Roll Gate at Sweep Exit	318.00
Sweep Adaptor Gate lets you have a second exit out of the sweep when you want to have a second alley.	159.00
System Alley Stop Bolt on as needed anywhere you want in your open system alley.	159.00
Drop Down Alley Stop Prevents backing in alley.	255.00

Winkel Calving Pen



10' x 12' Overall 1 - 10'

1 - 12

1 - 10' x 4' Gate 30' Back Gate

Self Catch Headgate Knocks Down to 34" x 144" 1800lbs

\$ 4.235.53

Behlen **BIG VALLEY** M1-V CATTLE CHUTE



The M1-V is a large, heavy duty squeeze chute with all the best features for the efficient handling of your cattle.

- · Dual Side Exits
- Dual Neck Access
- · Adjustable Floor
- · Double Side Squeeze
- · Largest Manual Chute Available
- · Split Tailgate
- · Drop Down Sides & Foot Access
 - · Powder Coat Finish

M-1V Cattle Chute with Split Tailgate

Manual Style \$ 6,701.82

Self-Catch Style

6,770.91

CHUTE HELPFully Automatic Calf Chute

Simplify roping with self-loading, one-button or manual operation system that doesn't need electricity or air. 60"L x 24"W x 69"H. 400lbs. Powder Coat Finish. 14 Gauge Steel. \$ 5,587.95



STOCK PRODS

All units come complete with 4 alkaline batteries ready to use.

24" Assembled \$74.25 14" Shaft Only \$ 18.25 37" Assembled 75.25 27" Shaft Only 19.25 49" Assembled 76.25 39" Shaft Only 20.25 59" Assembled 78.25 49" Shaft Only 22.25 **Power Pack Handle Only** 56.25





Only \$ 14.25

٧			
Complete with batteries and fiberglass shafts			
The Red One Prod	36"	\$ 116.25	
The Green One Prod	36"	116.25	
Power-Mite compact	6 1/4"	62.25	

ANIMAL CARE



Always read & follow label directions.

Equine Vaccination



Prestige II	Rhino + Flu EHV1 & EHV4	\$ 26.95
Prestige 4	E&W Encephalomyelitis, Tetanus, Flu	22.95
Prestige 5	E&W Encephalomyelitis, Tetanus, Flu, Rhino	36.95
Prestige 5 + WNV	E&W Encephalomyelitis, Tetanus, Flu, Rhino, WNV	59.95

animal.

Equine DeWormer

Zimecterin Gold	Ivermectin/Praziquantel 1250lbs 5mos or Older	\$ 19.95
Anthelcide EQ	Oxibendazole 1200lbs All Ages	11.95
Safeguard Paste	0.5% Fenbendazole 1100lbs All Ages	14.95
Safeguard Equibits	0.5% Fenbendazole 1250lbs All Ages	16.95
Strongid	Pyrantel Pamoate 1200lbs 5mos or Older	12.95
Quest Gel	Moxidectin 1150lbs 4mos or Older	18.95
Quest Plus	2% Moxidectin 12.5% Praziquantel 1150lb 6mos or Older	23.95

Vet Wrap

Strong, lightweight, cohesive bandages made with nylon threads for a stronger, more durable wrap. Self-adhesive wrap sticks only to itself, will not stick to skin or hair. Stays put during activity & use.

Coflex	4" x 5 yard	\$ 3.95
PowerFlex	4" x 5 yard	4.95
PowerFlex AFD	with Dressing Pad	4.95
No-Chew Co-Flex	Chew Deterrent	3 95



Ice Tight Poultice A 24-Hour Poultice that takes the place of tubbing, icing and hosing. Won't blister or irritate skin, containing natural clays, glycerin, aloe vera and minerals. Washes off with water.

Equine Normal Serum

Indicated for nonspecific treatment of equine infections and disease conditions. 50ml to 250ml via IV or intramuscular injection depending on weight of

100cc \$20.95 250cc 64.95 **Dextrose 50% Solution** Injectable solution for use as an aid in the treatment of acetonemia (ketosis).

500cc Bottle \$4.95

7 5lb \$ 15.95 \$ 42.95

Absorbine Vet Liniment Antiseptic aids relief of temporary muscle soreness/stiffness-stimulates circulation.

Liquid Pint	\$ 15.95	Liquid Gallon	\$ 63.95
Liquid Quart	26.95	12 oz. Gel	16.95



Ivomec (Merial) Injectable cattle parasiticide effective against internal & external parasites. OK for bulls/pregnant cows. Use 1 ml/110 lb. body weight. \$ 49.95 50ml

Ivomec Pour-On (Merial)

Topically applied formulation of ivermectin for control of internal and external parasites.

250ml	10 head (550lb)	\$ 52.95
1L	40 head (550lb)	153.95

Castrators



Band Elastrators Ideal Elastrator \$ 12.64 Latex Bands (100 pk.) 2.20

Callicrate

bands

\$ 3.95

Callicrate Smart Bander Allows you to take

advantage of the increased weight gain of bulls while eliminating the stress and complications of

elastrator rings or surgical castration Complete Smart Bander with 5 bands, knife & black case \$376.95

Cattle Hand Counter \$ 4.05 Push button counter for the tally in the alley.

Branding & Dehorning



Custom made to your brand specifications by L-H Manufacturing. Please submit information showing your brand (indicate height of figures) and allow approximately 10 days for delivery. Irons must be paid in advance and we prepay UPS charges to you. Available in 3", 3 1/2" and 4" letter or figure.

Quick & simple dehorning of your young cattle with our electric dehorner. 110 volts. Available in Cast Bronze, Searing, or Loop Style.

Cattle Vaccination



	Alpha 7 MB-1	10 dose	\$ 24.95	50 dose	\$ 90.95
i i	ViraShield 6 VL5	10 dose	32.95	50 dose	153.95
*	BarVac CD	10 dose	4.95	50 dose	25.95

Ear Tags

Colors: Yellow, Orange, Red, Blue, Green, Black, Pink, Packages of 25 Tags Purple, White

CUSTOMIZABLE

\$ 40.50	Large Blank 4☆
51.15	Large Numbered 4☆
40.00	Medium Blank 3☆
39.45	Medium Numbered 3☆
7.90	Buttons Only
34.38	Blue Ultra Tagger



With this puller, one handle moves two separate hooks alternately. Pull one limb first then with the next move of the handle, pull the other limb. The 66" s haft disassembles in the middle. Supplied with OB strap only. OB chain sold separately.

·ANIMAL CARE·

Cow Life Cattle Rub & Oiler



Noromectin Pour On CyLence Pour On

\$ 57.95 / 5L \$ 22.95 / pint

Treat with 2-4 gal. of insecticide mix.		
5' Cattle Rub	\$ 26.25	
10' Cattle Rub	29.95	
Face Fly Strips (22/pkg)	19.60	
Fly Bullets	7.30	

Dust Bags

Square Dust Bag		\$ 48.95
Triangle Dust Bag		25.95
PROZAP Refill	2 - 12.5lb	53.95
PYthon Dust Kit		64.95
Includes Dust Bag a	and 12.5lbs PYt	hon Dust.
PYthon Dust Tub	50lbs	113.95

Disposable Syringes

<u></u>	9,9				
Center luer tip. Sterile 3cc	packed in easy 14¢	y-to ope each	n clear sleeves. \$ 13.91	Double ring Box of 100	plunger.
6cc	31¢	each	30.60	Box of 100	
12cc	36¢	each	35.66	Box of 100	
20cc	83¢	each	41.51	Box of 50	
35cc	96¢	each	54.68	Box of 50	
60cc	\$ 1.50	each	56.15	Box of 25	s=
60cc Catheter Tip	\$ 1.95	each	25.95	Box of 20	



Each needle packed sterile and color-coded. 1" and 1 1/2" Lengths in choice of gauges: 22, 20, 18, 16, 14. 20¢ each \$ 11.25/100 per box.

Drench Syringes

Virtually unbreakable, nylon feeding syringe is equipped with both threaded and luer-lock feeding nozzle. Dose markings are etched in black for long-lasting visibility.

10cc Ardes	\$ 24.95	each	
20cc Duratek	9.95	each	_
30cc Duratek	18.95	each	-
50cc Duratek	20.95	each	-



50 ml Pistol Grip Syringe. Select for 1, 2, 3, 4 or 5 ml doses Durable poly barrel \$ 90.95

25 ml Pistol Grip Syringe. Select for 1, 2, 3, 4 or 5 ml doses

Durable poly barrel \$88.95

Premium Needles

SS Premium Needles. Sold in packs of 12. \$ 9.60/12 per box.

Red Cell (HH) Yucca flavored liquid supplement of iron, vitamins & minerals. Palatable, easy and economical to feed. Feed 1-2 oz daily. Gal. \$ 25.95



Clovite all-species animal vitamin supplement is a granular powder containing 242 units of vitamin A, 110 units of vitamin D, and 0.3 mcg of vitamin B12 per gram, with a recommended dosage of 1-3 lbs per 100 lbs of feed 5lb \$ 63.95 25lb \$ 145.95



AirPower all-species animal vitamin supplement. This natural, non-toxic horse remedy eases coughs and allergies with ingredients

like menthol and eucalyptus, safe for event use, in liquid (1/2 oz twice daily) or paste forms. 16 oz. \$ 21.95 1/2oz. Syringe \$ 4.95



Electro Dex (HH) A concentrated electrolyte that replenishes the ions lost in sweat at the correct ratios.

5 lbs. \$ 13.95 30 lbs. \$58.95 Vita-B12 Crumbles (HH) Contains 50,000 mcg. per

pound of Vitamin B-12. Feed 1/2 oz to 1 oz daily 3 lbs. \$ 17.95

Vita Biotin (HH) Biotin horse supplement for healthy hoof, skin & coat. Feed 1/2 to 1 oz. daily. 3 lbs. \$ 23.95 Vita B-1 (HH) Contains 8,000 mg. of B-1 (Thiamine) per

pound. Feed 1/2 to 1 oz. daily. 3 lbs. \$17.95



Weight Builder (FAR) Provides extra calories with flax meal and omega-3 fatty acids. High in protein, fat, fiber & calcium for hard keeper horses. 7.5 lbs \$ 45.95

22.5 lbs 81.95



Our finest form fitting glove from Yellowstone 549 D Unlined Deerskin ___

Sizes 7-12 includ-

ing half sizes.

are so unique, the pattern is patented. Made from carefully selected leathers, the palm & back are seamless. Double elastic wrist. Durable stitching. America's best fitting glove. 549 E Unlined Elkskin _ 498 D Deerskin Driving Glove ___

Golden Deerskin/Nylon Gloves Seamless palm deerskin gloves with flexible nylon. Durable, comfortable, available insulated or non-insulated. Sizes XS, S, M, L, XL Insulated \$ 19.35 Not Insulated \$ 17.95

Decker & Stone Brushes and Combs



15S	Round Curry	4" x 9"	\$ 5.25
31J	Jumbo Round Curry Spiral	5.5" x 10"	5.75
22SS	Shedder Scraper Double	24"	8.25
M83	Mini Rubber Curry	3" x 5"	1.95
75-6	Scotch Curl Comb 6"	6"	12.25
34	"Cloud" Soft Brush	White	7.25

-POLY RANCH & FARM PRODUCTS-

Dura Flex

Rubber Buckets, Feed Tubs & Pans

Crack, freeze and crush proof buckets made of pliable molded rubber.



26" X 10.5" BIG TUB

15 GAI



17.5" X 4.75" TUB









POURING LIP STYLE

DFP18 18 QT. \$ 17.25



\$ 29.25

HP3 3 GAI \$ 9.25

SNAP EYE TUB

6 1/2 GAL

CHUM TUB

6 1/2 GAL


HP2 4 OT \$ 5.25 HP₁ 2 OT 4 25



OLD TIME ROUND STYLE

8 QT.	\$ 8.95
10 QT.	11.26
12 QT.	12.91
	10 QT.









Plastic Flat Back Bucket Knob-Ball Handle

\$ 19.25

\$ 15.25

	P-20FB	20 QT.	\$ 8.25
)	P-8	8 QT.	5.25

Molded from a tough polyethylene resin resistant to Blue Black Green Red impact and warpage. Knob ball handle attachment \$ 19.25 for long life. Various Colours.



Heavy duty rope grips. 24"dia. x 18" high







Hookover Feeders

15 Quart capacity Mount in trailers, stalls or on any fence rail of 1 5/8" thickness. Green, Blue, \$ 10.25 Red



Mini Feeders

6 Quart capacity Mounts on fence or wall. 9 3/4" x 11" x 5 1/2" Red, Blue, Green \$ 8.25



Fence Feeders

20 Quart capacity Adjustable mounting brackets for fence or wall installation. 14 1/4"x17 1/2"x10 3/4" FF20 \$ 15.25



Feed Pan/Salt Pan

10 Quart capacity Mineral pan has drain holes. Black 18 1/2"x18 1/2"x5 1/4"

Feed Pan FP10 \$8.25 Mineral Pan MP10 8.25



Calf Bottle 2 Quart with nipple Snap-on \$ 3.50 Screw-on

\$ 3.50




Bedding Forks



15" x 52" 18-Tine Bedding Fork

15" x 52" 17-Tine Bedding Fork 5" Basket Sides \$ 32.25



Galvanized Steel Poultry Waterers

Double wall fountains made of heavy gauge galvanized steel with rolled edges and have brass valves with rubber seals. The seams of the inner jacket are individually tested to prevent leaks.

	2 Gallon	\$ 24.25
0	3 Gallon	30.25
•	5 Gallon	36.25
	8 Gallon	49.25



Galvanized Buckets, Pans & Cans

Heavy-duty galvanized construction prevents rust and corrosion with a rustic touch.

GBT8	8 GAL. TUB	\$ 17.25
GP10	10 QT PAIL	7.25
GWC10	WATERING CAN 10 QT.	18.25




Poultry & Game Bird Waterers

Wide-mouth opening for easy filling and cleaning. Transparent container shows water level. Threaded cap & handle allows for easy carrying.

	3 Gallon	\$ 31.25
	5 Gallon	37.25
J	7 Gallon	43.25

FARRIER & HORSESHOES

Diamond Farrier Tools



, ,	, =, =,	-, -,		,	0)
Α	Economy 14" Nipper	\$ 40.45	F	Farrier Tongs	\$ 39.45
В	Pro Nipper 12" Plain Pro Nipper 15" Plain	100.45 280.45	G	10 oz. Driving Hammer 14 oz. Driving Hammer	35.45 41.45
С	Pro 10" Nail Nipper	49.45	Н	12" Clinch Cutter	60.45
D	12" Puller/Spreader	65.45	I	Clinch Block	20.45
Е	Saddle Clincher	69.45	J	Hoof Pick, Vinyl Coat	1.90
		***********	20000000	1000000	

HR14N	Diamond 14" Farrier Rasp	\$ 22.45
Bellota F	Raptor Wide 14" Rasp	35.45
Rasp Handle, Wood		6.45
Hoof Kni	fe - Narrow Blade	16.45



Thoro'Bred Racing & Specialty Shoes

	Size	Price
Quarter Horse Fronts Only (Pair)	4, 5, or 6	\$ 7.25
Regular Quarter Horse Front & Hind Set	4, 5, or 6	6.25
Quarter Wedge Front & Hind Set	3, 4, 5, or 6	10.25
Queens Plate Flat Front & Hind Set	3, 4, 5, or 6	7.50

Level Grip Plate Shoes. Features high outside rim for toe grab, traction and balance. Great for flat-footed horses and for reducing shock on turf. **Sizes 3 - 6** \$ 7.25 set 2 Front/2 Hind



Classic & Bronco Plain **Price** Pairs per **Price** Size per Pair Box per Box \$ 78.30 000 \$ 4.35 20 00 4.45 10 40.05 0 4.65 10 41.85 1 5.25 10 47.25 2 5.50 10 49.50

Bronco Heeled or Toed & Heeled



Size	Price per Pair	Pairs per Box	Price per Box
00	\$ 4.60	20	\$ 70.20
0	4.40	20	72.00
1	4.80	10	39.60
2	5.20	10	42.30



Hooflex maintains the pliability of the hoof to prevent cracking. Stimulates rapid growth, and 15 oz. \$18.95 softens & conditions all parts of the hoof.

Hoofmaker is an intensive protein hoof treatment to promote elasticity and strength. Reduces, prevents, and can eliminate quarter cracks, sand cracks and cracked heels.

32 oz.

Rainmaker Natural ingredients build a healthier hoof by protecting from dry conditions and leaving a healthy moisture balance in the hoof.

8.95

30.95

15.95

38.75

\$ 9.95

21.95

46.00

8 oz.

Hoof Alive the time-tested natural, all purpose dressing for increasing hoof strength and promoting hoof growth.

4 oz. 16 oz.

Fiebings Hoof Polish Black or Clear non-toxic polish for that show-shine. Wears off naturally with no harsh chemicals needed for removal. Dries in moments for a bright, lustrous look.

n moments for a bright, lustrous look.

Jim Rickens Formula Use on Sole
& Frog for puncture wounds, thrush

& Frog for puncture wounds, thrush, tenderness and pain. For best results use twice daily, for 5 days.

4 oz. \$16.50



	KoperTox Thrush Treatment	8 oz.	\$ 28.95
	KoperTox Thrush Treatment	16 oz.	38.95
	Absorbine Thrush Remedy	12 oz.	15.95



Hind

Horseshoe Nails	
City Head Nails 100 Box Sizes 4 1/2, 5, 6	\$ 9.90
Race Head Nails 100 Box Size 4 1/2	9.50

City Head Nails 250 Box Sizes 4 1/2, 5, 6

4.60

-Crease

1

Classic & Bronco Hind Price Pairs per Price Size per Pair Box per Box 00 \$ 4.50 10 63.00 0 4.90 10 75.00

10


Tracker Shoe Price Pairs per **Price** Size per Pair Box per Box 00 \$ 5.00 94.00 10 0 5.10 10 95.00 1 5.15 20 96.00 2 5.50 20 105.00




Pony Plain Shoes					
0	\$ 3.40	40	\$ 127.00		
1	3.60	40	136.00		

HARDWARE LATCHES & HINGES

Hinge Straps



294	6" Hinge Strap	\$ 15.59
294	8" Hinge Strap	15.86
294	10" Hinge Strap	24.91
294	12" Hinge Strap	10.14
294	14" Hinge Strap	10.39
294	16" Hinge Strap	12.35





))	2110BC	8" Heavy Gate Hook with plate staple	\$ 14.07
V-836	V2120	6" Safety Gate Hook with plate staple	6.75
T	V2124	6" Safety Gate Hook with Eye Screws	4.57
		18" Cane Bolt 5/8"	14.46
_ 4		12" Cane Bolt 1/2"	21.00
		18" Cane Bolt 1/2"	12.77




	•	
286	4" XHD T-Hinge	\$ 10.35
286	5" XHD T-Hinge	9.61
286	6" XHD T-Hinge	11.85
286	8" XHD T-Hinge	18.50
286	10" XHD T-Hinge	24.10
286	12" XHD T-Hinge	26.71

T-Hinges



9		Bar Holders	
15	14	Closed Bar Holder	\$ 2.97
	15	Open Bar Holder	3.05




	282	4" Strap Hinge	\$ 8.69
)	282	5" Strap Hinge	15.59
	282	6" Strap Hinge	15.89
	282	8" Strap Hinge	24.91
	282	10" Strap Hinge	10.14
	282	12" Strap Hinge	12.35

Strap Hinges



ì		Barrel Bolts	
۱	V-831	4" Heavy Barrel Bolt	\$ 5.60
l	5046669	6" Barrel Bolt	2.90
1	5043831	5" Barrel Bolt	2.78
9	V-832	8" Extra Heavy Barrel Bolt	17.75




Bolt Hooks			
293	1/2" x 6" Bolt Hook	\$ 5.24	
293	5/8" x 8" Bolt Hook	7.13	
293	5/8" x 12" Bolt Hook	6.99	
293	3/4" x 10" Bolt Hook	11.47	
293	3/4" x 12" Bolt Hook	12.30	



291	1/2" x 4" Screw Hooks	\$ 2.53
291	5/8" x 5" Screw Hooks	3.45
291	3/4" x 6" Screw Hooks	5.71

Screw Hooks



ž91

Screw Hook & Eye Hinge 295 1/2" X 4" Screw Hook & Eye Hinge pr. \$ 10.03 295 5/8" x 5" Screw Hook & Eye Hinge pr. 15.96

Kwikee Latch Opens easily from horseback with one hand. 6.25



16 ga. 3/4" x 12" Bolt 18 ga. 5/8" x 12" Bolt Adjustable Hinge

Adjustable Hinge



20 Gauge **Tube Gates Mounting Hardware**

5/8" x 6" Screw Hook



Snaps & Hardware Round or Square End Scissor Snaps \$ 2.10

Regular Bull Snap \$ 3.10 With Easy-Lip \$ 4.10



Double End Bolt Snap		
3 1/2"	\$	3.20
4 1/2"	_	4.40
Brass 4 1/2"		4 90


Chicago Screws 6/pkg \$ 2.77





3/4" x 12" Galv. Bolt Hook ;	\$ 10.36
5/8" x 12" Galv. Bolt Hook	8.64
5/8" x 6" Galvanized Screw Hook_	5.18
2" Galv. Hinge Clamp	10.36
1 5/8" Galv. Hinge Clamp	6.05
Plate Flat Mount Gate Hook	13.82

IMPORTANT: Store steel panels in a dry place, off the ground and indoors. If stored wet, white stainis can occur, reducing the effective life of the panel. Wet material cannot be returned. Safety precautions should be used when handling, cutting and fastening steel panels.



Galvanized Corrugated Steel

26" Wide 24" Coverage 29 Gauge 1 1/4" Corrugated G-90 Galvanized, High Tensile Made in the U.S.A.

Strongbarn/Barnmaster



26" Width		

6' Long	\$ 16.65	12' Long	\$ 32.65
7' Long	19.65	14' Long	37.65
8' Long	21.65	16' Long	42.65
9' Long	24.65	18' Long	48.65
10' Long	27.65	20' Long	53.65

Note: Sheets are 26" wide and cover 24" after a sidelap of 2".

Corrugated Fiberglass Skylight


Useful for skylights, patios and greenhouses. 1 1/4" Corrugated. Clear Heavy weight 5 oz. per square foot.

MUUUUU			777777
8' Long	\$ 51.65	metal sales Propane	I II Fiber-
10' Long	63.65	Register Standard	
12' Long	76.65	Profile, White Fiberglass 3' x 12' In Stock	\$ 61.57

Corrugated Closure Strips

Formed rubber material to match and seal the 1 1/4" corrugated. 2' Lengths_ \$.44 each





Butyl Tape Strip Mastic

For use on sidelaps & endlaps as needed. Water and U.V. resistant with very high cohesive strength. Excellent bonding in cold weather. $-60^{\circ}F$ to $+212^{\circ}F$. 3/8" x 3/32" - 45' Length ____ _ \$ 4.95



2 1/2" Corrugated

Roof Coverage 21 2/3" Wall Coverage 24" 1/2" Rib Height, 2 2/3" on center

Custom Cut Lengths

Туре	Lin. Ft
29 Ga. Galv	\$ 2.72
26 Ga. Galv	3.28
26 Ga. Painted	5.61
22 Ga. Rusting	5.69



7/8" Corrugated

Roof Coverage 29 1/3" Wall Coverage 32" 7/8" Rib Height, 2 2/3" on center

Custom Cut Lengths

Туре	Lin. Ft
26 Ga. Galv	\$ 5.19
26 Ga. Painted	7.44
22 Ga. Rusting	11.93

PlyFast Screws for wood framing, Zinc Galvanized or Painted. "Needle point" for quick, easy starts without pre-drilling.


1/4" Hex Head with Neoprene Washer

MetalFast Screws for steel framing ≤5/16" Hex Head Magnetic **Drive Sockets** Made in U.S.A. 1/4", 5/16", 3/8' \$ 7.90

Size	Zinc	Color
3/4"	9 ¢	10¢
1"	9 ¢	10¢
1 1/2"	10 ¢	11 ¢
2"	11 ¢	12¢
2 1/2"	12 ¢	13¢
3"	13 ¢	14 ¢
Bags May	v Varv Ir	Count

ASHERS™

Flasher Flexible Pipe Flashing An outstanding roof jack for use on most steel roofing profiles, corrugated or ribbed panels. An aluminum strip molded into the base conforms to any location on the roof. Standard Gray EDPM rubber for temps -65°F to +250°F High-Temp Orange Silicon for temps -100°F to +450°F



RetroFit Roof Jack Flasher with ZipLock

Size	Diameter	High-Temp
1	0.75 - 2.75"	\$ 59.77
2	2 - 7.25"	113.77

-CUSTOM ROOFING & SIDING

High Tensile Steel

Our steel ribbed panels are roll formed under stringent quality control to exacting specifications using only "full hard" 80,000 PSI tensile strength 29 gauge steel for maximum load carrying capability. It has exceptionally high spanning properties for its thickness and weight, and provides spring-like resistance to abuse.

<u>Attractive Ribbed Design</u>

Steel ribbed panels look sharp on your buildings. Main rib is 9" on center to cast a shadow and give your building that board and batten look. One or two small stiffening ribs are spaced between the main ribs. Designed for good looks and maximum strength.

Custom Cut Lengths:

All steel ribbed panels are custom cut to your specified lengths right off the fabrication machine. Allow 7 to 10 days lead time. We do not round to the nearest foot on lengths when figuring your cost....you pay only for what you get.


36" Coverage


Steel ribbed panels are 38" wide giving 36" coverage which allows you to install it faster. This means fewer rows, fewer panels, fewer sidelaps, faster application with less time spent fitting panels into place. It can be quickly secured into place with screws. Price is based on actual 36" actual coverage.

Weathertight Lap Design

The unique siphon groove on the side of the panel interlocks with the side of the next panel to form a weathertight seal. This design permits a free-flow water runoff while the drain helps channel out water that might be forced into the snug-fitting lap.

Deposit required on all orders. This product is a customized special order & non-returnable.






29 Gauge Painted \$4.85/lin ft.


26 Gauge Painted 26 Gauge Colors May Vary. 6.60/lin. ft.

29 Gauge Galvalume 5.59/lin. ft.



White, Parchment, Ivory, Light Stone, Beige, Hickory Moss, Desert Brown, Medium Brown, Dark Brown, Old Town Gray, Charcoal Gray, All Steel Blue, Gallery Blue, Rustic Red, True Red, Burgundy, Black, Medium Green, Ivy Green, Fern Green, Sedona Rust, Galvalume, Burnished Slate, Copper Penny.

Matching Fasteners & Trims Available




PBR Purlin Bearing Rib Panel

Steel Roofing and Siding 36" Coverage 12" On center of rib, 1-1/4" tall rib Custom Cut Lengths Available in 17 colors.

Type	Lin. Ft
26 Ga. Painted	\$ 5.53
26 Ga. Galvalume	5.30
24 Ga. Painted	9.25
24 Ga. Galvalume	6.86


IMPORTANT: Store steel panels in a dry place, off the ground and indoors. If stored wet, white stainis can occur, reducing the effective life of the panel. Safety precautions should be used when handling, cutting and fastening steel panels.

TRIM GUIDE & DETAIL



All Trims Come In Standard 10'6" Length.


All Irims Come in Standard 10'6" Length.			
TYPE - Galvanized	DIMENSION	PRICE	
UNIVERSAL RIDGE CAP	14" WIDTH	\$ 21.00	
GABLE	4" X 5 1/4"	21.71	
EAVE MOULDING	3 1/2" X 4 1/8"	15.85	
RAKE	2 3/8" x 2 3/4"	11.97	
DENVER EAVE	1 1/2" X 2 3/4"	20.73	
OUTSIDE CORNER	4" FACE	21.51	
INSIDE CORNER	4" FACE	25.51	
UNIVERSAL SIDEWALL	4" X 3 1/2"	22.96	
UNIVERSAL ENDWALL	4" X 31/2"	22.96	
L-BASE/MINI ANGLE	1 1/2" X 1 1/2"	8.78	
PITCH BREAK	4" X 6"	21.07	
J-CHANNEL	1" X 7/8" X 2"	9.44	
W VALLEY	9 1/2" X 1" RISE	40.97	
DOUBLE SNOW BAR		31.49	
PEAK	6" X 5"	24.89	
UNIVERSAL FLASHING	2 1/4" X 2 1/4"	11.93	
POST TRIM	1 1/2" X 5 1/2"	16.12	
DOOR JAMB TRIM	9 1/4"	21.07	
RAT GUARD	7/8" BENCH	9.01	




Univer	sal Sidewall	Universal Endwall
	29 ga. 42367xx	29 ga. 42366xx
		5-1/4"
5-1/4"	Painted Side	Painted Side
	60000	

W Valley	J Channel
29 ga. 42079xx	29 ga. 42274xx
Painted Side	2-5/16"
9° Specify Angle	1" Painted Side

m
20 5 4 (2)! 4224 0
29 ga. 5-1/2" 42068xx 7-1/4" 42069xx 9- 1/4" 42070xx
Specify Width
0




SDR DOOR DETAIL




SLIDING DOOR FRAME ITEMS

The best thing to ever happen to sliding doors! Use these **Pre-finished White** vertical rails with your 1 1/2" lumber for an easy to build frame. Or use our steel horizontal rails for a door that will never twist warp or bind. More strength with less weight...easier to slide your door.




SDR 1600 AV	Vertical Rail	8', 10', 12', 14', 16'	\$ 9.47	per foot.
SDR 1600 HV	Mate for Bi-Parting Doors	10', 12', 14', 16'	7.20	per foot.
SDR 1600 AB Base Rail for Door Frame		12', 16'	4.10	per foot.
SDR 1600 WS	Weather Strip for Vertical Rail		49¢	per foot.
SDR 1600 WB	Continuous Guide Base	12', 16'	8.90	per foot.
SDR 0500 TRG	Continuous Guide (C-SHAPE)	5'	43.50	Each
SDR 1000 TRG Continuous Guide (C-SHAPE)		10'	62.00	Each
235 BOX GIRT	Horizontal Box Girt / Rail	10', 12', 14', 16'	6.40	per foot.

CREATE or expand openings with easy to install and low maintenance sliding door hardware systems. Withstand weather and wild critter alike with the right solution for your shed, barn or stall.



BARN DOOR TRACK DETAIL



RATED FOR UP TO 450LBS **DURABLE GALVANIZED STEEL**



WEATHERGUARD PROTECTION FOR EXTERNAL USE **CORROSION RESISTANT**

REDUCED TREAD WEAR ON WHEELS

Door Guides & Bumpers


Keep your barn door from coming out of the track and protect it from swinging with the wind.

Stay Rollers ease track slide and rail pressure.









NATIONAL 5116 Single Track


Use #51-F Brackets Spaced Every 2' For Best Capacity


Use #51-G Brackets To Splice Track Pieces Together



Hanger Splice

NATIONAL 5116 Bypassing Doors






Trolley Hangers

Install trolley hangers to distribute load evenly, minimum of 4" from edge of the door. Use only two hangers per door.

Trolleys come in Rigid or Flexible options to allow for maximum adjustability with long-life delrin bearings for easy rolling.

5001 **Rigid Bolt Trolley** 3 1/8" or 6"




SLIDING DOOR HARDWARE




NATIONAL SLIDING DOOR HARDWARE

NATIONAL SLIDING DOOR HARDWARE is strong & durable. #5116 Square track with hanger brackets spaced at 24" is designed for doors weighing up to 450 lbs. Track is 16 gauge galvanized steel.



NATIONAL DOOR TRACK #5116 Door Track \$ 6.55 / ft.





51-F Single Track Bracket		\$ 7.93
51-G Single Splice Bracket		11.81
51-H	Double Track Bracket	37.05
51-HS	Double Splice Bracket	49.51

TRACK HANGER BRACKETS






TROLLEY HANGERS

5001	Rigid Drop Bolt Trolley 3" or 6" Bolt Length	\$ 30.11/pr.
5022 Flexible 9" Drop Bolt Trolley		67.64/pr.
5005 Rigid Drop Strap Trolley		66.59/pr.
5040	Flexible Drop Strap Trolley	81.83/pr.

DOOR BUMPERS, GUIDES & STAY ROLLERS



17	Door Bumper, 2" Doors	\$ 9.37
19	HD Door Bumper, 2 3/4" Doors	16.76
316	Adj. Door Bumper, 2" - 3"	22.31
317	Adj. Door Bumper, 4 1/2" - 6"	14.57
322	Floor Mount Center Guide	67.76
18	Regular Stay Roller	13.76
318	HD Stay Roller	19.25
319	Floor Mount Stay Roller	7.35
325	Door Guide, Up to 5 1/2"	15.09





SLIDING DOOR PULLS & LATCHES

Ø١,			
9	V6w 6-3/4" White Door Pull		\$ 5.95
	V6z 6-3/4" Zinc Door Pull		3.38
	V7	10" Heavy Zinc Door Pull	9.35
	V176	Flush Door Pull	13.89
>	1254	Center Latch for biparting doors	16.85
ν	1264	Jamb Latch, 7" with Hook	20.34
7	1265	Jamb Latch, 4" with Hook	19.70








ROUND TRACK SLIDING DOOR HARDWARE

KEYHOLE TRACK is round, self-cleaning track. Hanger brackets tap into keyholes prepunched on 2' centers, in the top of the track. Three types of hanger brackets are available, face mount, face mount with track cover and double track for by-passing doors. Designed for doors weighing up to 600 lbs. Track is 14 gauge galvanized steel. Splice collars are used for joining sections of track. End caps provide protection from dust, debris & birds. Made in the USA.




Track cover brackets allow for the easy installation of trim to cover your door track. They quickly and securely snap into place with the tap of a hammer.

Track end plugs bird-proof and close the ends of the track.

Splice collars are used to lock two track sections in perfect alignment at the joints.

KEYHOLE DOOR TRACK & BRACKETS



TROLLEYS For doors weighing up to 600 lbs. Delrin wheels and needle bearing. Offset bolt trolleys for wood or steel framed doors are 4-way adjustable. Wood Door Trolleys with adjustable saddle for solid doors up to 1 13/16" thick. Quiet and easy to roll.

	OLLEY HAN	GERS		a C	à
9 1/2" Bo	olt Trolley (pr.)	\$ 75.90		Con San	<i>9</i> 9 1/2"
6 1/2" Bo	olt Trolley (pr.)	74.90	. Wo	od	or 6 1/2"
	oor Strap-Style ith End Caps	90.90	Do	- 8	Bolt Trolley
V23		1134 Or & Gate Latches	13B	1135	
V13B	Door & Gate La	atch		\$ 18.08	
V23A	Swinging Gate	Latch		24.63	
V25	Swinging Door	Latch for 3/4" - 2 1	/4" Doors	20.29	
V1134	Slide Bolt Latch	1		8.71	1136
V1135	Slide Bolt Latch	n, Heavy Duty		21.87	-
V1136	Slide Bolt Latch	n, Spring Loaded		16.23	36


WOOD POST & RAIL DETAIL



POST & DOWELLED RAIL FENCING

Drilled 16" On Center for Rails


Rails are dowelled to 2" diameter to fit in posts. Posts & Rails are Treated Pine with Micro Copper Azole wood preservative for ground contact, decay and wood-destroying insects.



ANIMAL CONTAINMENT FOCUS

Top-Rail finish height 54" up to 60" above ground for use with wire mesh. **2" x 4" No-Climb Horse Fence** for penetration-proof wire barrier.

Sleek appearance with functionality for pastures, arenas, bridle paths, and more! Use as a 60" height perimeter on gardens and orchards to keep bigger critters from having a nibble.



NON-EQUINE CONTAINMENT

Premium Hinge-Joint Field Fence guards against small and large animals. Graduated Opening Spaces for smaller animal at the bottom while main-

taining strength and rigidity for larger animals. Ideal for your family of sheep, goats, alpacas, and more! Heights from 26" up to 56" with zinc coating for lifetime. Hinge-Joint knot allows the fencing to flex under pressure and spring back into shape.


Expands and contracts under changing weather conditions for flexibility and strength against snow load, tumbleweeds, and other debris. Solid construction for any terrain, built to last.

MEASURE AND SET

Posts placed 8' apart for 8' Turned Rails.

Set Posts as you go for best stability.

Rotate Rails to deter distortion and wear from elements.



* Set your posts using no more than 20lbs of dry mix to ensure room for moisture release and increased lifetime.


WESTERN DOWL FENCE OPTIONS: 3-RAIL 2-RAIL 4-RAIL 1-RAIL


<u>Type</u>	<u>Count</u>	
In-Lines		
CORNERS		
ENDS		
WIRE		
RAILS		
GATE GAPS		_
H-BRACES		_

POST & WIRE PLAN DETAIL

END & CORNER BRACES:

The corner and end braces are the most important elements of any fence system. Particular attention aught be paid to their construction and installation. In some cases of higher tension, anchor posts are shown to lean away from the direction of pull. Pack dirt solidly around your anchor posts, packing only a few inches of dirt at a time to hold the post rigid. Brace wire, made of 12 1/2 gauge twisted smooth in most common cases, is wrapped twice around your anchor posts, pulled tight, and spliced. The taller the fence, the taller your posts need to be and the more particular you should be about how you want to brace and support your fence line.





ACREAGE & FENCE LINE:

"I have 5 acres to fence around, how much fence do I need?" 43,560 Square Feet Per Acre

Step 1:

Multiply Square Feet Per Acre by Number of Acres:


43,560 x 5 Acres= 217,800 square feet in 5 acres

Step 2: Find the Square Root of the Total Square Footage:

 $\sqrt{217.800} = 467$ lineal feet

Step 3: You now have the length of one side assuming the piece is square!

467 lineal feet on one side of your acreage!



Hours: 8:00 to 4:45 M-F **Closed Weekends** I-76 STOCKYARDS RANCH SUPPLY I-25 74th 6990 Hwy 85 (Vasquez Blvd) 69th Ave. Hwy 85 Vasquez Blvd. Phone Toll Free 1-800-443-5022 Brighton I-270 303-287-8081 Blvd. I-70 Colorado Blvd

Prices in this catalog are subject to change without notice. Stockyards welcomes payment by check, Amex, Visa, Mastercard and Discover. Sorry, we do not run accounts. Prices are FOB our store. We sincerely thank you for your business! © Copyright 2024. All Rights Reserved. **www.stockyardsupply.com**

STOCKYARDS RANCH SUPPLY INC.

P.O. BOX 1126 COMMERCE CITY, CO 80022-1126

ADDRESS SERVICE REQUESTED

PRSRT STD U S POSTAGE PAID DENVER, CO PERMIT NO. 3735

TO:

С	1	Steel Posts & Twisted Wire	14	Automatic Waterers	27	Syringes, Needles, Dust Bags
Ā	2	Wood Posts & Dowel Fence	15	Water Tanks & Floats	28	Buckets, Pans, Small Animal
Т	3	Field Mesh & Game Fence	16	Tank Deicers & Heaters	29	Farrier & Hoof
A	4	Horse Fence & Welded Wire	17	Stall & Pasture Feeders	30	Replacement Latch & Hinge
L	5	Welded Rod Panels	18	Feeding Equipment	31	Corrugated Steel
Ō	6	Vinyl Fence & Rail	19	Equus Stalls & Door Kits	32	Metal Sales, Flatiron Steel
G	7	High Tensile, Baler, Remesh	20	Stall Mats, Gates, Kennels	33	Trim Detail
<u>.</u>	8	Ranch Accessories	21	Corral Systems & Panels	34	SDR Door Framing
1	9	Fence Chargers & Posts	22	Gates & Hardware	35	Barn Door Detail
N	10	Electric Fence Insulators	23	Powder River Equipment	36	Sliding Door Track & Hardware
D	11	Tools & Equipments	24	Winkel Equipment		
E	12	Hay Covers & Tarps	25	Filson Livestock Equipment		
X	13	Hydrants & Culvert	26	Vaccines, Wormers, Ear Tags	_	

Jamie Jordan
Anna Jordan
Katy Sjaardema
Troy Becker
Tony Bustos
Mike Sjaardema
Jennifer White
Dusty Middleton
Juan Hernandez
Noelle Bruce
Jannet Vargas
Betty Vargas
Edgar Vasquez-Chic

Store Hours:

Mon. - Fri. 8 AM-4:45 PM
Closed Weekends & Most
Major Holidays
All prices & specifications in this
catalog are subject to change
without notice.
© Copyright 2024.
All rights reserved.





Returns Returned merchandise must be in original, restockable condition and accompanied by a sales receipt within 30 days of purchase. Special orders are not returnable. A restocking charge may apply and refunds are subject to customer's check clearing the bank.

Prices & Specifications We reserve the right to change prices & specifications without notice. We urge you to call with questions on current pricing & availability. All prices in this catalog are NET, FOB Our Store, Commerce City, CO.

Sales Tax Sales tax will be collected as required by State, District, City or County. Purchases for resale or purchases made by non-profit or government agencies must supply us with the proper documentation (a copy of resale license, etc.)

Phone & Mail Orders A minimum of \$ 20.00 of merchandise is required on phone & mail orders. Add sales tax and shipping/handling charge. Sorry, no COD shipments. STOCK-YARDS ships via UPS. Orders over 70 lbs. or items not accepted by UPS may be shipped via truckline freight charges collect. Contact your local carrier for freight rates. Add-ons to existing orders cannot be accepted and will be handled as a new order. If we run out of an item, you will be contacted promptly with any possible substitute item. We do not carry backorders, but we can notify you when the item is available in the future.

Damaged Goods or Missing Shipments Loss or damage is the responsibility of the freight carrier. Take delivery and make clear notification of the problem on your freight receipt. Notify Stockyards of the discrepency promptly.

Business Hours Open Monday through Friday 8:00 AM to 4:45 PM Mountain time. Closed Weekends & Holidays.